










आज मिति २०७९।०४।३० गतेका दिन दिउसो १:०० बजे यस धनगढी उपमहानगरपालिकाका नगर प्रमुख एवं नगर दररेट निर्धारण समितिका अध्यक्ष श्री गोपाल हमालज्यू को अध्यक्षतामा देहायको उपस्थितिमा बैठक बसि देहायका निर्णयहरु गरियो ।

उपस्थिति:-

श्री गोपाल हमाल - नगर प्रमुख	अध्यक्ष	
श्री रामलाल श्रेष्ठ - प्रमुख प्रशासकीय अधिकृत	सदस्य	
श्री चक्र देव पाण्डे - को.ले.नि.का.	सदस्य	
श्री सुरेन्द्र कान्त पन्त - ने.नि.व्य. संघ सदस्य	सदस्य	
श्री सुरेन्द्र बोहरा - उ.वा.संघ सदस्य	सदस्य	
श्री दीज राज भट्ट - डिभिजनल इन्जिनियर (श.वि.पु.शाखा प्रमुख)	सदस्य सचिव	

आमन्त्रित


श्री अनिल कुमार भुजनिया - कार्यपालिका सदस्य	
श्री लोकराज उपाध्याय - कृषि शाखा	
श्री योगेन्द्र बहादुर चन्द - आ.ले. प.	
श्री लेखनाथ ओझा - लेखा अधिकृत	
श्री दाताराम जोशी - इन्जिनियर	
श्री कमल राज ओझा - इन्जिनियर	
श्री राजु खड्का - इन्जिनियर	


निर्णय नं. १:


यस धनगढी उप-महानगरपालिकाको आ.व. २०७९/०८० को नगर दररेट तयार गर्दा बिभिन्न मान्यता प्राप्त कम्पनीहरुबाट उत्पादित निर्माण सामाग्रीमा कम्पनिले जारि गरेको Specification बमोजिमको स्वीकृत MRP दररेटलाई आधारमानि दररेट तयार गर्ने निर्णय गरियो ।

निर्णय नं. २:

यस आ.व. २०७९/०८० का लागि स्वीकृत गरिएको कैलाली जिल्ला दररेट लाइ आधार मानि यस नगरकार्यपालिकाका लागि आवश्यक पर्ने थप निर्माण सामाग्रीहरुको बजार, बिभिन्न व्यवसायी, सप्लायर्स बाट उपलब्ध दरलाई समावेश गरि निर्माण सामाग्री, ढुवानी, मेसिन उपकरणको भाडा र कामदार ज्याला समावेश गरि तपशिल बमोजिमको नगर दररेट तयार गरि स्वीकृतिका लागि नगर कार्यपालिकामा सिफारिस गर्ने निर्णय गरियो ।







धनगढी उप-महानगरपालिका

नगर कार्यपालिकाको कार्यालय

धनगढी, कैलाली

सुदूरपश्चिम प्रदेश, नेपाल



आ.व. २०७९/०८० को स्वीकृत नगर दररेट

धनगढी, कैलाली



२०७९

१५

[Handwritten signature]

[Handwritten signature]

क्र. सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
1	अदक्ष (ज्यामी)	श्रमदिन	520	580	610	675
2	दक्ष (मिस्त्री)	"	760	850	890	950
3	चौकिदार	"	५२०	५८०	६१०	675
4	क्याम्प वर्कर	"	५२०	५८०	६१०	675
5	चैनमेन	"	५२०	५८०	६१०	675
13	प्लम्बर	"	६२०	६९५	७३०	९५०
14	प्लम्बिङ हेल्पर	"	५२०	५८०	६१०	675
15	हेल्पर (खलासी)	"	५२०	५८०	६१०	675
16	सुपरभाईजर (साधारण)	"	५२०	५८०	६१०	675
17	सिनियर सुपरभाईजर (तालीम प्राप्त)	"	५५०	६१५	६५०	७००
18	सडक सुपरभाईजर	"	५२०	५८०	६१०	675
19	लेन्य वर्कर दैनिक ज्यालादारीमा	"	५२०	५८०	६१०	675
20	लेन्य वर्कर (रोड बोर्ड तर्फ करारमा)	"	५२०	५८०	६१०	675
21	सडक सुपरभाईजर (रोड बोर्ड तर्फ करारमा)	"	५२०	५८०	६१०	675
22	सिचाइ ढाल्पा	"	५२०	५८०	६१०	675
23	सिचाइ गेट अपरेटर	"	५२०	५८०	६१०	675
24	डाईभर	"	नेपाल सरकारको को शुरु तलब मानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने ।	नेपाल सरकारको को शुरु तलब मानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने ।	नेपाल सरकारको को शुरु तलब मानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने ।	नेपाल सरकारको को शुरु तलब मानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने ।
25	अमिन	"				
26	कम्प्युटर अपरेटर	"				
27	ईन्जिनियर	"				
28	सब-ईन्जिनियर	"				
29	ल्याव टेक्निसियन (ना.सु. वा खरिदार सरह)	"				
	अ सब-ईन्जिनियर	"				
30	इन्विपमेन्ट अपरेटर	"				
30.1	हेवि	श्रमदिन				
30.2	लाइट	"				
31	नाला तथा सेफ्टी टंकी सफा गर्ने कार्य	"	७३०	८१५	८५५	८९०
30	Mechanically treated earth work for Road and Canal including mobilization and de-mobilization of machine					
30.01	Excavation in Ordinary soil	cum	70	७०	७२	७२
30.02	Excavation in Hard soil	cum	95	९५	९७	९७
30.03	Excavation in Ordinary Rock	cum	290	२९०	२९५	२९५
30.04	Excavation in Medium Rock	cum	450	४५०	४६०	४६०
30.05	Excavation in Hard Rock	cum	1700	१७००	१७३०	१७३०
30.06	Landslide clearance	cum	70	७०	७२	७२

क्र. सं.	विवरण	ईकाई	आ. व. ७७/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
30.07	Landslide clearance (rocks to be broken)	cum	100	१००	१०२	१०२
31	मानिस द्वारा ढुवानी गर्ने					
31.01	सजिलो भारी पहाडको लागी	रु/केजी/कि मी	1.66	1.66	1.66	1.69
31.02	असजिलो भारी	"	1.79	1.79	1.79	1.83
31.03	सजिलो भारी तराईको लागी	"	1.27	1.27	1.27	1.27
31.04	असजिलो भारी	"	1.4	1.4	1.4	1.4
31.05	भोलुंगे पुलका लट्ठा बोक्ने	"	2.87	2.87	2.87	2.87
31.06	एच.डि.पि./जि.आई पाईप बोक्ने	"	2.87	2.87	2.87	2.87
31.07	विरुवा ढुवानी पहाडमा	"	2.74	2.74	2.74	2.74
31.08	विरुवा ढुवानी तराइमा	"	2.16	2.16	2.16	2.16
32	गाडा, रिक्सा र ठेलाद्वारा ढुवानी गर्ने कार्य					
32.01	पिच रोडमा	"	0.39	0.39	0.39	0.41
32.02	ग्रावेल सडकमा	"	0.46	0.46	0.46	0.48
32.03	कच्ची (माटो) सडकमा	"	0.43	0.43	0.43	0.45
33	लोड । अनलोड गर्ने काम					
33.01	फलामे सामान	क्वीन्टल	46.59	46.59	46.59	48
33.02	सिमेन्ट (५० केजी.)	ब्याग	18.63	18.63	18.63	19.19
33.03	अन्य सामान (खाद्य सामग्री समेत)	क्वीन्टल	13.31	13.31	13.31	13.71
34	ढक तथा अन्य निर्माण उपकरण भाडा		सडक विभागबाट निर्धारित दररेट अनुसार			
35	वन संबन्धि कामको लागि					
35.01	मार्किंग	प्रति रुख	22.14	22.14	23.24	23.24
35.02	कटान मुछान	घन फूट	31.86	31.86	33.45	33.45
35.03	बोक्रा फिक्ने	"	5.4	5.4	5.67	5.67
35.04	जरा निमाल्ने कार्य (गोलाइ ३० से.मी. सम्म)	प्रति जरा	300	300	315	315
35.05	जरा निमाल्ने कार्य (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म)	प्रति जरा	400	400	420	420
35.06	जरा निमाल्ने कार्य (गोलाइ ६० से.मी. भन्दा बढी)	प्रति जरा	500	500	525	525
35.07	जरा ढुवानी (गोलाइ ३० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	100	100	105	105
35.08	जरा ढुवानी (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	150	150	157	157
35.09	जरा ढुवानी (गोलाइ ६० से.मी. भन्दा बढी) २५ कि.मि. सम्म	प्रति जरा	200	200	210	210

५५

Signature

Signature
Page 2

Signature

Signature

क्र. सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
36	यार्डिंग					
36.01	क) पहाडि भिराला क्षेत्रमा गोलिया	घन फूट	99.00	99	104	104
36.02	ख) तराईमा गोलिया	"	14.00	14	14.7	14.7
36.03	ग) पहाडि भिराला क्षेत्रमा दाउरा	चट्टा	3888.00	3888	4080	4080
36.04	घ) तराई क्षेत्रमा दाउरा	चट्टा	648.00	648	680	680
37	पाईलिंग	"	16.00	16	16.5	16.5
38	लोडिंग (गोलिया)	"	21.00	21	22	22
39	अनलोडिंग	"	13.00	13	13.5	13.5
40	ढुवानी (वन जंगल क्षेत्रमा) गोलिया					
40.01	० देखि ३ कि.मि. सम्म	घन फुट	34.00	34.00	35.00	36.00
40.02	४ देखि ७ कि.मि. सम्म	"	37.80	37.80	39.00	40.00
40.03	८ देखि १२ कि.मि. सम्म	"	38.80	38.80	40.00	41.00
40.04	१३ देखि १६ कि.मि. सम्म	"	41.00	41.00	43.00	44.00
40.05	१७ देखि २० " "	"	45.90	45.90	48.00	49.00
40.06	२१ देखि २४ " "	"	46.40	46.40	48.00	49.00
40.07	२५ देखि ३० " "	"	52.90	52.90	55.00	56.00
40.08	३० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	1.90	1.90	1.99	2.00
41	ढुवानी गोलिया काठ र चिरानी काठ ढुवानी (घाटगद्दी देखि मिल र मिल देखि डिपो सम्म)					
41.01	० देखि ५ कि.मि. सम्म	घन फुट	18.90	18.90	19.00	19.57
41.02	६ देखि १० कि.मि. सम्म	"	21.60	21.60	22.00	23.00
41.03	११ देखि १५ कि.मि. सम्म	"	23.70	23.70	24.00	25.00
41.04	१६ देखि २० कि.मि. सम्म	"	30.20	30.20	31.00	32.00
41.05	२१ देखि २५ कि.मि. सम्म	"	31.50	31.50	33.00	34.00
41.06	२६ देखि ३० कि.मि. सम्म	"	32.90	32.90	34.00	35.00
41.07	३१ देखि ४० कि.मि. सम्म	"	34.00	34.00	35.00	36.00
41.08	४० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	1.80	1.80	1.90	1.99
४२	चिरान पाईलिंग	घ.मी.	15.10	15.10	15.80	16.50
४३	चिरान लोडिंग	"	14.00	14.00	14.50	15.22
४४	चिरान अनलोडिंग	"	10.10	10.10	10.50	11.01
45	दाउरा कटानी संबन्धि					
45.1	कटान मुछान (२० X ५ X ५) फिट	चट्टा	5000.00	5000.00	5200.00	5450.00
45.2	लोड अनलोड	"	2770.00	2770.00	2880.00	2880.00
45.3	चट्टा निर्माण	"	1890.00	1890.00	1965.00	1965.00
45.4	ढुवानी २५ कि.मि. सम्म	"	5162.00	5162.00	5368.00	5582.00
45.5	ढुवानी २५ कि.मि. भन्दा माथि थप प्रत्येक कि.मि. का लागि	"	251.00	251.00	261.00	271.00

क्र. सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
46	हरेक गोलियमा ईनामेलले गोलियाको साईज र नं. एवं लट नं. समेत स्पष्ट बुझिने गरी लेख्ने कामका लागि	गोलिया	6.00	6.00	6.20	6.38
47	चिरान उत्पादन गर्ने कार्य	घ.फी.	69.00	69.00	71.00	73.00
48	उत्पादित चिरान बाहेक भुस,वाकल तोकिएको स्थानमा फाल्ने कार्य	प्रति क्वीन्टल	27.00	27.00	28.00	29.00
49	अन्य साइज तथा सह उत्पादन कार्य	प्रति क्वीन्टल	88.00	88.00	91.00	94.00
50	वाकल लोड गर्ने कार्य	प्रति क्वीन्टल	44.00	44.00	45.00	46.00
51	वाकल अन लोड गर्ने कार्य	प्रति क्वीन्टल	15.00	15.00	15.50	15.50
52	१०० मी. टाढाबाट गोलिया मिलडेकसम्म बेलान गर्ने कार्य	घ.फी.	15.00	15.00	15.50	15.50
53	चिरान काठमाण्डौ सिपमेण्ट	घ.फी.	213.00	213.00	221.00	221.00
54	दाउरा काठमाण्डौ सिपमेण्ट	क्विन्टल	686.00	686.00	713.00	713.00
55	भाडाको समिलबाट गोलिया काठ चिरान गर्नुपर्दा गोलियामा	घ.फी.	103.00	103.00	107.00	107.00
56	घाटगद्दी स्थानबाट समिल सम्म गोलिया काठ ढुवानी गर्दा लोड	घ.फी.	35.00	35.00	36.00	36.00
57	घाटगद्दी स्थानबाट समिल सम्म गोलिया काठ ढुवानी गर्दा अनलोड	घ.फी.	7.90	7.90	8.00	8.00
58	ट्रकजान नसक्ने अवस्थामा स्थान देखी सडक सम्म टेक्टर वाट गोलिया भिकाउने	घ.फी.	12.50	12.50	13.00	13.00
59	सहजपुर, पण्डौन, तिगाली र सुगरखाल क्षेत्रको रा.व. वाट गोलिया काठको कटान, मुछानसहित पहाडी बेलान	घ.फी.	270.00	270.00	280.00	280.00
60	छपान गरेको रुखको फोटो खिचेको	गोटा	10.00	10.00	10.40	10.40
61	घाटगद्दीबाट दाउरा ढुवानी गर्दा लोड अनलोड	चट्टा	7000.00	7000.00	7280.00	7280.00
62	जलवायु कार्यको लागी					
62.1	गेज रिडर	श्रम दिन	405.00	405.00	421.00	442.00
62.2	अब्जरभर	"	226.00	226.00	235.00	246.00
63	हलुका सवारी साधन (जीप) भाडा ईन्धन बाहेक	कार्य दिन	4860.00	4860.00	5054.00	5306.00
64	सर्भे ईक्युपमेन्ट भाडा (टोटल स्टेशन सेट)	"	3240.00	3240.00	3369.00	3537.00
65	घर भाडा	महिना	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार
	भवनको प्लिन्य एरिया दर (मुआब्जा प्रयोजनको लागी)					
66	फेम स्ट्रक्चर पक्की भवन सिमेन्ट मसालमा					
66.01	ग्राउन्ड फ्लोर	वर्ग फिट	2200.00	2200.00	2288.00	2380.00

क्र. सं.	विवरण	ईकाई	आ. व. ७६/७७ को दररेट	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
66.02	अन्य फ्लोर	वर्ग फिट	1760.00	1760.00	1830.00	1900.00
67	लोड वियरिङ्ग पक्की भवन सिमेन्ट मसाल					
67.01	ग्राउन्ड फ्लोर	वर्ग फिट	2200.00	2200.00	2288.00	2400.00
67.02	अन्य फ्लोर	वर्ग फिट	1463.00	1463.00	1521.00	1560.00
68	लोड वियरिङ्ग पक्की भवन माटोको जोडाईमा					
68.01	ग्राउन्ड फ्लोर	वर्ग फिट	1320.00	1320.00	1372.00	1440.00
68.02	अन्य फ्लोर	वर्ग फिट	1023.00	1023.00	1063.00	1100.00
69	लोड वियरिङ्ग भवन टाईलको छाना भएको	वर्ग फिट	1023.00	1023.00	1063.00	1116.00
	शिलालेख लेख्ने कार्य					
70	मार्वलमा					
70.01	अक्षर माथी उठेको	वर्ग फिट	2915.00	2915.00	3031.00	3031.00
70.02	अक्षर तल दवेको	वर्ग फिट	2332.00	2332.00	2425.00	2425.00
71	पिचलमा					
71.01	अक्षर माथी उठेको	वर्ग फिट	4081.00	4081.00	4244.00	4244.00
71.02	अक्षर तल दवेको	वर्ग फिट	3498.00	3498.00	3637.00	3637.00
72	तामामा					
72.01	अक्षर माथी उठेको	वर्ग फिट	4664.00	4664.00	4850.00	4850.00
72.02	अक्षर तल दवेको	वर्ग फिट	4081.00	4081.00	4244.00	4244.00

क्र.सं.	विवरण	इकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
1	ईटा नेपाल स्टान्डाईको				
1.1	अबल (एक नम्बर) - चिम्ली भट्टाको	१०००	13000	13200	14000
1.2	दुई नम्बर (लालपेटी) - चिम्ली भट्टाको	१०००	10000	10000	10500
1.3	ओवर बर्नड/अण्डर बर्नड - चिम्ली भट्टाको	१०००	8000	9000	9000
1.4	टुक्रा	टुक्रा	7000	7000	7000
1.5	भेसिनबाट उत्पादित ईटा (१ नम्बर)	१०००	11500	11700	11700
2	सिमेन्टको ईटा				
2.1	Compressed Interlocking Concrete Block 12"×6"×4"	गोटा	38	39	40
3	बालुवा, ढुंगा र माटो				
3.1	बालुवा	घ.मि.	नर्मस् अनुसार		
3.2	धोएको बालुवा	घ.मि.	660	710	750
3.3	खोलाको ढुंगा	घ.मि.	नर्मस् अनुसार		
3.4	कुदेको "	घ.मि.			
3.5	बण्ड "	घ.मि.			
3.6	माटो खरिद धनगढी उ.म.न.पा. भित्र	घ.मि.	450	400	430
3.7	माटो खरिद अन्य क्षेत्रमा	घ.मि.		300	330
4	गिट्टी कसरको				
4.1	४० मि.मि. ढुवानी बाहेक	घ.मि.	1320	1250	1350
4.2	२० मि.मि. "	घ.मि.	1800	1800	1890
4.3	१० मि.मि. "	घ.मि.	1150	1300	1400
4.4	६ मि.मि. "	घ.मि.	1450	1500	1600
4.5	ढुङ्गाको धूलो "	घ.मि.	605	650	682
5	खोलाको छानेको गोलो गिट्टी				
5.1	४० मि.मि. ढुवानी बाहेक	घ.मि.	नर्मस् अनुसार		
5.2	२० मि.मि. "	घ.मि.			
5.3	१० मि.मि. "	घ.मि.			
5.4	४ मि.मि. देखि १० मि.मि सम्म	घ.मि.			
6	सिमेन्ट				
6.1	४३/४३ ग्रेड ५० केजीको PPC (NS)	बोरा	750	750	750
6.2	४३/४३ ग्रेड ५० केजीको OPC (NS)	बोरा	850	850	850
6.3	सेतो सिमेन्ट	के.जी.	32.5	35.0	33.0
7	काठ				
7.1	साल	घ.मी.	203700	211000	218385
7.2	सिसम	घ.मी.	141750	146800	151938
7.3	सल्लो	घ.मी.	50400	52200	54027
7.4	कुकाठ	घ.मी.	34650	35800	37053
8	बाँस (७ मी लम्बाइ)				
8.1	धनगढी नपा. क्षेत्रमा	गोटा	390	390	390
8.2	धनगढी नपा. बाहेकका क्षेत्रमा	गोटा	340	340	340
9	ग्रेनाइट/मार्बल				
9.01	१६ मि.मि. बाक्लो ग्रेनाइट	व.मी.		3800	4000
9.02	१३ मि.मि. बाक्लो ग्रेनाइट	व.मी.		3000	3150
9.03	१६ मि.मि. बाक्लो मार्बल	व.मी.	2920	2920	3080
9.04	१३ मि.मि. बाक्लो मार्बल	व.मी.	1460	1600	1688
9.05	मार्बल चिप्स (३ मि मी को)	के.जी.	20	20	20
9.06	मार्बल चिप्स (५ मि मी को)	के.जी.	21	21	21
9.07	अबजादीक एन्डिड पाउडर	के.जी.	170	170	171
9.08	मैन पोलिस	के.जी.	620	620	626
9.09	काबोरिन्डम ढुंगा (२ X २ X ४ इन्ची)	गोटा	645	645	651
10	टाईल (Porcelain Glazed & Non-skid Tiles)				
10.01	12"×18" Wall Tile	व.फि.	100	100	105

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
10.02	12"×18" Wall Tile kazaria,somany,johnson, shreeji,Exora,Delta or IS standard.	व.फि.			120
10.02	12"×24" Wall Tile	व.फि.	120	125	130
10.03	12"×24" Wall Tilekazaria,somany,johnson, shreeji,Exora,Delta or IS standard.	व.फि.			165
10.03	16"×32" Wall Tile	व.फि.	130	135	140
10.04	16"×32" Wall Tile kazaria,somany,johnson, shreeji,Exora,Delta or IS standard.	व.फि.	130	135	185
10.04	12"×12" Floor Tile	व.फि.	100	100	105
10.05	12"×12" Floor Tile kazaria,somany,johnson, shreeji,Exora,Delta or IS standard.	व.फि.			120
10.05	24"×24" Vertified Tile-Plain Ivory	व.फि.	106	110	113
	24"×24" Vertified Tile-Plain Ivory kazaria,somany,johnson, shreeji,Exora,Delta or IS standard.	व.फि.			130
10.06	24"×24" Doube Charged Vertified Tile-Light Shade	व.फि.	115	120	150
10.07	24"×24" Doube Charged Vertified Tile-Dark Shade	व.फि.	125	130	160
10.08	16"×16" Parking Tile- 12mm thickness		110	115	119
11	Bitumen/ Emulsion/Anti stripping additive				
11.1	Bitumen 80/100 grade	के.जी.	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे बमोजिम।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे बमोजिम।	नेपाल बिटुमीन तथा ब्यारेल उद्योग लिमिटेडले निर्धारण गरे बमोजिम।
11.2	ईमल्सन Medium Setting with 65% Bitumen (M/S 65%)	के.जी.			
11.3	Anti stripping additive, ex-factory rate Amlekhgunj	के.जी.	400	400	410
11.4	Instant Road repair Premix (pot Holes) 25kg per bag	ब्याग			1150
12	फलामे डण्डी				
12.1	४.५५ देखि ७ मि.मि को टीएमटी	के.जी.	८९	९६	१०४
12.2	८ मिमि को टीएमटी	के.जी.	८७	९३	१०७
12.3	१० देखि २० मि.मि. सम्मका टीएमटी	के.जी.	८२	९०	१०४
12.4	२५, २८ र ३२ मि.मि का टीएमटी	के.जी.	८९	९३	१०७
12.5	वाइण्डिंग तार	के.जी.	१०६	११४	१३०
13	गिट्टी छान्ने तारजाली				
13.1	२४ गेजको	व.मी.	1000	1000	1015
13.2	२६ गेजको	व.मी.	800	800	812
13.3	एक्सपेण्डेड मेटल वायर मेश	व.मी.	260	260	263
13.4	चिकेन वायर मेश	व.मी.	320	320	324
14	गेविन जी.ब्राड. तार				
14.01	७ र ८ गेजको हेभी	के.जी.	124	130	130
14.02	१० " "	के.जी.	124	130	130
14.03	१२ " "	के.जी.	125	132	132
14.04	७ र ८ गेजको मध्यम	के.जी.	118	125	125
14.05	१० " "	के.जी.	118	125	125
14.06	१२ " "	के.जी.	119	127	127
14.07	७ र ८ गेजको कर्मसिबल (हल्का)	के.जी.	113	122	122
14.08	१० " "	के.जी.	113	122	122
14.09	१२ " "	के.जी.	113	124	124
14.10	विभिन्न साइजको मेसिनमेड जालीहरु	छुट्टै तालिकामा विईएनअनुसार			
14.11	जीओ-टेक्स्टाइल (१०० ग्राम)	व.मी.	100	100	100
14.12	जीओ-टेक्स्टाइल (१५० ग्राम)	व.मी.	113	113	113

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
14.13	जीओ-टेक्स्टाइल (२०० ग्राम)			125	130
14.13	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-२५० जी.एस.एम.)	व.मी.	415	415	415
14.14	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३०० जी.एस.एम.)	व.मी.	450	450	450
14.15	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३५० जी.एस.एम.)	व.मी.	516	516	516
14.16	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-४०० जी.एस.एम.)	व.मी.	550	550	550
14.17	रङ्गरोगन सहितको ट्राफिक चिन्ह	गोटा	5525	5525	5525
14.18	सौर्य उर्जा सडक स्टुड	थान	3825	3825	4000
14.19	साधारण क्याट्स आई	गोटा	575	575	600
14.20	सडकमा लगाउने थर्मोप्लास्टिक रङ्ग	कि.ग्रा.	220	220	225
14.21	सडकमा मार्किङ गर्ने रङ्ग	लीटर	510	510	520
14.22	Double sank cat eye 25 ton capacity	Nos			1150
14.23	Simple sank cat eye 25 ton capacity	Nos			750
14.24	Aluminium Solar strud 45 ton capacity	Nos			5000
15	काडेतार				
15.1	१२ गेजको	के.जी.	120	125	130
15.2	१४ गेजको	के.जी.	123	127	132
16	किला काँटी विभिन्न साइज				
16.1	साधारण किला	के.जी.	115	119	130
16.2	लुवाड किला	के.जी.	210	218	228
16.3	नटबोल्ट ६० मि.मि.को	के.जी.	210	218	240
16.4	नटबोल्ट ८० मि.मि.को	के.जी.	220	228	250
16.5	जे हुक/यू हुक विभिन्न साइजको	के.जी.	135	140	155
16.6	जस्ता पाताको किला	के.जी.	160	166	173
16.7	५० मि.मि.को पेच किला	गोटा	3.6	3.7	4
16.8	६० मि.मि.को पेच किला	गोटा	4.2	4.3	4.5
17	बिटुमिन वासर	पेकेट	36	37.4	39
18	होल्ड फाष्ट	के.जी.	145	150	160
19	कच्चा				
19.1	कच्चा ६ इन्ची	गोटा	50.88	52	54
19.2	" ४ "	गोटा	27.56	28	29
19.3	" ३ "	गोटा	21.2	22	23
20	छेस्कीनी				
20.1	६" स्टील	गोटा	80	82	85
20.2	४" स्टील	गोटा	75	77	80
20.3	६" पितलको	गोटा	250	258	269
20.4	४" "	गोटा	200	206	215
20.5	६" अल्युमिनियम	गोटा	100	103	107
20.6	४" "	गोटा	90	93	97
21	डोर लकिङ सेट/अल्ड्राफ (बेलन)				
21.1	१०" स्टील	सेट	215	221	228
21.2	१२" "	सेट	270	278	286
21.3	१०" पितलको	सेट	1115	1148	1184
21.4	१२" पितलको	सेट	1280	1318	1360
21.5	१०" अल्युमिनियम	सेट	430	443	454
21.6	१२" अल्युमिनियम	सेट	540	556	569
22	हेण्डील				
22.1	६" स्टील	गोटा	50	52	53
22.2	४" "	गोटा	40	41	42
22.3	६" पितलको	गोटा	250	258	267

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
22.4	४" "	गोटा	160	185	170
22.5	६" अलम्युनिम	गोटा	60	62	64
22.6	४" "	गोटा	55	57	58
22.7	मोर्टिस ताला ढोकाको साधारण	गोटा	1060	1090	1128
22.8	" " राम्रो पित्तल	गोटा	2210	2275	2354
23	डोर स्पीड (जाली ढोकाको)				
23.1	साधारण	गोटा	360	371	371
23.2	मध्यम	गोटा	1100	1133	1133
23.3	राम्रो	गोटा	2000	2060	2060
24	ग्लास				
24.1	३.५ मिमी.	व.फु.	70	72	76
24.2	४ मिमी.	व.फु.	80	82	88
24.3	४ मिमी. (रगिन)	व.फु.	88	91	96
24.4	५.० मिमी.	व.फु.	100	103	109
24.5	५.० मिमी. (रगिन)	व.फु.	120	124	131
25	प्लाइउड				
25.01	३ मिमी. कमर्सियल	व.फु.	35	36	36
25.02	४ मिमी. कमर्सियल	व.फु.	26	27	28
25.03	६ मिमी. कमर्सियल	व.फु.	36	37	38
25.04	८ मिमी. कमर्सियल	व.फु.	55	57	58
25.05	१० मिमी. कमर्सियल	व.फु.	58	60	61
25.06	१२ मिमी. कमर्सियल	व.फु.	82	84	85
25.07	४ मिमी. वाटरप्रूफ	व.फु.	52	54	55
25.08	६ मिमी. वाटरप्रूफ	व.फु.	67	69	70
25.09	८ मिमी. वाटरप्रूफ	व.फु.	63	65	66
25.10	९ मिमी. वाटरप्रूफ	व.फु.	89	92	94
25.11	१२ मिमी. वाटरप्रूफ	व.फु.	110	113	115
25.12	१९ मिमी. कमर्सियल भित्र काठ राखेको	व.फु.	110	113	115
25.13	१९ मिमी. कमर्सियल भित्र काठ नराखेको	व.फु.	120	124	126
25.14	१९ मिमी. वाटरप्रूफ	व.फु.	150	155	158
25.15	टिक प्लाइउड ४ मी.मी. (Natural texture)	व.फु.	62	64	65
25.16	टिक प्लाइउड ४ मी.मी. (Simple texture)	व.फु.	62	64	65
25.17	12mm thick 8'x4' Film Coated Ply 30kg/pics	व.फु.	96	96	102
25.18	18mm thick 8'x4' Film Coated Ply 39kg/pics	व.फु.	160	160	170
25.19	32m thick Paandoor Flush Door of Different Size	व.फु.	275	275	300
26	लेमिनेटेड पार्टिशन बोर्ड				
26.1	४ मिमी.	व.फु.	20	21	22
26.2	९ मिमी.	व.फु.	70	72	75
26.3	१२ मिमी.	व.फु.	210	216	220
26.4	१८ मिमी.	व.फु.	315	324	330
26.5	२५ मिमी.	व.फु.	450	464	475
27	सनमाईका तथा फरमाईका				
27.1	सनमाईका (४'x८')	व.फु.	17	17	17
27.2	फोरमाईका	व.फु.	75	75	75
28	Gypsum Board				
28.1	12.5mm thick Gypsum Board False ceiling including all necessary material -Simple	व.फु.	83	83	83
28.2	12.5mm thick Gypsum Board False ceiling including all necessary material -Designed	व.फु.	91	91	91
29	Fiber Cement Board				
29.1	6mm thick (6'x4')	व.फु.	35	35	35
29.2	8mm thick (8'x4')	व.फु.	48	84	84
29.3	10mm thick (8'x4')	व.फु.	57	57	57
29.4	16mm thick (8'x4')	व.फु.	70	70	70

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
29.5	20mm thick (8'*4')	व.फु.	90	90	90
29.6	Fiber Cement Board Wall Pannel-50mm (70-80 Kg/pc)	व.फु.	132	132	132
29.7	Fiber Cement Board Wall Pannel-75mm (100-110 Kg/pc)	व.फु.	168	168	168
29.8	Cement Board Flse Ceiling- 2'*2' Plain	व.फु.	84	84	84
29.9	Sandwich EPS Panel				
	Providing and fitting EPS Sandwich panel FR 3 rated Exterior & interior skin of .30 - .40mm PPGI with flame retardant EPS core insulation Base metal 1105mm and effective width 1000mm,length 2m -13m with specified color and thickness all complete.				
1	Ivory color/white color flat partition and exterior wall				
	Thickness				
	50mm	व.फु.			315
	75mm	व.फु.			360
	100mm	व.फु.			405
	125mm	व.फु.			453
	150mm	व.फु.			499
	Blue and orange roof panel				
	50mm	व.फु.			360
	75mm	व.फु.			406
	100mm	व.फु.			491
	125mm	व.फु.			499
	150mm	व.फु.			546
	Sandwich EPE Panel				
	40mm	व.फु.			245
	50mm	व.फु.			280
	60mm	व.फु.			315
	80mm	व.फु.			370
30	100mm	व.फु.			430
30.10	50mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	255	255	267
30.20	75mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	300	300	315
30.30	100mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	365	365	380
30.40	150mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	430	430	450
30.50	30mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.	230	230	240
30.60	40mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.	250	250	260
30.70	50mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.	275	275	280
30.80	0.4mm thick Ridge Cap	र.फि.	180	180	189
31	जस्ता पाता (सिजिआई सीट)				
31.1	0.35 mm (26 guage light)	व.फु.	8000	8240	8446

क्र.सं.	विवरण	इकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
31.2	0.37 mm (26 guage Medium)	वण्डल	8900	9165	9500
31.3	0.41 mm (26 guage Heavy)	वण्डल	9800	10090	10990
31.4	0.45 mm (24 guage light)	वण्डल	9900	10190	11200
31.5	0.50 mm (24 guage Medium)	वण्डल	10500	10815	11700
31.6	0.52 mm (24 guage Heavy)	वण्डल	12000	12360	13400
32	जि. आई प्लेन सीट				
32.1	३×६ फीट २६ गेजको मिडियम	गोटा	690	710	740
32.2	३×६ फीट २४ गेजको मिडियम	गोटा	720	740	770
33	रंगीन जस्ता पाता (सिजिआई सीट)				
33.1	0.35 mm (26 guage light)	वण्डल	10200	10500	11400
33.2	0.37 mm (26 guage Medium)	वण्डल	10500	10810	11800
33.3	0.41 mm (26 guage Heavy)	वण्डल	11500	11840	12900
33.4	0.45 mm (24 guage light)	वण्डल	12200	12560	13400
33.5	0.50 mm (24 guage Medium)	वण्डल	13200	13595	14500
33.6	0.55 mm (24 guage Heavy)	वण्डल	14000	14420	15500
34	रंगीन प्लेन सीट				
34.1	३×६ फीट २४ गेजको	गोटा	1100	1130	1180
34.2	३×६ फीट २६ गेजको	गोटा	900	925	965
	फलामे सामग्री				
35	फलामको स्क्वायर पाईप र गोला पाईप	के.जी.	99	110	120
36	विभिन्न साइजको एंगल, चैनल, टी, फ्ल्याट इत्यादि	के.जी.	94	102	111
37	कालो पाईपको तयारी टस	के.जी.	120	132	145
38	३×२०मि.मि./४.५×२०मि.मि तयारी ग्रील	के.जी.	115	103	140
39	फलामे गेट (घर कम्पाउण्डको)	के.जी.	120	130	140
40	च्यानल गेट (घर कम्पाउण्डको)	के.जी.	120	130	140
41	च्यानल एंगल गेट (घर कम्पाउण्डको)	के.जी.	120	130	140
42	कोल्यान्सीवल गेट	के.जी.	120	130	140
43	रोलिङ सटर				
43.1	१८ गेजको ब्याकसीट	व.फु.	145	150	162
43.2	२०गेजको ब्याकसीट	व.फु.	140	145	158
44	रबरसिल				
44.1	क्यानल लाईनिङ	मी.	1000	1000	238
44.2	गेटको लागि	मी.	3000	3000	275
	पाइप, फिटिङ तथा टंकी (खानेपानी, सिचाई सम्बन्धि)				
45	जि. आई पाईप				
45.01	१/२" Ø को लाइट	र.मी.	145.00	145.00	176.00
45.02	१/२" Ø को मिडियम	र.मी.	170.00	170.00	207.00
45.03	१/२" Ø को हेवी	र.मी.	200.00	200.00	244.00
45.04	३/४" Ø को लाइट	र.मी.	200.00	200.00	244.00
45.05	३/४" Ø को मिडियम	र.मी.	215.00	215.00	262.00
45.06	३/४" Ø को हेवी	र.मी.	255.00	255.00	311.00
45.07	१" Ø को लाइट	र.मी.	275.00	275.00	335.00
45.08	१" Ø को मिडियम	र.मी.	325.00	325.00	396.00
45.09	१" Ø को हेवी	र.मी.	380.00	380.00	463.00
45.10	१ १/४" Ø को लाइट	र.मी.	370.00	370.00	451.00
45.11	१ १/४" Ø को मिडियम	र.मी.	420.00	420.00	512.00
45.12	१ १/४" Ø को हेवी	र.मी.	485.00	485.00	591.00
45.13	१ १/२" Ø को लाइट	र.मी.	435.00	435.00	530.00
45.14	१ १/२" Ø को मिडियम	र.मी.	485.00	485.00	592.00
45.15	१ १/२" Ø को हेवी	र.मी.	560.00	560.00	683.00
45.16	२" Ø को लाइट	र.मी.	550.00	550.00	671.00
45.17	२" Ø को मिडियम	र.मी.	660.00	660.00	806.00
45.18	२" Ø को हेवी	र.मी.	815.00	815.00	995.00

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
45.19	२५"० को लाइट	र.मी.	760.00	760.00	927.00
45.20	२५"० को मिडियम	र.मी.	845.00	845.00	1031.00
45.21	२५"० को हेवी	र.मी.	1020.00	1020.00	1244.00
45.22	३"० को लाइट	र.मी.	890.00	890.00	1085.00
45.23	३"० को मिडियम	र.मी.	1045.00	1045.00	1274.00
45.24	३"० को हेवी	र.मी.	1200.00	1200.00	1464.00
45.25	४"० को लाइट	र.मी.	1275.00	1275.00	1555.00
45.26	४"० को मिडियम	र.मी.	1550.00	1550.00	1891.00
45.27	४"० को हेवी	र.मी.	1860.00	1860.00	2269.00
45.28	५"० को लाइट	र.मी.	2042.00	2042.00	2491.00
45.29	५"० को मिडियम	र.मी.	2158.00	2158.00	2632.00
45.30	५"० को हेवी	र.मी.	2431.00	2431.00	2965.00
45.31	६"० को लाइट	र.मी.	2424.00	2424.00	2957.00
45.32	६"० को मिडियम	र.मी.	2612.00	2612.00	3183.00
45.33	६"० को हेवी	र.मी.	2752.00	2752.00	3357.00
45.34	८"० को लाइट	र.मी.	3387.00	3387.00	4132.00
45.35	८"० को मिडियम	र.मी.	3993.00	3993.00	4870.00
45.36	८"० को हेवी	र.मी.	4242.00	4242.00	5175.24
46	एम्. एस्. केसिड पाईप र फिटिङहरू				
45.37	३०० मि मि ० कसिड पाईप	मी.			13000
46.01	२५० मि मि ० कसिड पाईप	मी.	10500	10500	11000
46.02	१५० मि मि ० कसिड पाईप	मी.	2887	2887	2950
46.03	१५० मि मि ० स्लटेड स्कीन पाइप	मी.	3937	3937	4100
46.04	२०० मि मि ० कसिड पाईप	मी.	6300	6300	6350
46.05	१०० मि मि ० कसिड पाईप	मी.	1837	1837	1900
46.06	१२५ मि मि ० कसिड पाईप	मी.	2500	2500	2590
46.07	१२०० मि मि ० स्लटेड स्कीन पाइप	मी.			6000
46.08	१५० मि मि ० स्लटेड स्कीन पाइप	मी.			8500
46.09	200mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm			21500
46.10	150mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm			17500
46.11	200mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm			10500
46.12	150mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm			8500
46.13	MS Reducer 250/200 mm	गोटा			7500
46.14	MS Reducer 250/150 mm	गोटा			7900
46.15	MS Reducer 200/150 mm	गोटा			6000
46.07	Casing Shoe 5" dia	गोटा	4500	4500	4500
46.08	Casing Shoe 6" dia	गोटा	8000	8000	8000

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
46.09	Casing Shoe 8" dia	गोटा	15000	15000	15000
46.10	150mm dia. 30°.50m Elbow	गोटा	2625	2625	2625
46.11	150mm dia. Non Return Valve	गोटा	18375	18375	18375
46.12	150mm dia. Flange	गोटा	2100	2100	2100
46.13	150mm dia. 45°.15m Tee	गोटा	3150	3150	3150
46.14	150mm dia. Sluice Valve	गोटा	18375	18375	18375
46.15	150mm dia. 3°.3m Bend	गोटा	2625	2625	2625
46.16	200mm dia. 60°.40m Tee	गोटा	5250	5250	5250
46.17	200mm dia. Flange	गोटा	2625	2625	2625
46.18	250mm dia. Flange	गोटा	3675	3675	3675
46.19	200mm dia. Sluice Valve	गोटा	28875	28875	28875
46.20	200mm dia. 3°.3m Elbow	गोटा	4200	4200	4200
46.21	100mm dia. Non Return Valve (Wt min ^m 10Kg)	गोटा	13125	13125	13125
46.22	100mm dia. 15°.15m Elbow	गोटा	1575	1575	1575
46.23	100mm dia. Sluice Valve	गोटा	13125	13125	13125
46.24	100mm dia. Flange (Wt. min ^m 6 kg)	गोटा	1312	1312	1312
46.25	४" एम्. एस्. पाईप Screen Knock	गोटा	2100	2100	2100
46.26	माछा छेक्ने जाली स्टेनलेस स्टीलको ५ मि.मी. मेश भएको	व.मी.	577	577	577
46.27	माछा छेक्ने जाली मशीनमेड जी.आई. ५ सेमी. मेश भएको	व.मी.	525	525	525
47	२०० मि.मि. Alpha Alpha Valve	गोटा	4725	4725	4725
48	बटरफ्लाई भल्भ ६"	गोटा	7875	7875	7875
49	बटरफ्लाई भल्भ ४"	गोटा	6825	6825	6825
50	आपतकालिन नदी नियन्त्रण कार्यका लागि नाइलन जाली 6x3x0.75 मि., २०x20 से.मी. ६ मि.मि dia 7.25 kg	गोटा	2200	2200	2200
51	10mm joint filler for canal lining	व.मि.	1200	1200	1200
52	Polysulphide joint sealer for cana lining	मि.	800	800	800
53	Supplying, fitting, fixing and installation complete work of Steel Gate for HR/CR	के.जी.	300	300	300
54	PVC Water stopper 230mm width 25mm dia center bub	मि.	1100	1100	1100
55	यू.पी.मि.सि. फिटिंग				
55.01	Tee ND 16*16*16 cm (4 Kg/sq.cm)	गोटा	1200	1200	1200
55.02	Tee ND 20*20*20 cm (4 Kg/sq.cm)	गोटा	2250	2250	2250
55.03	Bend ND 200 mm (4 Kg/sq.cm)	गोटा	1750	1750	1750
55.04	Bend ND 160 mm (4 Kg/sq.cm)	गोटा	710	710	710
55.05	Reducer ND 200 mm (4 Kg/sq.cm)	गोटा	1250	1250	1250
55.06	Coupler ND 160 mm (4 Kg/sq.cm)	गोटा	650	650	650
55.07	Coupler ND 200 mm (4 Kg/sq.cm)	गोटा	850	850	850
55.08	End Cap ND 200 mm (4 Kg/sq.cm)	गोटा	1000	1000	1000
55.09	End Cap ND 160 mm (4 Kg/sq.cm)	गोटा	800	800	800
55.10	PVC Coupler Flange 6" dia	गोटा	2500	2500	2500
55.11	Solvent Cement	मि.	550	550	550
56	४" छ सवसन पाइप	र.मी.	710	710	710
57	४" छ रबिस पाइप	के.जी.	275	275	275
58	४" छ भल्भ बेण्ड	सेट	2500	2500	2500
59	कस टी				
59.1	१ १/४" छ मिडियम जि.आई. ६ मुबे	गोटा	3255	3255	3335
59.2	१ १/४" छ " ४ मुबे	गोटा	1890	1890	1935
60	जि.बाई. सकेट				
60.1	१ १/४" को मिडियम	गोटा	42	42	43
60.2	३/४" को मिडियम	गोटा	65	65	66
60.3	१" को मिडियम	गोटा	84	84	86

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
60.4	१ 1/4" Ø को मिडियम	गोटा	132	132	140
60.5	१ 1/2" Ø को मिडियम	गोटा	178	178	190
60.6	२" Ø को मिडियम	गोटा	276	276	280
60.7	२ 1/4" Ø को मिडियम	गोटा	463	463	470
60.8	३" Ø को मिडियम	गोटा	618	618	630
60.9	४" Ø को मिडियम	गोटा	977	977	1000
61	जि.आई युनियन				
61.01	१ 1/2" Ø को मिडियम	गोटा	128	128	130
61.02	३/४" Ø को मिडियम	गोटा	180	180	185
61.03	१" Ø को मिडियम	गोटा	242	242	245
61.04	१ 1/4" Ø को मिडियम	गोटा	360	360	370
61.05	१ 1/2" Ø को मिडियम	गोटा	468	468	475
61.06	२" Ø को मिडियम	गोटा	659	659	675
61.07	२ 1/4" Ø को मिडियम	गोटा	772	772	790
61.08	३" Ø को मिडियम	गोटा	1740	1740	1780
61.09	४" Ø को मिडियम	गोटा	2379	2379	2430
62	जि.आई. तिप्पल				
62.01	१ 1/2" Ø को मिडियम ६"	गोटा	83	83	85
62.02	३/४" Ø को मिडियम ६"	गोटा	114	114	115
62.03	१" Ø को मिडियम ६"	गोटा	154	154	150
62.04	१ 1/4" Ø को मिडियम ६"	गोटा	206	206	210
62.05	१ 1/2" Ø को मिडियम ६"	गोटा	257	257	260
62.06	२" Ø को मिडियम ६"	गोटा	360	360	369
62.07	२ 1/4" Ø को मिडियम ६"	गोटा			650
62.08	३" Ø को मिडियम ६"	गोटा			975
62.09	४" Ø को मिडियम ६"	गोटा			1150
62.10	GI nipple 3" long	गोटा			90
62.11	15 mm Φ Medium	गोटा			125
62.12	20 mm Φ Medium	गोटा			169
62.13	25 mm Φ Medium	गोटा			225
62.14	32 mm Φ Medium	गोटा			281
62.15	40 mm Φ Medium	गोटा			393
62.16	50 mm Φ Medium	गोटा			568
62.17	65 mm Φ Medium	गोटा			852
62.18	80 mm Φ Medium	गोटा			1005
62.19	100 mm Φ Medium	गोटा			
63	जि.आई. टी				
63.01	१ 1/2" Ø को मिडियम	गोटा	73	73	74
63.02	३/४" Ø को मिडियम	गोटा	118	118	120
63.03	१" Ø को मिडियम	गोटा	159	159	160
63.04	१ 1/4" Ø को मिडियम	गोटा	257	257	263
63.05	१ 1/2" Ø को मिडियम	गोटा	309	309	316
63.06	२" Ø को मिडियम	गोटा	484	484	495
63.07	२ 1/4" Ø को मिडियम	गोटा			1048
63.08	३" Ø को मिडियम	गोटा			1595
63.09	४" Ø को मिडियम	गोटा			2855
63.10	GI unequal Tee	गोटा			
63.11	20x20x15 mm Φ	गोटा			160
63.12	25x25x15 mm Φ	गोटा			217

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
63.13	32x32x15 mm Φ	गोटा			316
63.14	40x40x15 mm Φ	गोटा			418
63.15	50x50x15 mm Φ	गोटा			662
63.16	65x65x15 mm Φ	गोटा			1242
63.17	80x80x15 mm Φ	गोटा			1782
63.18	100x100x15 mm Φ	गोटा			2906
63.19	50x50*25 mm Φ	गोटा			662
63.20	50x50*32 mm Φ	गोटा			662
63.21	50*50 *40mm Φ	गोटा			662
63.22	65x65x25mm Φ	गोटा			1242
63.23	65*65*32mm Φ	गोटा			1242
63.24	65*65*40mm Φ	गोटा			1242
63.25	65*65*50mm Φ	गोटा			1242
63.26	80x80x25 mm Φ	गोटा			1782
63.27	80x80x32 mm Φ	गोटा			1782
63.28	80x80x40 mm Φ	गोटा			1782
63.29	80x80x50 mm Φ	गोटा			1782
63.30	80x80x65mm Φ	गोटा			1782
63.31	100*100x25 mm Φ	गोटा			2906
63.32	100*100*32 mm Φ	गोटा			2906
63.33	100*100*40 mm Φ	गोटा			2906
63.34	100*100*50 mm Φ	गोटा			2906
63.35	100*100*65 mm Φ	गोटा			2906
63.36	100*100*80 mm Φ	गोटा			2906
64	ग्लोब भल्म				
64.01	1/2" Ø को मिडियम	गोटा	764	764	780
64.02	3/4" Ø को मिडियम	गोटा	1292	1292	1324
64.03	1" Ø को मिडियम	गोटा	1838	1838	1880
64.04	1 1/4" Ø को मिडियम	गोटा	3573	3573	3660
64.05	1 1/2" Ø को मिडियम	गोटा	4536	4536	4650
64.06	2" Ø को मिडियम	गोटा	6024	6024	6175
64.07	2 1/4" Ø को मिडियम	गोटा			14945
64.08	3" Ø को मिडियम	गोटा			21365
64.09	4" Ø को मिडियम	गोटा			36407
65	गेट भल्म (ब्रास)				
65.01	1/2" Ø को मिडियम	गोटा	824	824	844
65.02	3/4" Ø को मिडियम	गोटा	1145	1145	1175
65.03	1" Ø को मिडियम	गोटा	1720	1720	1760
65.04	1 1/4" Ø को मिडियम	गोटा	2630	2630	2690
65.05	1 1/2" Ø को मिडियम	गोटा	3574	3574	3660
65.06	2" Ø को मिडियम	गोटा	5413	5413	5540
65.07	2 1/4" Ø को मिडियम	गोटा			11652
65.08	3" Ø को मिडियम	गोटा			16205
65.09	4" Ø को मिडियम	गोटा			31177
66	एयर भल्म				
66.01	1/2" Ø को मिडियम	गोटा	4568	4568	4680
66.02	3/4" Ø को मिडियम	गोटा	4746	4746	4860
66.03	1" Ø को मिडियम	गोटा	7096	7096	7096
67	जि.आई. रिड्यूसर				
67.01	1/2" X 3/4" को	गोटा	72	72	73
67.02	3/4" X 1" को	गोटा	92	92	95

क्र.सं.	विवरण	ईकाई	वा.र. ७७/७८ को दररेट	वा.र. ७८/७९ को दररेट	वा.र. ७९/८० को दररेट
67.03	१ X १ १/४" को	गोटा	144	144	147
67.04	१ १/४ X १ १/४" को	गोटा	175	175	180
67.05	१ १/४ X २" को	गोटा	309	309	315
67.06	२ X २ १/४" को	गोटा	412	412	422
67.07	२ १/४ X ३" को	गोटा	772	772	790
67.08	३ X ४" को	गोटा	1081	1081	1100
68	बि.बाई. एन्को				
68.01	१/२" को मिडियम	गोटा	46	46	48
68.02	३/४" को मिडियम	गोटा	73	73	74
68.03	१" को मिडियम	गोटा	116	116	118
68.04	१ १/४" को मिडियम	गोटा	175	175	180
68.05	२ १/४" को मिडियम	गोटा	249	249	255
68.06	२" को मिडियम	गोटा	379	379	388
68.07	२ १/४" को मिडियम	गोटा			900
68.08	३" को मिडियम	गोटा			1100
68.09	४" को मिडियम	गोटा			2200
69	बि.बाई. इन्डस्ट्र्याप				
69.01	१/२" को मिडियम	गोटा	46	46	48
69.02	३/४" को मिडियम	गोटा	72	72	75
69.03	१" को मिडियम	गोटा	92	92	95
69.04	१ १/४" को मिडियम	गोटा	180	180	185
69.05	१ १/२" को मिडियम	गोटा	200	200	202
69.06	२" को मिडियम	गोटा	257	257	260
69.07	२ १/२" को मिडियम	गोटा			555
70	फलामे मेनहोल कवर				
70.01	६० से.मी. व्यासको (खानेपानीको लागि)	गोटा	2266	2370	2450
70.02	९० से.मी. व्यासको (खानेपानीको लागि)	गोटा	2678	2812	2950
70.03	CI Manhole Cover 400mmx400mm Square shape 14 Kg weight	गोटा			3000
70.04	CI Manhole Cover 600mmx600mm Square shape 22 Kg weight	गोटा			5500
70.05	CI Manhole Cover Round 450mm 49 Kg weight	गोटा			10000
70.06	CI Manhole Cover Round 500mm 50 Kg weight	गोटा			10500
70.07	CI Manhole Cover Round 600mm 90 Kg weight	गोटा			19000
70.08	CI Manhole Cover Round 750mm 115 Kg weight	गोटा			23000
71	टुटी				
71.01	पितलको हेभी	गोटा	669	680	700
71.02	पितलको लाईट	गोटा	463	470	490
71.03	प्लास्टिकको	गोटा	154	155	160
72	गोलाधिनको पानी टकी	लिटर	13	13	13
73	स्टिलको पानी टकी	लिटर	20	20	21
74	हेण्डपम्प गाड्ने कार्य				
74.01	६० फीटसम्म गहिरो	फिट	4326	4326	4326
74.02	६० फीटभन्दा बढी गहिरो	फिट	66	66	66
75	हेण्डपम्प				
75.01	४ नं. को लाइट	गोटा	1802	1802	1802

क्र.सं.	विवरण	ईकाई	वा. ब. ७७/७८ को दररेट	वा. ब. ७८/७९ को दररेट	वा. ब. ७९/८० को दररेट
75.02	४ न. को हेभी	गोटा	2523	2523	2523
75.03	६ न. को हेभी	गोटा	3296	3296	3296
75.04	६ न. को साईट	गोटा	3605	3605	3605
76	फ्लोट भन्स				
76.01	१/४"० को	गोटा	2868	2868	2868
76.02	३/४"० को	गोटा	3326	3326	3326
76.03	१"० को	गोटा	4362	4362	4362
76.04	१ १/४"० को	गोटा	9270	9270	9270
76.05	१ १/२"० को	गोटा	12710	12710	12710
76.06	Brass 15 mm Φ Gun Metal Ferrule	गोटा			1083
76.07	Brass Bib Cok Heavy 15 mm Φ (400 gm)	गोटा			750
76.08	15 mm Φ Water Meter Rotary Piston type	गोटा			2500
76.09	Brass 15 mm Φ regulator With Key	गोटा			1410
77	जि.आई/एच.डि.पि फ्लेन्ज सेट				
77.01	१/४"० को	गोटा	509	509	509
77.02	३/४"० को	गोटा	566	566	566
77.03	१"० को	गोटा	736	736	736
77.04	१ १/४"० को	गोटा	906	906	906
77.05	१ १/२"० को	गोटा	1189	1189	1189
77.06	२"० को	गोटा	1545	1545	1545
77.07	२ १/२"० को	गोटा	1905	1905	1905
77.08	३"० को	गोटा	2317	2317	2317
77.09	४"० को	गोटा	2832	2832	2832
77.10	100/125 mm Φ	गोटा			3350
77.11	125/140mm Φ	गोटा			4000
77.12	150/160 mm Φ	गोटा			4500
77.13	150/180 mm Φ	गोटा			4750
77.14	150/200 mm Φ	गोटा			5000
77.15	200/225 mm Φ	गोटा			6000
77.16	200/250 mm Φ	गोटा			6500
77.17	250/280 mm Φ	गोटा			8000
77.18	HDP/HDP (MS)flange set With Adepter Nut Bolt And Gasket				
77.19	63mm Φ	गोटा			2250
77.20	75mm Φ	गोटा			2750
77.21	90 mm Φ	गोटा			3250
77.22	110 mm Φ	गोटा			3350
77.23	125 mm Φ	गोटा			4000
77.24	140mm Φ	गोटा			4500
77.25	160 mm	गोटा			4750
77.26	180 mm Φ	गोटा			5000
77.27	200 mm Φ	गोटा			6000
77.28	225 mm Φ	गोटा			6500
77.29	250 mm Φ				8000
77.30	GI /GI flange set				
77.31	50mm Φ	गोटा			1300
77.32	65mm Φ	गोटा			1500
77.33	80 mm Φ	गोटा			1800
77.34	100 mm Φ	गोटा			2200
77.35	125mm Φ	गोटा			2600
77.36	150 mm Φ	गोटा			3000
77.37	200 mm Φ	गोटा			5000

क्र.सं.	विवरण	ईकाई	भा. व. ७७/७८ को दररेट	भा. व. ७८/७९ को दररेट	भा. व. ७९/८० को दररेट
77.38	250mm Ø	गोटा			6000
78	चास युनियन				
78.01	१/४" Ø को	गोटा	183	183	190
78.02	३/४" Ø को	गोटा	382	382	390
78.03	१" Ø को	गोटा	473	473	475
78.04	१ १/४" Ø को	गोटा	669	669	675
78.05	१ १/२" Ø को	गोटा	968	968	980
78.06	२" Ø को	गोटा	1659	1659	1615
78.07	२ १/२" Ø को	गोटा	5139	5139	5139
78.08	३" Ø को	गोटा	7696	7696	7696
78.09	४" Ø को	गोटा	11731	11731	11731
78.10	५" Ø को	गोटा	16428	16428	16428
78.11	एच.डी.पि.ई. पाईप NS	के.जी.	272	272	305
79	DI Pipe Double Flange Pipe k 9 Series				
79.010	80 mm dia	Mrt			4000
79.020	100mm dia	Mrt			5000
79.030	125mm dia	Mrt			6100
79.040	150 mm dia	Mrt			7000
79.050	200mm dia	Mrt			9000
79.060	250mm dia	Mrt			13000
79.070	300mm dia	Mrt			17500
	DI Pipe Spigot Pipe C-40				
79.080	80 mm dia	Mrt			2450
79.090	100mm dia	Mrt			2750
79.100	125mm dia	Mrt			3750
79.110	150 mm dia	Mrt			5500
79.120	200mm dia	Mrt			7000
79.130	250mm dia	Mrt			9000
79.140	300mm dia	Mrt			11500
	CI Sluice valve				
79.150	65 mm Dia	No			11500
79.160	80 mm Dia	No			13500
79.170	100mm Dia	No			17500
79.180	125mm Dia	No			21500
79.190	150mm Dia	No			27500
79.200	200mm Dia	No			37500
79.210	250mm Dia	No			57600
79.220	300mm Dia	No			89500
	DI Sluice valve				
79.230	65 mm Dia	No			17500
79.240	80 mm Dia	No			25500
79.250	100mm Dia	No			35000
79.260	125mm Dia	No			45000
79.270	150mm Dia	No			52500
79.280	200mm Dia	No			70000
79.290	250mm Dia	No			105000
79.300	300mm Dia	No			151000
	DI Duck foot bend Double Flange				
79.310	100mm Dia	No			7500
79.320	125mm Dia	No			12500
79.330	150mm Dia	No			15500
79.340	200mm Dia	No			21000

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
79.350	250mm Dia	No			35500
79.360	300mm Dia	No			45000
	DI Double Flange bend 90°				
79.370	80mm Dia	No			5000
79.380	100mm Dia	No			6000
79.390	125mm Dia	No			7000
79.400	150mm Dia	No			9000
79.410	200mm Dia	No			15000
79.420	250mm Dia	No			21000
79.430	300mm Dia	No			27500
79.440	DI Reducer	No			
79.450	300mm *250 mm	No			25500
79.460	250mm *200mm	No			20000
79.470	200mm *150 mm	No			15000
79.480	150mm *125mm	No			14500
79.490	150mm *100mm	No			14000
	C.I None return Valve				
79.500	80mm Dia	No			13500
79.510	100mm Dia	No			17500
79.520	125mm Dia	No			21500
79.530	150mm Dia	No			25500
79.540	200mm Dia	No			35500
79.550	250mm Dia	No			45500
79.560	300mm Dia	No			59000
	Cast Steel None return Valve				
79.570	80mm Dia	No			65500
79.580	100mm Dia	No			75500
79.590	125mm Dia	No			81500
79.600	150mm Dia	No			89500
	DI All Flange Tee				
79.610	80mm Dia	No			7500
79.620	100mm Dia	No			12500
79.630	125mm Dia	No			15500
79.640	150mm Dia	No			17500
79.650	200mm Dia	No			32500
79.660	250mm Dia	No			41500
79.670	300mm Dia	No			59500
	CI Mechanical Coupling				
79.680	80mm Dia				
79.690	100mm dia				
79.700	125mm dia				
79.710	150 mm dia	No			11500
79.720	200 mm dia	No			17500
79.730	250 mm dia	No			27500
79.740	300 mm dia	No			41500
	CI Bell Mouth one side flange				
79.750	150 mm dia	No			10500
79.760	200 mm dia	No			15500
79.770	250 mm dia	No			21500
79.780	300 mm dia	No			30000
	Quick Repair Joint for HDPE Pipe				
79.790	90 mm dia	No			7000
79.800	110mm dia	No			8000
79.810	125mm dia	No			10000

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
79.820	140 mm dia	No			12000
79.830	160mm dia	No			14000
79.840	180mm dia	No			17500
79.850	200mm dia	No			20000
79.860	250mm Dia	No			23000
79.870	Flow meter Water Meter				
79.880	80mm Dia	No			55000
79.890	100mm Dia	No			65000
79.900	125mm Dia	No			75000
79.910	150mm Dia	No			85000
79.920	200mm Dia	No			105000
79.930	250mm Dia	No			135000
79.940	300mm Dia	No			175000
	DI unequal Tee With flange				
79.950	125x125x100 mm Φ	No			17500
79.960	125x125x80 mm Φ	No			17500
79.970	150x150x125 mm Φ	No			21500
79.980	150x150x100 mm Φ	No			22500
79.990	150x150x80mm Φ	No			23500
80.000	200x200x150 mm Φ	No			37500
80.010	200x200x125 mm Φ	No			40000
80.020	200x200x100 mm Φ	No			42500
80.030	250x250x200 mm Φ	No			57500
80.040	250x250x150mm Φ	No			60000
80.050	250x250x125 mm Φ	No			65000
80.060	250x250x100 mm Φ	No			70000
80.070	Rubber Gasket	Kg			350
80.080	Nut Bolt (Different size)	Kg			250
80.090	MS Saddle Clamps Different Size with nut bolt all complete	No			4500
80.100	HDPE Saddle Clamp				
80.110	160*160*15 Dia (HDPE*HDPE)	No			1250
80.120	140*140*15 Dia (HDPE*HDPE)	No			1100
80.130	125*125*15 Dia (HDPE*HDPE)	No			1000
80.140	110*110*15 Dia (HDPE*HDPE)	No			650
80.150	90*90*15 Dia (HDPE*HDPE)	No			650
80.160	75*75*15 Dia (HDPE*HDPE)	No			450
80.170	63*63*15 Dia (HDPE*HDPE)	No			450
80.180	50*50*15 Dia (HDPE*HDPE)	No			350
80.190	40*40*15 Dia (HDPE*HDPE)	No			350
80.200	32*32*15 Dia (HDPE*HDPE)	No			250
80.210	MS Flange Cutting ,Welding,Grinding,Instalation				
80.220	80mm Dia	No			750
80.230	100mm Dia	No			1000
80.240	125mm Dia	No			1350
80.250	150mm Dia	No			1550
80.260	200mm Dia	No			2250
80.270	250mm Dia	No			3000
80.280	300mm Dia	No			5000
80.290	250 mm dia Top surface plate	No			35000
80.300	pressure gage	No			5500
80.310	Chain Pul 3 ton	No			45000
80.320	4" Pipe Clamp	No			6500
80.330	Wire Rope for Pump Lowering	Mrt			5500
80.340	Distribution board	Set			75000

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
80.350	OHT Lighting Arrestor	Set			25000
80.360	OHT Water level indicator	Set			65000
	बौजार/उपकरण (खानेपानी तथा अन्य कार्य सम्बन्धि)				
81	गल (सब्बल)	गोटा	1133	1133	1133
82	फरुवा	गोटा	324	324	324
83	दाते, नचे	गोटा	587	587	587
84	धुमस ५ केजी	गोटा	1030	1030	1030
85	हजारी	गोटा	854	854	854
86	बासको टोकरा	गोटा	185	185	185
87	हसिया				
87.1	क) सानो	गोटा	267	267	267
87.2	ख) ठूलो	गोटा	865	865	865
88	ठूलो कोवाल	गोटा	5253	5253	5253
89	हतौडा	के.जी.	236	236	236
90	हावा भने पम्प (खुट्टाले)	गोटा	1081	1081	1081
91	हावा भने पम्प (हातले)	गोटा	324	324	324
92	बन्चरो	गोटा	1854	1854	1854
93	सेफ्टी भेष्ट पहेलो रंगको (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	566	566	566
94	हेल्मेट (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	453	453	453
95	मास्क	गोटा	59	59	59
96	गम बट	गोटा	824	824	824
97	कपडाको जुता	गोटा	721	721	721
98	रेनकोट	गोटा	2575	2575	2575
99	कडा पन्जा	गोटा	309	309	309
100	सन ग्लास	गोटा	618	618	618
101	पाँच ली. को प्लाष्टिक जेरीकेन	गोटा	123	123	123
102	बेल्चा	गोटा	669	669	669
103	गैटी	गोटा	721	721	721
104	कोदाले/फाउडो	गोटा	618	618	618
105	रोड डिमाइडरका लागि प्रयोग हुने सिन्थेटिक सेफ्टी कोन	गोटा	618	618	618
106	हसिया	गोटा	272	272	272
107	फोर्कड हेरो	गोटा	257	257	257
108	व्हील बेरो				
108.1	क) हलुका	गोटा	7725	7725	7725
108.2	ख) हेभी	गोटा	9785	9785	9785
109	छिनो १X६ इन्चको	गोटा	309	309	309
110	छिनो १X१२ इन्चको	गोटा	412	412	412
111	घन ५ किलोको	गोटा	999	999	999
112	घन १० किलोको	गोटा	1648	1648	1648
113	हिटिड प्लेट १०० मि.मि.को	गोटा	721	721	721
114	हिटिड प्लेट १५० मि.मि.को	गोटा	1442	1442	1442
115	टेफ्लोन कमर	मी.	2399	2399	2399
116	बेमोक्रोम चक्र	गोटा	540	540	540
117	ब्यो टर्च	गोटा	594	594	594
118	बर्नर	गोटा	1081	1081	1081
119	पाईप रेन्च १४ इन्ची	गोटा	690	690	690
120	पाईप रेन्च १८ इन्ची	गोटा	849	849	849
121	पाईप रेन्च २४ इन्ची	गोटा	1545	1545	1545
122	पाईप चेन रेन्च ४८ इन्ची	इन्ची	102	102	102
123	हेक्सा फेम	गोटा	135	135	135
124	हेक्सा ब्लेड	गोटा	21	21	21
125	एडजस्टेबल रेन्च	गोटा	648	648	648

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
126	फलामे तसला	गोटा	216	216	216
127	कली	गोटा	128	128	128
128	रेती	गोटा	381	381	381
129	वायर ब्रश	गोटा	77	77	77
130	डाई सेट १/२" देखि १" साधारण	गोटा	2575	2575	2575
131	डाई सेट १/२" देखि १" Richard or Equivalent	गोटा	3836	3836	3836
132	डाई सेट १.२५" देखि २" साधारण	गोटा	4326	4326	4326
133	डाई सेट १.२५" देखि २" Richard or Equivalent	गोटा	8153	8153	8153
134	डाई सेट टीथ १/२" देखि १" साधारण Richard or Equivalent	गोटा	2601	2601	2601
135	डाई सेट टीथ १.२५" देखि २" Richard or Equivalent	गोटा	3582	3582	3582
136	डाई टीथ आयल भाँडो समेत	लीटर	540	540	540
137	टेबुल भाईस, २"	गोटा	2266	2266	2266
138	टेबुल भाईस, ३"	गोटा	2758	2758	2758
139	मेजरिड टेप ५ मिटर	गोटा	216	216	216
140	मेजरिड टेप ३० मिटर	गोटा	772	772	772
141	काठे हाते आरी / करौति	गोटा	515	515	515
142	टुल बक्स १४x ८x १२ इन्च साइजको	गोटा	2575	2575	2575
	सेनेटरी (सरसफाई) तर्फ				
143	युरिनल सेट				
143.01	१०.५"x१४.५"x१२.५" को (राम्रो)	गोटा	1732	1732	1732
143.02	" " (साधारण)	गोटा	1155	1155	1155
143.03	६x३० से.मि. लेडिज युरिनल (राम्रो)	सेट	2205	2205	2205
143.04	" " (साधारण)	सेट	1260	1260	1260
144	सिपी बेण्ड सहितको सावर	गोटा	1443	1443	1443
145	तौलिया रड				
145.01	१८"x०.५" (राम्रो)	गोटा	1102	1102	1102
145.02	१८"x०.५" (साधारण)	गोटा	656	656	656
146	सी.पी. सोप डिस	गोटा	551	551	551
147	१२"x१८" को बाथरुम ऐना	गोटा	1102	1102	1102
148	वास वेसिन सेट				
148.01	२०"x१६" को (राम्रो)	सेट	2625	2625	2625
148.02	१६"x२२" को वास वेसिन सेट (राम्रो)	सेट	3675	3675	3675
149	लो लेमल सिस्टर्न				
149.01	(राम्रो) सेरामिक	सेट	6825	6825	6825
149.02	लो लेमल सिस्टर्न (प्लास्टिक)	सेट	2310	2310	2310
150	एच.डी.पी. कोब्रल २"Ø को	सेट	68	68	68
151	ट्याइलेट सिट (वाटर क्लोसेट)				
151.01	१८" भारती पायदान सहित (ISI)	सेट	2520	2520	2600
151.02	१८" भारती लोकल पायदान सहित	सेट	1365	1365	1500
151.03	उडिसा हिन्दुस्तान टाइप प्यान २१" (ISI)	सेट	2310	2310	2415
151.04	उडिसा हिन्दुस्तान टाइप प्यान २१" (local)	सेट	1155	1155	1215
151.05	कमोड पि बा एस ट्याप (ISI)	सेट	3465	3465	3600
151.06	कमोड पि बा एस ट्याप (local)	सेट	1732	1732	1850
151.07	इकोस्थान प्यान सेट	सेट	1837	1837	1900
151.08	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set	सेट	18000	18000	19000
151.09	White glazed porcelain clay One Piece commode with 'P' & 's' trap and slow falling seat cover complete set.	सेट	20300	20300	21000
151.10	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	28800	28800	30000

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
152	१ 1/2" सि.पि.पाईप कपलि समेत	गोटा	971	971	971
153	१ 1/2" सि.पि.पाईप पि.वा एस टयाप	गोटा	1155	1155	1155
154	१/2"फेन्सी पिल्ट कक	गोटा	1050	1050	1050
155	१/2" ३० " पाईप कनेक्टर	गोटा	231	231	231
156	सिङ्ग				
156.01	१८ X २२ X ८ इन्ची स्टील	गोटा	3234	3234	3234
156.02	१८ X २८ X ८ इन्ची स्टील	गोटा	4620	4620	4620
156.03	१८ X २२ X ८ सि, फलामे	गोटा	2310	2310	2310
157	१ 1/2" बासर कपलिङ्ग	गोटा	551	551	551
158	१ 1/2"पितलको बिब कक	गोटा	350	350	350
159	१/2" सि.पि बिब कक	गोटा	1000	1000	1000
160	१/2"सि.पि स्टप कक	गोटा	950	950	950
161	१/2"कनेक्टर स्टप कक	गोटा	750	750	750
162	पि.मि.सि. पाइप तथा फिटिङ्ग				
162.01	११० मी.मी. ४ के.जी. प्रेशर	पीस	2940	2940	3080
162.02	७५ मी.मी. ४ के.जी. प्रेशर	पीस	1522	1522	1550
162.03	४"० को सकेट	पीस	315	315	320
162.04	४"० को हर्न वेण्ड	पीस	735	735	780
162.05	४"० को वेण्ड	पीस	420	420	430
162.06	४"० को टी	पीस	577	577	590
162.07	३"० को सकेट	पीस	210	210	210
162.08	३"० को वेण्ड	पीस	315	315	330
162.09	३"० को टी	पीस	367	367	380
163	एच.डी.पि.डि. फिटिङ्ग				
163.01	४"० को सकेट	पीस	210	210	210
163.02	४"० को हर्न वेण्ड	पीस	420	420	420
163.03	४"० को वेण्ड	पीस	367	367	367
	रंगरोगनका सामग्री				
164	खाक्सी	गोटा	26	26	27
165	गुद	के.जी.	220	220	230
166	सरेस	के.जी.	210	210	219
167	आक्यालिक डिस्टेम्पर	के.जी.	199	199	207
168	वासेबल डिस्टेम्पर	के.जी.	264	264	275
169	सिमण्ट प्राइमर	लिटर	413	413	430
170	तयारी इनामेल पेन्ट	लिटर	630	630	658
171	इनामेल प्राइमर (काठ)	लिटर	415	415	430
172	इनामेल प्राइमर (फलाम)	लिटर	369	369	380
173	प्लाष्टिक इमोलान पेन्ट (एक्स्टेरियर) राम्रो	लिटर	1102	1102	1150
174	प्लाष्टिक इमोलान पेन्ट (एक्स्टेरियर) मध्यम	लिटर	892	892	930
175	प्लाष्टिक इमोलान पेन्ट (इन्टरियर) राम्रो	लिटर	1050	1050	1097
176	प्लाष्टिक इमोलान पेन्ट (इन्टरियर) मध्यम	लिटर	819	819	850
177	तयारी अल्मुनिम पेन्ट	लिटर	630	630	658
178	बार्निश क्लियर	लिटर	399	399	415
179	ब्लकजप पेन्ट (Black Japan)	लिटर	315	315	330
180	तारपिन तेल	लिटर	193	193	200
181	चुना	के.जी.	23	23	24
182	गेरु रंग	के.जी.	57	57	59
183	लिन्सीड आयल	लिटर	210	210	220
184	चप्रा	के.जी.	735	735	760
185	स्प्रिट	लिटर	168	168	175
186	स्नोसम (सिमण्ट पेन्ट)	के.जी.	80	80	83
187	वेदर कोट पेन्ट (राम्रो) NS/IS	लिटर	1260	1260	1315

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
188	बेबर कोट पेन्ट (हल्का) NS/IS	लिटर	892	892	932
189	बेबर कोट प्राइमर	लिटर	392	392	409
190	वाटर पुफिंग कम्पाउण्ड (जापनिज)	के.जी.	330	330	344
191	Wall Putty- Plain	के.जी.	40	40	41
192	Wall Putty- Water Proof	के.जी.	60	60	62
	कोकित प्रोटेक्टर				
193	सुम पाईप (बुबानी बाहेक)				
193.01	३०० Ø को एनपी-३ को (२.५मीटर)	गोटा	10815	10815	10920
193.02	४५० Ø को एनपी-३ को (२.५मीटर)	गोटा	13545	13545	13680
193.03	४५० Ø को एनपी-३ को कोलार	गोटा	1354	1354	1367
193.04	६०० Ø को एनपी-३ को (२.५मीटर)	गोटा	18480	18480	18660
193.05	६०० Ø को एनपी-३ को कोलार	गोटा	1848	1848	1860
193.06	९०० Ø को एनपी-३ को (२.५मीटर)	गोटा	30345	30345	30640
193.07	९०० Ø को एनपी-३ को कोलार	गोटा	3034	3034	3064
193.08	१२०० Ø को एनपी-३ को (२.५मीटर)	गोटा	41895	41895	42310
193.09	१२०० Ø को एनपी-३ को कोलार	गोटा	4189	4189	4230
193.10	१०० Ø को एनपी-२ को (२.५मीटर)	गोटा	2310	2310	2330
193.11	१०० Ø को एनपी-२ को कोलार	गोटा	231	231	233
193.12	१५० Ø को एनपी-२ को (२.५मीटर)	गोटा	2598	2598	2620
193.13	१५० Ø को एनपी-२ को कोलार	गोटा	259	259	260
193.14	२०० Ø को एनपी-२ को (२.५मीटर)	गोटा	3475	3475	3500
193.15	२०० Ø को एनपी-२ को कोलार	गोटा	347	347	350
193.16	२२५ Ø को एनपी-२ को (२.५मीटर)	गोटा	4163	4163	4200
193.17	२२५ Ø को एनपी-२ को कोलार	गोटा	416	416	420
193.18	२५० Ø को एनपी-२ को (२.५मीटर)	गोटा	4635	4635	4680
193.19	२५० Ø को एनपी-२ को कोलार	गोटा	463	463	465
193.20	३०० Ø को एनपी-२ को (२.५मीटर)	गोटा	6583	6583	6583
193.21	३०० Ø को एनपी-२ को कोलार	गोटा	658	658	660
193.22	३५० Ø को एनपी-२ को (२.५मीटर)	गोटा	6709	6709	6776
193.23	३५० Ø को एनपी-२ को कोलार	गोटा	670	670	675
193.24	३७५ Ø को एनपी-२ को (२.५मीटर)	गोटा	6814	6814	6880
193.25	३७५ Ø को एनपी-२ को कोलार	गोटा	681	681	685
193.26	४०० Ø को एनपी-२ को (२.५मीटर)	गोटा	6951	6951	7000
193.27	४०० Ø को एनपी-२ को कोलार	गोटा	695	695	700
193.28	४५० Ø को एनपी-२ को (२.५मीटर)	गोटा	8526	8526	8600
193.29	४५० Ø को एनपी-२ को कोलार	गोटा	852	852	860
193.30	५०० Ø को एनपी-२ को (२.५मीटर)	गोटा	9733	9733	9830
193.31	५०० Ø को एनपी-२ को कोलार	गोटा	973	973	980
193.32	६०० Ø को एनपी-२ को (२.५मीटर)	गोटा	11954	11954	12000
193.33	६०० Ø को एनपी-२ को कोलार	गोटा	1195	1195	1200
193.34	७०० Ø को एनपी-२ को (२.५मीटर)	गोटा	12957	12957	13000
193.35	७०० Ø को एनपी-२ को कोलार	गोटा	1295	1295	1300
193.36	७५० Ø को एनपी-२ को (२.५मीटर)	गोटा	13881	13881	14000
193.37	७५० Ø को एनपी-२ को कोलार	गोटा	1388	1388	1400
193.38	८०० Ø को एनपी-२ को (२.५मीटर)	गोटा	16201	16201	16300
193.39	८०० Ø को एनपी-२ को कोलार	गोटा	1620	1620	1630
193.40	९०० Ø को एनपी-२ को (२.५मीटर)	गोटा	17498	17498	17670
193.41	९०० Ø को एनपी-२ को कोलार	गोटा	1749	1749	1760
193.42	१००० Ø को एनपी-२ को (२.५मीटर)	गोटा	21924	21924	22140
193.43	१००० Ø को एनपी-२ को कोलार	गोटा	2192	2192	2210
193.44	१२०० Ø को एनपी-२ को (२.५मीटर)	गोटा	28948	28948	29230
193.45	१२०० Ø को एनपी-२ को कोलार	गोटा	2894	2894	2920
193.46	१५०० Ø को एनपी-२ को (२.५मीटर)	गोटा	39354	39354	39740
193.47	१५०० Ø को एनपी-२ को कोलार	गोटा	3935	3935	3975

क्र.सं.	विवरण	ईकाई	मा.प. ०३/०८ को दररेट	मा.प. ०८/०९ को दररेट	मा.प. ०९/०८ को दररेट
193.48	50 mm thick Cement Concrete Block - Interlocking	ब.फि.	90	90	90
193.49	50 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	95	95	95
193.50	60 mm thick Cement Concrete Block - Interlocking	ब.फि.	105	105	105
193.51	60 mm thick Cement Concrete Block (color)-Interlocking	ब.फि.	110	110	110
193.52	AAC Block(600x200x100mm)	गोटा			179.35
193.53	AAC Block(600x200x150mm)	गोटा			269.04
193.54	AAC Block(600x200x200mm)	गोटा			358.65
193.55	Aerolite AAC Block(600x200x100mm)	गोटा			156
193.56	Aerolite AAC Block(600x200x150mm)	गोटा			234
193.57	Aerolite AAC Block(600x200x200mm)	गोटा			312
194	Interlock Paver, Kerb Stone, Concrete Tile				
194.01	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा		38	38
194.02	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा		44	44
194.03	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	गोटा		47	47
194.04	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा		44	46
194.05	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा		50	53
194.06	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा		52	55
194.07	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा			65
194.08	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा			70
194.09	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा			75
194.10	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा			74
194.11	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा			81
194.12	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा			84
194.13	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	गोटा			43

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
194.14	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	गोटा			49
194.15	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	गोटा			53
194.16	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा			88
194.17	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा			96
194.18	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	गोटा			99
194.19	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा			25
194.20	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा			26
194.21	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा			22
194.22	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा			23
194.23	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा			53
194.24	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा			61
194.25	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	गोटा			64
194.26	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा			68
194.27	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा			75
194.28	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा			78
194.29	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा			68

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
194.30	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा			83
194.31	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा			88
194.32	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा			84
194.33	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा			99
194.34	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा			104
194.35	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	गोटा		388	400
194.36	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा		418	450
194.37	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा		438	475
194.38	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	गोटा			425
194.39	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	गोटा			445
194.40	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा			480
194.41	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	गोटा			505
194.42	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	सेट			660
194.38	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm proper interlock Grooves & pigment colour,water absorption <6%.	गोटा		220	230
194.39	Matrix Slab / Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm	गोटा		242	260
194.40	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm	गोटा		269	280
195	सडक सम्बन्धि Pre-stressing Accessories				
195.01	Supply Installation and prestressing of Ht Strands 12.7 mm- 7 ply as per drawing and specification (DP Wires)	के.जी.	172	172	172
195.02	19JK13, Anchor set 1-Tube unit, 1 Bearing plate, 19 live wedge	सेट	72000	72000	72000
195.03	Supply, Profiling of Corrugated HDPE Sheathings Pipe ID=85mm	मि.	380	380	380
195.04	Strip Seal Expansion Joints	मि.	16000	16000	16000

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
195.05	Slab Seal Expansion Joints	मि	28000	28000	28000
195.06	Pot bearings for 40 mtr span 2 girder bridge (347 tons capacity)	सेट	150000	150000	150000
195.07	Pot bearings for 35 mtr span 2 girder bridge (296 tons capacity)	सेट	130000	130000	130000
195.08	Pot bearings for 30 mtr span 2 girder bridge (246 tons capacity)	सेट	115000	115000	115000
195.09	Neoprene bearings for 25 mtr span bridge (2 girder)	गोटा	40000	40000	40000
195.10	Neoprene bearings for 20 mtr span bridge (2 girder)	गोटा	30000	30000	30000
195.11	Neoprene bearings for 15 mtr span bridge (2 girder)	गोटा	28000	28000	28000
195.12	Drainage spout 100mm dia GI Pipe	गोटा	4000	4000	4000
195.13	Polymer Based Soil Stabilizer (ARC 88)	कि.मी.			800
196	HDPE DOUBLE WALLED Corrugated Pipes-SNS (Non Pressure) 6m in length				
196.01	ID=100mm	मि.		450	480
196.02	ID=150mm	मि.		950	1016
196.03	ID=200mm	मि.		1450	1550
196.04	ID=250mm	मि.		1900	2030
196.05	ID=300mm	मि.		3100	3315
196.06	ID=400mm	मि.		4000	4200
196.07	ID=500mm	मि.		4900	5200
196.08	ID=600mm	मि.		8300	8880
196.09	ID=800mm	मि.		12300	13160
196.10	ID=1000mm	मि.		17200	18400
197	कंक्रीट बिबुत पोल (ढुवानी बाहेक)				
197.01	८ मिटर लामो	गोटा	6100	6100	6300
197.02	९ मिटर लामो	गोटा	7000	7000	7238
197.03	१० मिटर लामो	गोटा	13200	13200	13648
197.04	११ मिटर लामो	गोटा	15200	15200	15713
198	स्टील ट्युबलर पोल (ढुवानी बाहेक)				
198.01	८ मिटर लामो (१२० के.जी.)	गोटा	11500	11500	11891
198.02	९ मिटर लामो (१४७ के.जी.)	गोटा	16300	16300	16855
198.03	११ मिटर लामो (१७५ के.जी.)	गोटा	20000	20000	20680
199	एस सी एस बार कण्डक्टर				
199.01	ACSR Dog Conductor	कि.मी.	95300	95300	AS PER NEA Rate
199.02	ACSR Rabbit Conductor	कि.मी.	49000	49000	AS PER NEA Rate
199.03	ACSR Weasel Conductor	कि.मी.	29400	29400	AS PER NEA Rate
200	Insulator				
200.01	11 kV Pin Insulator with Spindle	सेट	220	220	950
200.02	11 kV Disc Insulator with tension Clamp	सेट	900	900	1800
200.03	D-Iron with Sackle	सेट	200	200	250
201	साधारण कंक्रीट पोल (तार बार र यस्तै कामका लागि)				
201.01	६ फिट लामो ३X४ इन्चीको	गोटा	630	630	630
201.02	७ फिट लामो ३X४ इन्चीको	गोटा	861	861	861
201.03	६ फिट लामो ४X४ इन्चीको	गोटा	850	850	850
201.04	७ फिट लामो ४X४ इन्चीको	गोटा	997	997	997
201.05	८ फिट लामो ४X४ इन्चीको	गोटा	1312	1312	1312
201.06	१.५ मि. लामो ६X६ इन्चीको	गोटा	2310	2310	2310
201.07	१ मि. लामो ६X६ इन्चीको	गोटा	1575	1575	1575
202	कंक्रीट रिड (३' व्यास, १' उचाइ र २" मोटा)	गोटा	829	829	829
203	कंक्रीट रिड कवर (३' व्यास र २" मोटा)	गोटा	829	829	829
204	कंक्रीट आर.सी.सी. रेबिड पोष्ट १ फुट	गोटा	78	78	78

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
205	कंक्रीट आर.सी.सी. रेसिड पोस्ट २ फुट	गोटा	115	115	115
206	कंक्रीट आर.सी.सी. रेसिड पोस्ट ३ फुट	गोटा	157	157	157
	भेशीनरी				
207	पम्पसेट तथा र्यामर				
207.01	१/२ हर्ष पावरको चार्जिज	गोटा	4410	4410	4520
207.02	१ " " "	गोटा	7875	7875	8000
207.03	२ " " "	गोटा	18900	18900	19300
207.04	३ " " "	गोटा	31500	31500	32290
207.05	१/२ हर्ष पावरको भारती (ISI)	गोटा	9450	9450	9685
207.06	१ " " " (ISI)	गोटा	16800	16800	17220
207.07	२ " " " (ISI)	गोटा	26250	26250	26900
207.08	३ " " " (ISI)	गोटा	42000	42000	43000
208	इन्डियन सबमर्सिबल पम्प (स्टेन्डर्ड कम्पनि)				
208.01	२ हर्ष पावर	गोटा	49612	49612	51345
208.02	३ हर्ष पावर	गोटा	60637	60637	62760
208.03	५ हर्ष पावर	गोटा	68355	68355	70745
208.04	७.५ हर्ष पावर	गोटा	126787	126787	131224
208.05	१० हर्ष पावर	गोटा	176400	176400	182574
208.06	१२.५ हर्ष पावर	गोटा			215000
208.07	१५ हर्ष पावर	गोटा			221000
208.08	१७ हर्ष पावरको	गोटा			237000
208.09	20 Hp Submersible Pump Sets	गोटा			264000
208.10	25 Hp Submersible Pump Sets	गोटा			297500
208.11	30 Hp Submersible Pump Sets	गोटा			356000
208.12	35 Hp Submersible Pump Sets	गोटा			425000
209	डिजेल पम्पसेट				
209.01	५ हर्ष पावरको (ISI)	गोटा	52500	52500	54000
209.02	८ हर्ष पावरको (ISI)	गोटा	84000	84000	86000
210	वाटर मीटर	गोटा	1732	1732	1785
	वायरिड तथा वायरिडका सामान				
211	स्तरीय सामान र पि.भि.सी. पाइप प्रयोग गरी सर्फेसवायरिड गर्ने काम राम्रो मेटल बक्स, स्वीच, सिमिड, रोज बादि वायरिड. सामान समेत प्रयोग गरी वायरिड को काम				
211.01	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिड गर्ने काम ।	प्याइन्ट	937	965	989
211.02	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिड गर्ने काम ।	प्याइन्ट	1333	1370	1404
211.03	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिड गर्ने काम ।	प्याइन्ट	1069	1100	1127
212	स्तरीय सामान र पि.भि.सी. पाइप प्रयोग गरी कन्सीलड वायरिड गर्ने काम । (स्वीच, स्वीच बोर्ड, सिमिड रोज, बक्स बादि आवश्यक सम्पूर्ण सामान समेत)				
212.01	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिड गर्ने काम ।	प्याइन्ट	1113	1140	1162
212.02	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिड गर्ने काम ।	प्याइन्ट	1201	1230	1254
212.03	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिड गर्ने काम ।	प्याइन्ट	934	950	969
213	पंखा				
	सिमिड, पंखा उधा,ओरिएन्ट,कम्पटन प्रिम्स वा सो सरह				
213.01	३६ इन्च	गोटा	3255	3255	3255
213.02	४२ इन्च	गोटा	3465	3465	3465
213.03	४८ इन्च	गोटा	3675	3675	3675

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
213.04	ISI वा NS गुणस्तरको एन्फेस्ट फैन १२ इन्च	गोटा	3675	3675	3675
213.05	वाइनिज स्टेण्ड फैन	गोटा	3465	3465	3465
213.06	इन्डियन स्टेण्ड फैन	गोटा	3990	3990	3990
213.07	स्टेण्ड पंखा (भारतीय मोडेल)	गोटा	4725	4725	4725
213.08	वाल फैन वाइनिज	गोटा	3150	3150	3150
214	होम लाइट				
214.01	८ इन्च	गोटा	519	519	519
214.02	६ इन्च	गोटा	404	404	404
215	बेदरफूफ लाइट	गोटा	210	210	210
216	मेन स्वीच				
216.01	६० एम्पियर	गोटा	4935	4935	4935
216.02	३० "	गोटा	1963	1963	1963
216.03	१५ "	गोटा	1470	1470	1470
217	१० एस.डब्ल्यू.जि.प्लाष्टिक कोटेड कपर वायर बर्थिङको लागि	मीटर	138	138	138
218	सर्भिस तार	मीटर	26	26	26
219	मिटर बक्स				
219.01	प्लाष्टिक	गोटा	210	210	210
219.02	काठको	गोटा	315	315	315
220	काठको सिस्टी				
220.01	१/२" को	र.मी.	26	26	26
220.02	३/४" को	र.मी.	33	33	33
220.03	१" को	र.मी.	36	36	36
221	एम सि बि				
221.01	६ एम्पियर एस.पी.	गोटा	267	267	267
221.02	१५ एम्पियर एस.पी.	गोटा	393	393	393
221.03	१५ एम्पियर डी.पी.	गोटा	693	693	693
221.04	३० एम्पियर एस.पी.	गोटा	462	462	462
221.05	३० एम्पियर डी.पी.	गोटा	1260	1260	1260
222	Solar system with 20 watt solar panel, one 23 Ah battery and 3 nos of 4 watt LED bulbs	सेट	10500	10500	10500
	अन्य सामानहरू				
223	खर १५से.मी व्यासको मुठा	मुठा	44	44	44
224	नरियलको डोरी	के.जी.	136	136	136
225	लाइन स्टिड	र.मी.	8	8	8
226	जिओ-व्याग(१.०५मि. x ०.७ मि., ३५० ग्राम)	गोटा	383	383	383
227	नाइलन क्रेट ४.५ केजी (३X१.०५X१.०५) मि.	गोटा	2205	2205	2205
228	चटाई ३X६ फिटको	गोटा	144	144	144
229	मुसा	के.जी.	4	4	4
230	गोबर	के.जी.	5	5	5
231	खाली बोरा				
231.01	सिमन्टको खाली बोरा (पुरानो)	गोटा	12	12	12
231.02	सिमन्टको खाली बोरा (नयाँ)	गोटा	24	24	24
231.03	जुटको खाली बोरा	गोटा	110	110	110
232	हेशन जुट	व.मी.	210	210	210
233	नाइलन डोरी	के.जी.	232	232	232
234	मोबिल (युबिकेन्ट)	लीटर	682	682	682
235	गियर ब्रायल	लीटर	682	682	682
236	पिज	के.जी.	682	682	682
237	माछाका भुरा				
237.01	साढो	गोटा	0.52	0.52	0.52
237.02	माछाका भुरा दूलो	गोटा	1.41	1.41	1.41
238	बुटो	के.जी.	20	20	20

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
239	पिना	के.जी.	21	21	21
240	दाउरा	के.जी.	16	16	16
241	धिरपट	के.जी.	16	16	16
242	फलामे बान्दी	गोटा	537	537	537
243	बासको होको	गोटा	231	231	231
244	पोलिथिन शीट ४०० गेज	के.जी.	220	220	220
245	टारफेब्रिड शीट १x२० मिमी	के.जी.	141	141	141
246	कंकीट एडमिक्चर (सेफकीट, सेफबन, सेफमाइट आदि)	लीटर	315	315	315
247	सिलिका एडमिक्चर	के.जी.	367	367	367
248	स्टोभ	गोटा	1050	1050	1050
बायोइन्जिनियरिङका सामान तथा पशुचौपाया सम्बन्धि					
249	बिरुवाहरु				
249.01	अम्लिसो	राईजोम	5.51	5.51	5.51
249.02	नेपियर CO4 जरासहित	सेट	3.3	3.3	3.3
249.03	कास	स्लिप	1.1	1.1	1.1
250	बास बिरुवा विउवाट उत्पादन				
250.01	१ वर्षे बिरुवा	गोटा	55.12	55.12	55.12
250.02	२ वर्षे बिरुवा	गोटा	82.68	82.68	82.68
250.03	३ वर्षे बिरुवा	गोटा	165.37	165.37	165.37
251	बास राईजोम	राईजोम	496.12	496.12	496.12
252	बास बिरुवा कटिड.				
252.01	१ वर्षे बिरुवा	गोटा	275.62	275.62	275.62
252.02	२ वर्षे बिरुवा	गोटा	330.75	330.75	330.75
252.03	३ वर्षे बिरुवा	गोटा	385.87	385.87	385.87
252.04	निगालो	गोटा	16.53	16.53	16.53
252.05	डालेघास	गोटा	17.64	17.64	17.64
253	हिउँदे तथा वर्षे घाँसको बिउ				
253.01	जै	कि.ग्रा.	88.20	88.20	88.20
253.02	बर्षिम	कि.ग्रा.	330.75	330.75	330.75
253.03	भेच	कि.ग्रा.	132.30	132.30	132.30
253.04	टियोसेन्टी	कि.ग्रा.	110.25	110.25	110.25
253.05	बाजरा	कि.ग्रा.	104.73	104.73	104.73
253.06	सुहान	कि.ग्रा.	110.25	110.25	110.25
254	बहुवर्षे तथा डालेघाँसको बिरुवा				
254.01	नेपियर CO4 जरासहित	स्लीप	3.3	3.3	3.3
254.02	नेपियर CO4	स्लीप	2.2	2.2	2.2
254.03	नेपियर (अन्य) जरासहित	स्लीप	2.2	2.2	2.2

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
254.04	वेपिवर (अन्य)	स्कीय	1.68	1.68	1.68
254.05	मुलाटो, पास्पानम, सेटरिया, बरामे	गोटा	2.2	2.2	2.2
254.06	डामे घोसको बेना (बडहर)	गोटा	17.64	17.64	17.64
254.07	डामे घोसको बेना (अन्य जात)	गोटा	16.53	16.53	16.53
255	प्रजननकालागि पालिने बोका बाखा				
255.01	बाखा खरी जातको	कि.ग्रा.	385	385	385
255.02	बोका खरी जातको	कि.ग्रा.	551	551	551
255.03	बोका जमुना पारी, बारबेरी	कि.ग्रा.	551	551	551
255.04	बोका बोयर जातको	कि.ग्रा.	882	882	882
256	उन्नत जातको बगुरको पाठापाछी				
256.01	पाछी (न्यूनतम ४२ दिन)	गोटा	5512	5512	5512
256.02	पाछा (न्यूनतम ४२ दिन)	गोटा	6063	6063	6063
256.03	बगुरको बीर (९० दिन)	गोटा	7717	7717	7717
257	प्रजननकालागि पालिने रागो तथा साढे				
257.01	प्रजनन योग्य रागो मुरा जातको	गोटा	110250	110250	110250
257.02	प्रजनन योग्य साढे होलिस्टिन जातको	गोटा	110250	110250	110250
257.03	प्रजनन योग्य साढे जर्सी जातको	गोटा	88200	88200	88200
258	Steel Door and Window				
258.01	900*2100 Steel Door set with frame 50 T Thickness	सेट		21000	21630
258.02	1000*2100 Steel Door set with frame 50 T Thickness	सेट		22000	22660
258.03	900*2100 ABS Door set with frame 50 T Thickness	सेट		18000	18540
258.04	900*2100 Panel Door set with frame 50 T Thickness	सेट		14000	14420
258.05	115mm Window set with frame 50 T Thickness	सेट		875	900
259	Flush Door				
259.01	Glossy	व.फु.		275	275
259.02	Maat	व.फु.		260	260
260	Non Asbestos Sheet				
260.01	1050mm overall width, 6mm thickness- Normal	र.मी.		575	575
260.02	1050mm overall width, 6mm thickness- Coloured	र.मी.		675	675
260.03	Supplying and erection if different mm thick cement base prefabricated everest solid wall panel (RAPION) non abestso incliding 1.1mm thick GI channel (50*25*20)mm with necessary accessories and fittings charge in partition wall all complet.				
	75mm thick	व.फु.			315
	50mm thick	व.फु.			250

क्र.सं.	विवरण	इकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
259	Interior and Finishing Materials				
A	Roofing Material				
1.00	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness: 0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm		4000	4000
2.00	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness: 0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm		3000	3000
3.00	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm		1400	1400
4.00	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm		1300	1300
B	Flooring Material				
1.00	Stone Plastic Composit Flooring (SPC) of 4 mm thick with base material and skirting	Sqm		2700	2700
C	Material for Wall				
	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	Sqm		15000	15300
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	Pcs		2800	2800
	150X300 Tile	Pcs		3500	3500
	300X300 Tile	Pcs		4000	4000
D	Ceiling Work				
1.00	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sqm		25000	25000
E	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sqm		45000	45000

क्र.सं.	विवरण	ईकाई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
F	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sqm		100000	100000
260	Concrete Admixture, Water Proofing Sytstem Integral				
260.01	Protective, Decorative carbonating coating- Fosroc Nitogurd	Kg		1300	1300
260.02	Protective polyerethane sealer Fosroc Promeseal	Ltr		800	800
260.03	High Performance water repellant Paint	Ltr		1100	1100
260.04	Concrete curing aid- Fosroc Concure WB	Kg		450	450
260.05	Integral waterproofing additive for concrete and plaster- Fosroc Conplast WL Extra	Kg		320	320
260.06	PVC -O pipe & Fittings				
1	Class 500 PVC -O pipe -PN 12.5				
	90mm र.मि				730
	110mm र.मि				1150
	125mm र.मि				1450
	140mm र.मि				1750
	160mm र.मि				2200
	200mm र.मि				3500
	225mm र.मि				4400
	250mm र.मि				5200
	315mm र.मि				8500
	355mm र.मि				10800
	400mm र.मि				14000
	450mm र.मि				19000
	500mm र.मि				22700
	630mm र.मि				36000
	800mm र.मि				58000
	1000mm र.मि				110000
	1200mm र.मि				150000
2	Class 500 PVC -O pipe -PN 16				
	90mm र.मि				854
	110mm र.मि				1260
	125mm र.मि				1550
	140mm र.मि				1950
	160mm र.मि				2600
	200mm र.मि				4000
	225mm र.मि				4950
	250mm र.मि				6300
	315mm र.मि				9600
	355mm र.मि				12700
	400mm र.मि				16000
	450mm र.मि				22500
	500mm र.मि				27500
	630mm र.मि				46500
	800mm र.मि				75000
	1000mm र.मि				120000

क्र.सं.	विवरण	ईकोई	वा.व. ७३/७८ को दररेट	वा.व. ७८/७९ को दररेट	वा.व. ७९/८० को दररेट
	1200mm	र मि			175000
2	Class 500 PVC -O pipe -PN 25				
	90mm	र मि			1700
	110mm	र मि			2500
	125mm	र मि			2700
	140mm	र मि			3100
	160mm	र मि			3800
	200mm	र मि			5500
	225mm	र मि			6700
	250mm	र मि			8500
	315mm	र मि			13000
	355mm	र मि			16000
	400mm	र मि			20500
	450mm	र मि			30000
	500mm	र मि			38000
	630mm	र मि			57000
0.01	PVC -O pipe Fittings				
	ELBOW 11.25 degree(PN-16)				
	110	गोटा			7376
	160	गोटा			18022
	200	गोटा			29429
	250	गोटा			44811
	315	गोटा			85895
	400	गोटा			160333
	ELBOW 22.5 degree(PN-16)				
	110	गोटा			7671
	160	गोटा			16913
	200	गोटा			30606
	250	गोटा			46804
	315	गोटा			89331
	400	गोटा			166746
	ELBOW 45 degree(PN-16)				
	110	गोटा			8485
	160	गोटा			18570
	200	गोटा			33658
	250	गोटा			55204
	315	गोटा			97950
	400	गोटा			189744
	ELBOW 90 degree(PN-16)				
	110	गोटा			12050
	160	गोटा			24143
	200	गोटा			43417
	250	गोटा			72318
	315	गोटा			112640
	400	गोटा			225797
	Coupler (PN -16)				
	110	गोटा			7359
	160	गोटा			13123
	200	गोटा			18968
	250	गोटा			35500
	315	गोटा			67296
	400	गोटा			149158




माथि उल्लेखित आइटम हर भन्दा थप आइटमहरु आवश्यक परेमा बजार बाट लिम्वटा दररेट माग गरी सो मध्यबाट न्यूनतम दररेट लाई आधारमानी कायम गर्न सकिनेछ ।

विवरण	सेक्शन/साईज	एकाई	वा. न. ७७/७८ को दररेट	वा. न. ७८/७९ को दररेट	वा. न. ७९/८० को दररेट
WINDOWS - 2 Pannel Sliding, Natural Anodised/ Black Anodised/ White Powder Coated Profiles	100 Series Frame - 101.3 x 44 x 1.3	Sqm	8280	8280	8000
Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.3				
(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.3				
	Palla - 50 x 28 x 1.0		8550	8550	
	64 x 31.3 x 1.0				
	76.2 x 28 x 1.0				
WINDOWS - 2 Pannel Sliding, with Fix Ventilation	100 Series	Sqm			8050
Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 101.3 x 44 x 1.3				
Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.3				
(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.3				
	Palla - 50 x 28 x 1.0				
	64 x 31.3 x 1.0				
	76.2 x 28 x 1.0				
WINDOWS - 2 Pannel Sliding, with Sliding Ventilation	100 Series	Sqm	9900	9900	8715
Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 101.3 x 44 x 1.3				
Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.3				
(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.3				
	Palla - 50 x 28 x 1.0				
	64 x 31.3 x 1.0				
	76.2 x 28 x 1.0				
WINDOWS - 2 Pannel Sliding, Natural Anodised/ Black Anodised/ White Powder Coated Profiles	100 Series Frame - 101.3 x 44 x 1.5		7020	7020	8231.4
Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5				
(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.5				
	Palla - 50 x 28 x 1.2				
	64 x 31.3 x 1.2				
	76.2 x 28 x 1.2				
WINDOWS - 2 Pannel Sliding, with Sliding Ventilation	100 Series				

6/11/20
[Signature]
[Signature]

क्र. सं.	विवरण	सेक्सन/साईज	एकई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
3.00	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 101.3 x 44 x 1.5	Sqm	7650	7650	8918
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5				
		101.3 x 44.6 x 1.5				
		Palla - 50 x 28 x 1.2				
		64 x 31.3 x 1.2				
		76.2 x 28 x 1.2				
4.00	WINDOWS - 3 Pannel Sliding with FIX Ventilation	100 Series	Sqm	8550	8550	10168
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 101.3 x 44 x 1.5				
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5				
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.5				
		Palla - 50 x 28 x 1.2				
		64 x 31.3 x 1.2				
		76.2 x 28 x 1.2				
5.00	WINDOWS - 2 Pannel Sliding,	90 Series	Sqm	7380	7380	7263
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 87 x 40 x 1.2				
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2				
	(5mm clear/ Colour Glass)	90 x 43 x 1.2				
		Palla - 50 x 27 x 1.0				
		60 x 27 x 1.0				
		62 x 31 x 1.0				
5.00	WINDOWS - 2 Pannel Sliding, with Sliding Ventilation	90 Series	Sqm	7920	7920	7700
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 87 x 40 x 1.2				
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2				
	(5mm clear/ Colour Glass)	90 x 43 x 1.2				
		Palla - 50 x 27 x 1.0				
		60 x 27 x 1.0				
		62 x 31 x 1.0				
6.00	WINDOWS - 2 Pannel Sliding,		Sqm	8280	8280	7700
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	90 Series				
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	Frame - 87 x 40 x 1.5				
	(5mm clear/ Colour Glass)	87 x 56 x 1.5				
		90 x 43 x 1.5				
		Palla - 50 x 27 x 1.2				
		60 x 27 x 1.2				
		62 x 31 x 1.2				
	WINDOWS - 2 Pannel Sliding, with Sliding Ventilation	90 Series				

क्र. सं.	विवरण	रोकनाम/साईज	एकई	आ. व. ७७/७८ को दररेट	आ. व. ७८/७९ को दररेट	आ. व. ७९/८० को दररेट
7.00	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 87 x 40 x 1.5	Sqm	8550	8550	10222
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.5				
	(5mm clear/ Colour Glass)	90 x 43 x 1.5				
		Palla - 50 x 27 x 1.2				
		60 x 27 x 1.2				
8.00	WINDOWS - 3 Pannel Sliding,	62 x 31 x 1.2	Sqm	8100	8100	8682.7
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	90 Series				
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	Frame - 87 x 40 x 1.2				
	(5mm clear/ Colour Glass)	87 x 56 x 1.2				
		90 x 43 x 1.2				
9.00		Palla - 50 x 27 x 1.0	Sqm	7890	7890	9200
		60 x 27 x 1.0				
		62 x 31 x 1.0				
	WINDOWS - 3 Pannel Sliding,	90 Series				
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 87 x 40 x 1.5				
10.00	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.5	Sqm	7890	7890	9200
	(5mm clear/ Colour Glass)	90 x 43 x 1.5				
		Palla - 50 x 27 x 1.2				
		60 x 27 x 1.2				
		62 x 31 x 1.2				
	DOORS - Hinge Fabrication					
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.	100 Series				

क्र. सं.	विवरण	वेकन/साईज	एकई	वा. व. ७७/७८ को दररेट	वा. व. ७८/७९ को दररेट	वा. व. ७९/८० को दररेट
11.00	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame - 101 x 45 x 1.0	Sqm	7380	7380	8339
	(5mm Al Composite / 5mm Clear Glass / 8mm Nepal Board)					
	DOORS - Hinge Fabrication	Palla - 48 x 45 x 1.0				
12.00	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.	100 Series	Sqm	7650	7650	9684
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame - 101 x 45 x 1.3				
	(5mm Al Composite / 5mm Clear Glass / 8mm Nepal Board)					
	DOORS - Hinge Fabrication	Palla - 48 x 45 x 1.0				
13.00	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.	100 Series	Sqm	7650	7650	11298
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame - 101 x 45 x 1.5				
	(5mm Al Composite / 5mm Clear Glass / 8mm Nepal Board)					
	DOORS - Floor Fabrication	Palla - 83 x 44 x 1.2 48 x 45 x 1.0				
14.00	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.	100 Series	Sqm	7200	7200	12374
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame - 101 x 45 x 1.3				
	(5mm Al Composite / 5mm Clear Glass / 8mm Nepal Board)					
	FLOOR SPRING - openable with both side	Palla - 83 x 44 x 1.2 48 x 45 x 1.0				
15.00	DOORS - SLIDING Fabrication	Frame - 101 x 45 x 1.2	Sqm	7020	7020	11298
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.					
	Aluminium Doors Including, Lock, Rubber, Brush, Sliding Bearings, Gaskets & Necessary Hardware etc	Palla - 64 x 28 x 1.2				
	(5mm Al Composite / 5mm Clear Glass / 8mm Nepal Board)	50 x 28 x 1.2				
	VENTILATION - Fixed Fabrication/LOUVER					

क्र. सं.	विवरण	सेक्शन / साईज	एकाई	मा. व. ७७/७८ को दररेट	मा. व. ७८/७९ को दररेट	मा. व. ७९/८० को दररेट
16.00	Natural Anodised/ Black Anodised/ White Powder Coated Profiles with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber	Frame -101*45*1.2	Sqm			6550
17.00	VENTILATION – Fixed Fabrication/LOUVER Natural Anodised/ Black Anodised/ White Powder Coated Profiles with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber	Frame -63.3*37*1.0	Sqm	7920	7920	5918
18.00	Partation – Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium with necessary hardware (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Frame -101*45*1.2	Sqm	8100	8100	6994
19.00	Partation – Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles Aluminium with necessary hardware (5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Frame -63.3*37*1.0	Sqm	7380	7380	5918
20.00	Fabrication of Steel Railing with 4 row of steel pipe (running Ft) ROUND S S PIPES	2"/1"/1"/1" with support 1.5" steel pipe	r.ft			1080
21.00	Fabrication of Steel with 3 row of Steel Pipe (running Ft) ROUND S S PIPES	2"/1"/1" with support 1.5" steel pipe	r.ft	7380	7380	900
22.00	Fabrication of Steel Railing with 2 row of steel pipe (running Ft)) ROUND S S PIPES	2"/1"/" with support 1.5" steel pipe	r.ft			735
23.00	Fabrication of Steel with single row of Steel Pipe (running Ft) ROUND S S PIPES	1.5" with support 1.5" steel pipe	Sq.ft			577
24.00	Fabrication of Steel Gate , Steel Furniture like Bench, Arching Table, Modular Rack and all kinds of Steel Furniture @/kg		kg			433

कृषि कार्यका लागि ०.५५ मि.मि. जी.आई.पाताको मेटल बिन (तयारी भकारी) को क्षमता, नाप, तौल, मूल्य बिबरण

सेट	मेटल बिनको क्षमता (के.जी.)	मेटल बिनको तौल (के.जी.)	मेटल बिनको तयारी भित्रि व्यास (से.मि.)	मेटल बिनको तयारी भित्रि उचाई (से.मि.)	इकाई	आ.व. ७७/७८ को दररेट	आ.व. ७८/७९ को दररेट	आ.व. ७९/८० को दररेट
ए.	२६२	१४.०	६१	१२१.०	गोटा	२८४६	२९३०	३०१७
ए.	२४५	१३.३	५९	१२१.०	"	२७५३	२८३५	२९२०
ए.	२२८	१२.५	५७	१२१.०	"	२६६२	२७४१	२८००
ए.	२१३	११.८	५५	१२१.०	"	२५६७	२६४४	२७२३
ए.	१९८	११.०	५३	१२१.०	"	२४७२	२५४५	२६२१
जम्मा	११४६	६२.५				१३२९९	१३६९८	१४१०८
बि.	१९६	११.०	६१	९०.५	"	२०९०	२१५२	२२००
बि.	१८४	१०.५	५९	९०.५	"	२०१८	२०७८	२१४०
बि.	१७०	१०.०	५७	९०.५	"	१९३७	१९९५	२०५४
बि.	१६०	९.५	५५	९०.५	"	१८७६	१९३२	१९८९
बि.	१४८	९.०	५३	९०.५	"	१८०५	१८५९	१९१४
जम्मा	८५८	५०.०				९७२६	१००१७	१०३१७
सी.	१४८	९.०	५३	९०.५	"	१८८०	१९३५	१९९३
सी.	१३६	८.५	५१	९०.५	"	१८१८	१८७२	१९२८
सी.	१२४	८.०	४९	९०.५	"	१६९८	१७४८	१८००
सी.	११२	७.५	४७	९०.५	"	१६१९	१६६७	१७००
सी.	७५	६.०	३८	९०.५	"	१३३१	१३७१	१४१२
जम्मा	५९५	३९.०				८३४५	८५९५	८८५२

आ.व.०७९१०८० को घर भाडा प्रति वर्ग फिट फ्लोर एरिया प्रति महिना

क्षेत्र	घरको किसिम				कफियत
	A	B	C	D	
क	25.55	24.59	23.43	21.29	
ख	21.31	20.26	19.35	18.46	
ग	19.35	18.46	17.43	16.38	
घ	17.43	16.38	15.48	14.29	

पार्किङ क्षेत्रको प्रति वर्ग फिट एरिया प्रति महिना रु १०

क्षेत्रको बिबरण

क	जिल्ला बन कार्यालयदेखि धनगढी ट्राफिक कार्यालयसम्म
ख	भन्सारदेखी चौराहा चटकपुर, बैयाबेहरी, उत्तरबेहरी, हसनपुर, बोराडाडी, जिल्ला बन कार्यालयदेखी क्याम्पस रोड, लक्ष्मिनारायण मन्दिर रोड, नेपाल राष्ट्र बैंक रोड, अदालत रोड त्रिबेणी चोक अन्तरिया वरिपरी क्षेत्र
ग	सन्तोषी टोल, बिशाल नगर तारानगर पुरानो भन्सार रोड धनगढी न.पा. का अन्य क्षेत्रहरू, टिकापुर र लम्की बजार
घ	माथि उल्लेखित बाहेकका क्षेत्रहरू

घरको किसिमको बिबरण

A	Frame structure building with cement sand mortar
B	Load bearing wall building with cement sand mortar
C	Load bearing wall building with mud mortar
D	Load bearing building with mud mortar and tile/C.G.I. sheet roofing

गाडी भाडा ईन्धन बाहेक प्रति दिन रु	3000	without AC
	4500	with AC

१४.१० विभिन्न साईजका मेशीन मेड गेबियन जालीहरुको आ.व. २०७९/८० को नगर दररेट

1 Machine Made and mechanically selvaged Double twist hexagonal mesh product

Specification			
Mesh Type		10x12	
Wire mesh Dia		3.00 mm	
Selvedge wire dia		3.90 mm	
Lacing Wire Dia		2.40 mm	
Type of Coating		Heavy Zinc Coating	
S.N.	Size /With Diapharm	unit	Price(NRS)
1	1.5x1x0.5/0	Nos	1682
2	2x1x0.5/1	Nos	2288
3	3x1x0.5/2	Nos	3265
4	4x1x0.5/3	Nos	4122
5	1.5x1x1/0	Nos	2444
6	2x1x1/1	Nos	3249
7	3x1x1/2	Nos	4610
8	4x1x1/3	Nos	5937
9	3x1.5x0.5/2	Nos	4797
10	4x1.5x0.5/3	Nos	6071
11	5x1.5x0.5/4	Nos	7527
12	6x1.5x0.5/5	Nos	9000
13	3x1.5x1/2	Nos	6754
14	4x1.5x1/3	Nos	8514
15	5x1.5x1/4	Nos	10526
16	6x1.5x1/5	Nos	12520
17	3x2x0.5/2	Nos	6017
18	4x2x0.5/3	Nos	7670
19	5x2x0.5/4	Nos	9520
20	6x2x0.5/5	Nos	11370
21	3x2x1/2	Nos	8352
22	4x2x1/3	Nos	10509
15	5x2x1/4	Nos	12987
16	6x2x1/5	Nos	15448
17	Wire mesh Netting	SQM	306

[Handwritten signatures and marks]

धनगढी उपमहानगरपालिका
नगर कार्यपालिकाको कार्यालय
धनगढी, कैलाली
विपद् सामग्रीहरूको नगर दररेट आ.व. ०७९-०८०

क्र.सं.	विपद् सामग्रीको नाम	स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफियत
क.	हवाहुरी तथा बाढी पहिरो बाट हुने विपद् मा प्रयोग हुने				
1	Safety helmet	हेल्मेट Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	350	
2	Gaiti with wood handle	गैती Medium size	थान	550	
3	Belcha with handle	सावेल Medium size (Metal handle)	थान	450	
4	Axe with wooden handle	बन्चरो Axe size 16*10 cm - (+3kg)	थान	550	
5	Two Hand Saw	आरा Size : Big (5 Feet)	थान	1000	
6	Sabbal	गल Size : Big	थान	1350	
7	Agricultural spade with handle	फरुवा Regular size (metal handle)	थान	500	
8	Hammer with handle (Ghan)	घन 5 kg	थान	1500	
9	Aasi	आसी Size : Big	थान	1500	
10	Hand wood cutter machine Chain Saw	काठ काटने मेसिन Engine capacity not less than 50cc Minimum cutting diameter not less than 20"	थान	15000	
11	Hand wood cutter machine Petrol Saw	काठ काटने मेसिन 2 stroke engine, 1 cylinder Minimum cutting diameter: 20-inch (45cm)	थान	25000	
12	bold cutter	आईरन रड कटर Medium Size	थान	2500	
13	Knee Pad	घुडामा लगाउने	थान	250	
14	Head search light with battery	हेड लाईट Halogen 55 W ABS LED Search Lights	थान	750	
15	Power torch light	पावर टर्च लाईट Lighting Type : LED , Battery : Lead Acid , Capacity : not less than 1500mah	थान	1500	
16	Come along machine	Capacity: not less than 4 ton	थान	6000	
17	Hydraulic Jack	Capacity: 20 ton	थान	4000	
18	plastic rope	नाईलन डोरी 10-20mm diameter , More than 100 metre	थान	2500	
19	Anti Dust Glass	UV protection, Liquid splash protection	थान	500	
20	Scene Tape (Barricade Tape)	100 meter Roll	थान	1000	
21	Mega Phone	मेगाफोन Material: Fiber, Power Output : Not less than 10W, Max, Voice Range : Not less than 400m , Power Source: Chargable & battery use also Weight : not less than 1.5kg Usage : Public Meetings, Gathering , Tourist Palce Announcing	थान	4500	
2	Crow bar	क्रो वार Overall length - Not less than 450 mm DIA -not less than 16 mm (18"*5/8") Ideal for removing nails & demolition work Forged with high carbon steel Good for pulling nails & lifting	थान	1000	
	Back board (Stretcher) Spinal board	Two handles at tapered end to allow more stable transport. Strong, light weight, one-piece HDPE construction is impervious to all bodily fluids, easy to decontaminate, and provide 100% X-ray translucency. Instahold Buoyant Backboard Stretcher / Spine Board	थान	4500	
	Electric Cord	100 meter	थान	4000	
	Tools box with tools		थान	3000	
	दर्घटना विपद् मा प्रयोग हुने (Rappling & clambing equipment)				

क्र.सं.	विषय सामग्रीको नाम	स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफियत
1	Sit Harness Belt	सिट हर्नेस बेल्ट Fully adjustable waist and legs Wrap around or step in fitting Well- established , easy interlocking buckling system Laminated, high quality , sandwiched closed cell foam padding High quality polyester webbing , with hidden locking stitch 2 fixed Gear Loops - 2 Removable Gear loops 1 front aluminium D & 1 front double thickness 18mm belay loop 30kn 1 back & 2 side webbing eyes conforming to EN 358 Standard Waist Size : 74cm to 115 cm Standard leg /thigh Size : 44cm to 85 cm Rated for: not less than 100kg Weight for standard Harness : not less than 1 kg	थान	4000	
2	Chest harness	चेस्ट हर्नेस Fully adjustable with comfort-padded waist belt thigh strap and shoulder Strap 44 mm polyester webbing with min. breaking strength 25 kn Automatic stitching pattern with strength Metal type chest strap with easy handling Adjustable dorsal high strength forged D-ring , Min Breaking Strength 25 kn Two lateral D- rings for work positioning, one sternal D-ring for fall arrest & one ventral D-ring for rescue Finished Webbing ends with web holder Suitable for fall arrest, work positioning, descent & ascent & rescue service Special design & high resistant polyethylene back plate for holding D- ring even after the fall	थान	1500	
	Static Rope	100 metre Roll , 12mm	थान	12000	
	Dynamic Rope	Diameter: Not less than 8 mm Length : Not less than 50 ft/roll Made up of with nylon material, enduring durability and longevity Light weight and portable , easy to carry Great for survival , rescue camping	थान	15000	
	Wire rope pulley	घिर्नी Capacity: not less than 0.5 ton	थान	2000	
	Safety helmet for Rappelling & climbing	हेल्मेट Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	800	
	Carabiner	क्याराविना Made up of alloy Steel, Head treated, Min. Breaking Load: not less than 4500 lbs/ 23kn, Net weight : not less than 100gm	थान	1200	
	Figure 8 Carabiner	30 k.n	थान	2000	
	Jumar for climbing	9 cm wide & 19 cm long weight - more than 200 gram	थान	2500	
	Gri - Gri	More than 8 mm	थान	2500	
	Prusik	GM CLIMBING 18" / 24" 8mm Pre-Sewn Prusik Cord	थान	500	
	Tin box	टिन बक्स 6*4*4 feet (22 Gauge)	थान	12000	

क्र.स.	विपद् सामाग्रीको नाम	स्पेसिफिकेशन	एकाई	प्रति एकाई दर रु.	कैफियत
13	First Aid box	फर्स्ट एड बक्स Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor mediun-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-dettol 150-3pc, mask-3box, gloves-medium-3 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution-30 pc, Hand sanitizer- 100 ml 3 pc, Bag-1pc)	थान	3000	
ग	बाढी तथा डुबानबाट हुने विपद् मा प्रयोग हुने				
1	Life Jacket	लाईफ ज्याकेट	थान	3000	
2	Throw bag	The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	थान	1500	
3	Life bouy rescue tube	लाईफ व्वाय रेस्क्यू ट्यूब Size : 29*29*4	थान	3000	
4	Bora	कट्टा 30 kg	थान	25	
5	Gum boot for water	Size : Medium & Big	थान	1000	
6	Rain Coat	Size : Medium & Big	थान	2500	
7	Water Glasses	Liquid splash protection	थान	100	
8	Safety helmet for water rescue	हेल्मेट Materials: PVC, size : Not less than 15" , shape : Round , Weight : Approx 250 gram	थान	850	
९	Water Rescue shoes		थान	1000	
10	Tripal	18*24 ft.	थान	1700	
घ	आगलागीबाट हुने विपद् मा प्रयोग हुने				
1	Fire extinguisher	अग्नी सामक Type ABC Powder , more than 5 kg cylender	थान	4500	
2	Fire fighter shoot	फायर फाईटर सूट Jacket , Paint & Helmet	थान	7000	
3	Stell Bucket	फलामे वाल्टी More than 8 liter	थान	700	
4	Fire Saffey Gloves	Silica Fabric, Heat Resistant Gloves, Fire Proof	थान	800	
5	Aluminium ladder	आलमुनियम ल्याडर Not less than 12 ft.	थान	15000	

(Handwritten signatures and marks)

धनगढी उपमहानगरपालिका

नगर कार्यपालिकाको कार्यालय

धनगढी, कैलाली

विरुवाहरुको नगर दररेट आ.व. ०७९-०८०

क्र.सं	विरुवाको प्रजाती	एकाई	प्रति एकाई दर रु.	कैफियत
1	अमला	गोटा	15	
2	पारिजात ३ फिट माथी	गोटा	325	
3	गोल्डमोहर	गोटा	200	
4	वाँस कलमी २ बर्षे	गोटा	500	
5	श्रीखण्ड १ फिट माथी २ बर्षे	गोटा	275	
6	रक्तचन्द्र १८ ईन्च २ बर्षे	गोटा	275	
7	रुद्राक्ष २ फिट माथी २ बर्षे	गोटा	525	
8	समी ४ फिट माथी	गोटा	600	
9	कपुर ३ फिट माथी	गोटा	300	
10	राजवृक्ष ३ फिट माथी	गोटा	300	
11	अगर उड	गोटा	250	
12	गुर्जो	गोटा	80	
13	अम्रपाली २ बर्षे विरुवा	गोटा	130	
14	आँप निलम बहुवर्षिय	गोटा	130	
15	आँप मलिका बहुवर्षिय	गोटा	130	
16	आँप अन्य जात	गोटा	100	
17	लिची सबैजात	गोटा	105	
18	कागती सबैजात	गोटा	60	
19	सुन्तला सबैजात	गोटा	60	