











आज मिति २०८२/०४/०७ गतेका दिन दिउसो ४:०० बजे यस धनगढी उपमहानगरपालिका नगर प्रमुख एवं नगर दररेट निर्धारण समितिका अध्यक्ष श्री गोपाल हमाल ज्यु को अध्यक्षतामा देहायको उपस्थितिमा बैठक बसि देहायका निर्णय गरियो ।

उपस्थिति :-

क्र. स.	नाम	पद	हस्ताक्षर
१	श्री गोपाल हमाल - नगर प्रमुख	अध्यक्ष	
२	श्री कन्दकला कुमारी राना - नगर उप प्रमुख	सदस्य	
३	श्री नरेन्द्र बहादुर खाती	सदस्य	
४	श्री सन्तोष मुडभरी कार्यपालिका सदस्य	सदस्य	
५	श्री को.ले.नि. का.	सदस्य	
६	श्री टेक बहादुर मल्ल नि.व्य.संघ कैलाली	सदस्य	
७	श्री तिलक बहादुर बोहरा - कै. उ. वा. संघ	सदस्य	
८	श्री दीजराज भट्ट - डिभिजनल इन्जिनियर (श. वि. पु. म शाखा प्रमुख)	सदस्य सचिव	
	आमन्त्रित		
१	श्री योगेन्द्र बहादुर चन्द	(आ. ले. प. अधिकृत)	
२	श्री दाताराम जोशी	(इन्जिनियर)	
३	श्री कमलराज ओझा	(इन्जिनियर)	
४	श्री राजु खडका	(इन्जिनियर)	
५	श्री किरण शागर भण्डारी	(इन्जिनियर)	
६	श्री उपेन्द्र प्रसाद भट्ट	(इन्जिनियर)	











निर्णय नं. १:

यस धनगढी उप-महानगरपालिकाको आ.व. २०८२/०८३ को दररेट तयार गर्दा विभिन्न मान्यता प्राप्त कम्पनीहरू वाट उत्पादित निर्माण सामाग्रीमा कम्पनिले जारी गरेको Specification बमोजिमको स्वीकृत MRP आधारमानी दररेट तयार गर्ने निर्णय गरियो ।




आज मिति २०८२/०४/०८ गतेका दिन दिउसो ४:०० बजे यस धनगढी उपमहानगरपालिका नगर प्रमुख एवं नगर दररेट निर्धारण समितिका अध्यक्ष श्री गोपाल हमाल ज्यु को अध्यक्षतामा देहायको उपस्थितिमा बैठक बसि देहायका निर्णहरु गरियो ।

उपस्थिति :-

क्र. स.	नाम	पद	हस्ताक्षर
१	श्री गोपाल हमाल - नगर प्रमुख	अध्यक्ष	
२	श्री कन्दकला कुमारी राना - नगर उप प्रमुख	सदस्य	
३	श्री नरेन्द्र बहादुर खाती	सदस्य	
४	श्री सन्तोष मुडभरी कार्यपालिका सदस्य	सदस्य	
५	श्री को.ले.नि.का.	सदस्य	
६	श्री टेक बहादुर मल्ल नि.व्य.संघ कैलाली	सदस्य	
७	श्री तिलक बहादुर बोहरा - कै.उ.वा.संघ	सदस्य	
८	श्री दीजराज भट्ट - डिभिजनल इन्जिनियर (श.वि. तथा पु.वि. शाखा प्रमुख)	सदस्य सचिव	
	आमन्त्रित		
१	श्री योगेन्द्र बहादुर चन्द	(आ.ले.प. अधिकृत)	
२	श्री दाताराम जोशी	(इन्जिनियर)	
३	श्री कमलराज ओझा	(इन्जिनियर)	
४	श्री राजु खडका	(इन्जिनियर)	
५	श्री किरण शागर भण्डारी	(इन्जिनियर)	
६	श्री उपेन्द्र प्रसाद भट्ट	(इन्जिनियर)	

निर्णय नं. १:

यस धनगढी उप-महानगरपालिकाको आ.व. २०८२/०८३ का लागि स्वीकृत गरिएको कैलाली जिल्ला दररेट लाई आधार मानी यस नगर कार्यपालिका का लागि आवश्यक पर्ने थप निर्माण सामग्रीहरूको बजार, विभिन्न व्यवसायी सप्लायर्स वाट उपलब्ध दरलाई समावेश गरि निर्माण सामग्री ढुवानी,मेशिन उपकरणको भाडा र कामदारको ज्याला सहित तपशिल बमोजिमको नगर दररेट तयार गरी स्वीकृतिका लागि नगर कार्यपालिकामा सिफारिस गर्ने निर्णय गरियो ।



धनगढी उपमहानगरपालिका

नगर कार्यपालिकाको कार्यालयको ज्यालादर तथा निर्माण सामाग्रीहरुको

स्वीकृत नगर दररेट

--	--	--

आ.व. २०८२/०८३

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
1	अदल (ज्यामी)	श्रमदिन	680	700	755
2	दल (मिस्त्री)	"	955	1050	1130
3	अर्धदल	"			850
4	चौकिदार	"	680	700	755
5	क्याम्प बर्कर	"	680	700	755
6	चैनमेन	"	680	700	755
7	बिजुलीको लाइनमा (तार तान्ने) काम गर्ने ज्यामी	"	730	740	795
8	बिजुलीको मिटर रिडर (तालिम प्राप्त)	"	730	740	850
9	प्लम्बर	"	९५५	९६५	१०४०
10	प्लम्बिड हेल्पर	"	680	700	755
11	हेल्पर (खलासी)	"	680	700	755
12	सुपरभाइजर (साधारण)	"	680	700	755
13	सिनियर सुपरभाइजर (तालिम प्राप्त)	"	७०५	७१५	७७०
14	सडक सुपरभाइजर	"	680	700	755
15	लेन्य बर्कर दैनिक ज्यालादारीमा	"	680	700	755
16	लेन्य बर्कर (रोड बोर्ड तर्फ करारमा)	"	680	700	755
17	सडक सुपरभाइजर (रोड बोर्ड तर्फ करारमा)	"	680	700	755
18	सिचाइ ढाल्या	"	680	700	755
19	सिचाइ गेट अपरेटर	"	680	700	755
20	डाईभर	"			
21	अमिन	"			
22	कम्प्युटर अपरेटर	"			
23	इन्जिनियर	"			
24	सब-इन्जिनियर	"			
25	ल्याव टेक्निसियन (ना.सु. वा खरिदार सरह)	"			
26	इक्विपमेन्ट अपरेटर				
26.1	हेवि	श्रमदिन			
26.2	लाइट	"			
27	नाला तथा सेप्टी टकी सफा गर्ने कार्य	"	५९५	९०५	९५०
30	Mechanically treated earth work for Road and Canal including mobilization and de-mobilization of machine				
30.01	Excavation in Ordinary soil	cum	७३	७३	७३
30.02	Excavation in Hard soil	cum	९८	९८	९८
30.03	Excavation in Ordinary Rock	cum	२९८	२९८	२९८

Handwritten signatures and marks at the bottom of the page.

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
30.04	Excavation in Medium Rock	cum	४६५	४६५	४६५
30.05	Excavation in Hard Rock	cum	१७३५	१७३५	१७३५
30.06	Landslide clearance	cum	७३	७३	७३
30.07	Landslide clearance (rocks to be broken)	cum	१०४	१०४	१०४
30.08	PRS-75 (Polymer)	Lit			८००
30.09	ROC Powder (Soil Conditioner)	Kg			३०
31	मानिस द्वारा ढुवानी गर्ने				
31.01	सजिलो भारी पहाडको लागी	रु/केजी/किमी	1.72	1.73	1.73
31.02	असजिलो भारी	"	1.86	1.87	1.87
31.03	सजिलो भारी तराईको लागी	"	1.29	1.3	1.3
31.04	असजिलो भारी	"	1.42	1.43	1.43
31.05	भोलुगे पुलका लट्ठा बोक्ने	"	2.92	2.94	2.94
31.06	एच.डि.पि./जि.आई पाईप बोक्ने	"	2.92	2.94	2.94
31.07	विरुवा ढुवानी पहाडमा	"	2.79	2.81	2.81
31.08	विरुवा ढुवानी तराईमा	"	2.20	2.22	2.22
32	गाडा, रिक्सा र ठेलाद्वारा ढुवानी गर्ने कार्य				
32.01	पिच रोडमा	"	0.42	0.42	0.42
32.02	ग्राभेल सडकमा	"	0.49	0.49	0.49
32.03	कच्ची (माटो) सडकमा	"	0.50	0.50	0.50
33	लोड । अनलोड गर्ने काम				
33.01	फलामे सामान	क्वीन्टल	40.80	40.80	40.80
33.02	सिमेन्ट (५० केजी.)	ब्याग	16.31	16.31	16.31
33.03	अन्य सामान (खाद्य सामग्री समेत)	क्वीन्टल	11.65	11.65	11.65
34	डुंगाबाट समान ढुवानी गर्ने कार्य				
34.01	ग्याविन जालि	प्रति गोटा		60	60
34.02	डुंगा	प्रति घ मी		300	300
34.03	अन्य सामग्री	प्रति किलो		0.6	0.60
35	ढक तथा अन्य निर्माण उपकरण भाडा		सडक विभागबाट निर्धारित दररेट अनुसार		
36	वन संबन्धि कामको लागि				
36.01	मार्किंग	प्रति रुख	23.7	23.93	23.93
36.02	कटान मुछान	घन फूट	34.1	34.4	34.4
36.03	बोक्रा भिक्ने	"	5.76	5.8	5.8
36.04	जरा निमाल्ने कार्य (गोलाइ ३० से.मी. सम्म)	प्रति जरा	320	323	323

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
36.05	जरा निमाले कार्य (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म)	प्रति जरा	425	429	429
36.06	जरा निमाले कार्य (गोलाइ ६० से.मी. भन्दा बढी)	प्रति जरा	530	535	535
36.07	जरा ढुवानी (गोलाइ ३० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	107	108	108
36.08	जरा ढुवानी (गोलाइ ३१ से.मी. देखी ६० से.मी. सम्म) २५ कि.मि. सम्म	प्रति जरा	160	161	161
36.09	जरा ढुवानी (गोलाइ ६० से.मी. भन्दा बढी) २५ कि.मि. सम्म	प्रति जरा	213	215	215
37	यार्डिंग				
37.01	क) पहाडि भिराला क्षेत्रमा गोलिया	घन फूट	106	107	107
37.02	ख) तराईमा गोलिया	"	14.99	15.13	15.13
37.03	ग) पहाडि भिराला क्षेत्रमा दाउरा	चट्टा	4100	4141	4141
37.04	घ) तराई क्षेत्रमा दाउरा	चट्टा	690	696	696
38	पाईलिंग	"	16.8	16.9	16.9
39	लोडिंग (गोलिया)	"	22.40	22.60	22.60
40	अनलोडिंग	"	13.76	13.88	13.88
41	ढुवानी (वन जंगल क्षेत्रमा) गोलिया				
41.01	० देखि ३ कि.मि. सम्म	घन फुट	36.71	37.07	37.07
41.02	४ देखि ७ कि.मि. सम्म	"	40.70	41.10	41.10
41.03	८ देखि १२ कि.मि. सम्म	"	41.80	42.21	42.21
41.04	१३ देखि १६ कि.मि. सम्म	"	44.80	45.24	45.24
41.05	१७ देखि २० "	"	49.90	50.30	50.30
41.06	२१ देखि २४ "	"	49.90	50.30	50.30
41.07	२५ देखि ३० "	"	57.10	57.60	57.60
41.08	३० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	2.04	2.06	2.06
42	ढुवानी गोलिया काठ र चिरानी काठ ढुवानी (घाटगद्दी देखि मिल र मिल देखि डिपो सम्म)				
42.01	० देखि ५ कि.मि. सम्म	घन फुट	19.96	20.15	20.15
42.02	६ देखि १० कि.मि. सम्म	"	23.46	23.69	23.69
42.03	११ देखि १५ कि.मि. सम्म	"	25.50	25.75	25.75
42.04	१६ देखि २० कि.मि. सम्म	"	32.64	32.96	32.96
42.05	२१ देखि २५ कि.मि. सम्म	"	34.68	35.02	35.02
42.06	२६ देखि ३० कि.मि. सम्म	"	35.70	36.05	36.05
42.07	३१ देखि ४० कि.मि. सम्म	"	36.72	37.08	37.08
42.08	४० कि.मि. देखि माथि प्रति कि.मि. मा थप	"	2.02	2.04	2.04

(Handwritten signatures and marks at the bottom of the page)

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
४३	चिरान पाईलिङ	घ.मी.	16.83	16.99	16.99
४४	चिरान लोडिग	"	15.52	15.67	15.67
४५	चिरान अनलोडिग	"	11.23	11.34	11.34
46	दाउरा कटानी संबन्धि				
46.1	कटान मुछान (२० X ५ X ५) फिट	चट्टा	5450.00	5504.00	5504.00
46.2	लोड अनलोड	"	2937.00	2966.00	2966.00
46.3	चट्टा निर्माण	"	2004.00	2024.00	2024.00
46.4	ढुवानी २५ कि.मि. सम्म	"	5582.00	5637.00	5637.00
46.5	ढुवानी २५ कि.मि.भन्दा माथि थप प्रत्येक कि.मि. का लागि	"	271.00	273.00	273.00
47	हरेक गोलियमा ईनामेलले गोलियाको साईज र नं. एवं लट नं. समेत स्पष्ट बुझिने गरी लेख्ने कामका लागि	गोलिया	6.38	6.44	6.44
48	चिरान उत्पादन गर्ने कार्य	घ.फी.	73.00	73.73	73.73
49	उत्पादित चिरान बाहेक भुस,वाकल तोकिएको स्थानमा फाल्ने कार्य	प्रति क्वीन्टल	29.00	29.29	29.29
50	अन्य साइज तथा सह उत्पादन कार्य	प्रति क्वीन्टल	94.00	94.94	94.94
51	वाकल लोड गर्ने कार्य	प्रति क्वीन्टल	46.00	46.46	46.46
52	वाकल अन लोड गर्ने कार्य	प्रति क्वीन्टल	15.80	15.95	15.95
53	१०० मी. टाढाबाट गोलिया मिलडेकसम्म बेलान गर्ने कार्य	घ.फी.	15.80	15.95	15.95
54	चिरान काठ काठमाण्डौ सिपमेण्ट	घ.फी.	225.00	227.00	227.00
55	दाउरा काठमाण्डौ सिपमेण्ट	क्विन्टल	720.00	727.00	727.00
56	भाडाको सःमिलबाट गोलिया काठ चिरान गर्नुपर्दा गोलियामा	घ.फी.	108.00	109.00	109.00
57	घाटगढी स्थानबाट सःमिल सम्म गोलिया काठ ढुवानी गर्दा लोड	घ.फी.	36.72	37.08	37.08
58	घाटगढी स्थानबाट सःमिल सम्म गोलिया काठ ढुवानी गर्दा अनलोड	घ.फी.	8.16	8.24	8.24
59	ट्रकजान नसक्ने अवस्थामा स्थान देखी सडक सम्म टेक्टर वाट गोलिया भिकाउने	घ.फी.	13.26	13.39	13.39
60	सहजपुर, पण्डौन, निगाली र सुगरखाल क्षेत्रको रा.व. बाट गोलिया काठको कटान, मुछानसहित पहाडी बेलान	घ.फी.	284.00	286.00	286.00
61	छपान गरेको रुखको फोटो खिचेको	गोटा	10.60	10.70	10.70
62	घाटगढीबाट दाउरा ढुवानी गर्दा लोड अनलोड	चट्टा	7300.00	7373.00	7373.00
63	जलवायु कार्यको लागी				

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
63.1	गेज रिडर	श्रम दिन	450.00	454.00	454.00
63.2	अब्जरभर	"	250.00	252.00	252.00
64	हलुका सवारी साधन (जीप) भाडा ईन्धन बाहेक	कार्य दिन	5400.00	5454.00	5454.00
65	सर्भे ईक्युप्मेन्ट भाडा (टोटल स्टेशन सेट)	"	3600.00	3636.00	3636.00
66	घर भाडा	महिना	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार	छुट्टै तालिकामा दिइएअनुसार
	भवनको प्लिन्थ एरिया दर (मुआब्जा प्रयोजनको लागी)				
67	फ्रेम स्ट्रक्चर पक्की भवन सिमेन्ट मसालमा				
67.01	ग्राउन्ड फ्लोर	वर्ग फिट	2475.00	2499.00	2499.00
67.02	अन्य फ्लोर	वर्ग फिट	1975.00	1994.00	1994.00
68	लोड वियरिङ्ग पक्की भवन सिमेन्ट मसाल				
68.01	ग्राउन्ड फ्लोर	वर्ग फिट	2495.00	2519.00	2519.00
68.02	अन्य फ्लोर	वर्ग फिट	1620.00	1636.00	1636.00
69	लोड वियरिङ्ग पक्की भवन माटोको जोडाईमा				
69.01	ग्राउन्ड फ्लोर	वर्ग फिट	1495.00	1509.00	1509.00
69.02	अन्य फ्लोर	वर्ग फिट	1140.00	1151.00	1151.00
70	लोड वियरिङ्ग भवन टाईलको छाना भएको	वर्ग फिट	1160.00	1171.00	1171.00
	शिलालेख लेख्ने कार्य				
71	मार्बलमा				
71.01	अक्षर माथी उठेको	वर्ग फिट	3090.00	3120.00	3120.00
71.02	अक्षर तल दवेको	वर्ग फिट	2472.00	2496.00	2496.00
72	पित्तलमा				
72.01	अक्षर माथी उठेको	वर्ग फिट	4320.00	4363.00	4363.00
72.02	अक्षर तल दवेको	वर्ग फिट	3700.00	3737.00	3737.00
73	तामामा				
73.01	अक्षर माथी उठेको	वर्ग फिट	4940.00	4989.00	4989.00
73.02	अक्षर तल दवेको	वर्ग फिट	4320.00	4363.00	4363.00
74	खाद्यान्न सामग्री सम्बन्धि ज्याला				
74.01	तौलाइ/जोखाइ (खाद्यान्न बिक्री वितरण गर्दा)	प्रति क्विन्टल			20.00

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
74.02	तौलाइ चौकाइ (फुटेको बोरा रि-कस्ती गरि तौलिने र चौकीने)	प्रति क्वीन्टल			20.00
74.03	लोड/अनलोड	प्रति क्वीन्टल			20.00
74.04	बोरा धब्बी बानाएको	प्रति धब्बी			12.00
74.05	बोरा लोड/अनलोड गरेको- ठूलो बोरा	प्रति धब्बी			10.00
74.06	बोरा लोड/अनलोड गरेको- सानो बोरा	प्रति धब्बी			8.00
74.07	प्यालेट्स ओसार पसार	प्रति प्यालेट्स			5.00
74.08	खाद्यान्न सरसफाई (केलाउने)	प्रति व्यक्ति प्रति दिन			668.00
74.09	खाद्यान्न ओसार पसार (एक गोदाम बाट अर्को गोदाममा)	प्रति क्वीन्टल			25.00
74.10	फ्युमिगेसन	प्रति फ्युमिगेसन सिट			500.00
74.11	स्प्रे	प्रति व्यक्ति प्रति दिन			668.00
74.12	खाद्यान्न चौकाएको (कुनै कारणले छल्ली भत्केर फेरी मिलाउनु पर्दा)	प्रति क्वीन्टल			18.00
74.13	गोदाम सरसफाई	प्रति व्यक्ति प्रति दिन			668.00
74.14	बोरा ढुवानी- ठूलो	प्रति बोरा प्रति कि.मि.			0.05
74.15	बोरा ढुवानी- सानो	प्रति बोरा प्रति कि.मि.			0.04
74.16	बोरा टल्ली पट्टी	प्रति बोरा			10.00
74.17	सामान्य मर्मत (वायरिङ्ग, सामान्य भत्केको, चुहिने छाना टालेको)	प्रति व्यक्ति प्रति दिन			668.00
18.00	बोरिंग गर्ने काम				
18.10	६० फिट गहिरो १.५" मोटो नल्का बोरिंग गर्ने काम	पुरै			4424.78
18.20	२०० फिट गहिरो १.५" मोटो नल्का बोरिंग गर्ने काम	पुरै			17699.12

(Handwritten signatures and marks)

क्र. सं	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ.व. ०८१/८२ को दररेट	आ.व. ०८२/८३ को दररेट
18.30	३०० फिट गहिरो १.५" मोटो नल्का बोरिंग गर्ने काम	पुरै			44247.79
18.40	६० फिट गहिरो ४" मोटो नल्का बोरिंग गर्ने काम	पुरै			17699.12
18.50	२०० फिट गहिरो ४" मोटो नल्का बोरिंग गर्ने काम	पुरै			88495.58
18.60	३०० फिट गहिरो ४" मोटो नल्का बोरिंग गर्ने काम	पुरै			132743.36

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
1	ईटा नेपाल स्टान्डार्डको				
1.1	अव्वल (एक नम्बर) - चिम्ली भट्टाको	१०००	13500	13500	12500
1.2	दुई नम्बर (लालपेटी) - चिम्ली भट्टाको	१०००	10200	10200	9500
1.3	ओवर वर्न्ड/अण्डर वर्न्ड - चिम्ली भट्टाको	१०००	9000	9000	8500
1.4	टुक्रा	ट्राली	7000	7000	6500
1.5	मेसिनबाट उत्पादित ईटा (१ नम्बर)	१०००	11700	11700	11700
2	सिमेन्टको ईटा				
2.1	Compressed Interlocking Concrete Block 12"*6"*4"	गोटा	40	40	40
3	वालुवा , ढुंगा र माटो				
3.1	वालुवा	घ.मि.	नर्मस् अनुसार		
3.2	घोएको वालुवा	घ.मि.	750	750	800
3.3	खोलाको ढुंगा	घ.मि.	नर्मस् अनुसार		
3.4	कुदेको "	घ.मि.			
3.5	वण्ड "	घ.मि.			
3.6	माटो खरिद धनगढी उ.म.न.पा. भित्र	घ.मि.	450	450	450
3.7	माटो खरिद अन्य क्षेत्रमा	घ.मि.	345	345	345
4	गिट्टी क्रसरको				
4.1	४० मि.मि. ढुवानी बाहेक	घ.मि.	1350	1350	1350
4.2	२० मि.मि. "	घ.मि.	1890	1890	1890
4.3	१० मि.मि. "	घ.मि.	1400	1400	1400
4.4	६ मि.मि. "	घ.मि.	1600	1600	1600
4.5	ढुङ्गाको धूलो "	घ.मि.	682	682	682
5	खोलाको छानेको गोलो गिट्टी				
5.1	४० मि.मि. ढुवानी बाहेक	घ.मि.	नर्मस् अनुसार		
5.2	२० मि.मि. "	घ.मि.			
5.3	१० मि.मि. "	घ.मि.			
5.4	४ मि.मि. देखि १० मि.मि सम्म	घ.मि.			
6	सिमेन्ट				
6.1	४३/५३ ग्रेड ५० केजीको PPC (NS)	बोरा	600	600	650
6.2	४३/५३ ग्रेड ५० केजीको OPC (NS)	बोरा	700	700	750
6.3	सेतो सिमेन्ट	के.जी.	33.0	33.0	33
7	काठ				
7.1	साल	घ.मी.	218385	177000	177000
7.2	सिसम	घ.मी.	151938	144900	144900
7.3	सल्लो	घ.मी.	54027	44100	44100
7.4	कुक्राठ	घ.मी.	37053	37000	37000
8	बांस (७ मी लम्बाइ)				
8.1	धनगढी नपा क्षेत्रमा	गोटा	390	350	350
8.2	धनगढी नपा बाहेकका क्षेत्रमा	गोटा	340	290	290

(Handwritten signatures and marks)

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
9	ग्रेनाइट/मार्बल				
9.01	१६ मि.मि. बाक्लो ग्रेनाइट राम्रो- Colourful	व.मी.	4200	4200	4200
9.02	ग्रेनाइट सादा	व.मी.	3200	3200	3200
9.03	१६ मि.मि. बाक्लो मार्बल	व.मी.	3000	3000	3000
9.04	१३ मि.मि. बाक्लो मार्बल	व.मी.	1772	1772	1772
9.05	मार्बल चिप्स (३ मि.मी.को)	के.जी.	20	20	20
9.06	मार्बल चिप्स (५ मि.मी.को)	के.जी.	21	21	21
9.07	अक्जालीक एसिड पाउडर	के.जी.	171	171	171
9.08	मैन पोलिस	के.जी.	626	626	626
9.09	कार्बोरेन्डम ढुंगा (२ X २ X ४ इन्ची)	गोटा	651	651	651
10	टाईल (Procelain Glazed & Non-skid Tiles)				
10.01	12"*18" Wall Tile	व.फि.	105	105	105
10.02	12"*18" Wall Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	व.फि.	116	116	116
10.03	12"*24" Wall Tile	व.फि.	130	130	130
10.04	12"*24" Wall Tile Kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	व.फि.	160	160	160
10.05	16"*32" Wall Tile	व.फि.	140	140	140
10.06	16"*32" Wall Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	व.फि.	185	185	185
10.07	12"*12" Floor Tile	व.फि.	105	105	105
10.08	12"*12" Floor Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	व.फि.	116	116	116
10.09	16"*16" Floor Tile kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	व.फि.	120	120	120
10.1	24"*24" Vertified Tile-Plain Ivory	व.फि.	113	113	113
10.11	24"*24" Vertified Tile-Plain Ivory kazaria, somany, johnson, shreeji, Exora, Delta or IS standard.	व.फि.	135	135	135
10.12	24"*24" Doube Charged Vertified Tile-Light Shade	व.फि.	145	145	145
10.13	24"*24" Doube Charged Vertified Tile-Dark Shade	व.फि.	155	155	155
10.14	16"*16" Parking Tile- 12mm thickness	व.फि.	125	125	125
11	Bitumen/ Emulsion/Anti stripping additive				
11.1	Bitumen 80/100 grade	के.जी.	नेपाल बिटुमीन तथा व्यारेल उद्योग	नेपाल बिटुमीन तथा व्यारेल उद्योग	नेपाल बिटुमीन तथा व्यारेल उद्योग

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
11.2	ईमल्सन Medium Setting with 65% Bitumen (M/S 65%)	के.जी.	लिमिटेडले निर्धारण गरे वमोजिम ।	लिमिटेडले निर्धारण गरे वमोजिम ।	लिमिटेडले निर्धारण गरे वमोजिम ।
11.3	Anti stripping additive, ex-factory rate Amlekhgunj	के.जी.	410	410	410
11.4	Instant Road repair Premix (pot Holes) 25kg per bag	द्यबन	1150	1150	1150
12	फलामे डण्डी				
12.1	४.७५ देखि ७ मि.मि.को टीएमटी	के.जी.	१००	१००	९८
12.2	८ मिमि को टीएमटी	के.जी.	१०३	१०३	१०१
12.3	१० देखि २० मि.मि. सम्मका टीएमटी	के.जी.	१००	१००	९८
12.4	२५, २८ र ३२ मि.मि का टीएमटी	के.जी.	१०३	१०३	१०१
12.5	वाईण्डिंग तार	के.जी.	१३०	१३०	१३०
13	गिट्टी छान्ने तारजाली				
13.1	२४ गेजको	व.मी.	1015	1015	1015
13.2	२६ गेजको	व.मी.	812	812	812
13.3	एक्सपेण्डेड मेटल वायर मेश	व.मी.	263	263	263
13.4	चिकेन वायर मेश	व.मी.	324	324	324
14	गेविन जी.आइ. तार र सडक सम्बन्धी				
14.01	७ र ८ गेजको हेभी	के.जी.	130	130	132
14.02	१० " "	के.जी.	130	130	132
14.03	१२ " "	के.जी.	132	132	133
14.04	७ र ८ गेजको मध्यम	के.जी.	125	125	126
14.05	१० " "	के.जी.	125	125	126
14.06	१२ " "	के.जी.	127	127	128
14.07	७ र ८ गेजको कमर्सियल (हल्का)	के.जी.	122	122	123
14.08	१० " "	के.जी.	122	122	123
14.09	१२ " "	के.जी.	124	124	125
14.10	विभिन्न साइजको मेसिनमेड जालीहरु		छुट्टै तालिकामा दिईअनुसार		
14.11	जीओ-टेक्स्टाइल (१०० ग्राम)	व.मी.	100	100	100
14.12	जीओ-टेक्स्टाइल (१५० ग्राम)	व.मी.	113	113	113
14.13	जीओ-टेक्स्टाइल (२०० ग्राम)		130	130	130
14.14	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-२५० जी.एस.एम.)	व.मी.	415	415	415
14.15	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३०० जी.एस.एम.)	व.मी.	450	450	450
14.16	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-३५० जी.एस.एम.)	व.मी.	516	516	516
14.17	जीओ ब्याग (हेभी जीओ टेक्स्टाइल-४०० जी.एस.एम.)	व.मी.	550	550	550
14.18	रङ्गरोगन सहितको ट्राफिक चिन्ह	गोटा	5525	5525	5525
14.19	सौर्य उर्जा सडक स्टुड	थान	4000	4000	4000

(Handwritten signatures and marks)

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
14.20	साधारण क्याट्स आई	गोटा	600	600	600
14.21	सडकमा लगाउने थर्मोप्लास्टिक रङ्ग	कि.ग्रा.	225	225	225
14.22	Glass beads	कि.ग्रा.	260	260	260
14.23	सडकमा मार्किङ गर्ने रङ्ग	लीटर	520	520	520
14.24	Double sank cat eye 25 ton capacity	Nos	1150	1150	1150
14.25	Simple sank cat eye 25 ton capacity	Nos	750	750	750
14.26	Aluminium Solar strud 45 ton capacity	Nos	5000	5000	5000
15	काडेतार				
15.1	८ गेजको	के.जी.	131	131	131
15.2	१० गेजको	के.जी.	131	131	131
15.3	१२ गेजको	के.जी.	132	132	132
15.4	१४ गेजको	के.जी.	130	130	130
16	किला काँटी विभिन्न साईज				
16.1	साधारण किला	के.जी.	130	130	130
16.2	लुवाड किला	के.जी.	228	228	228
16.3	नटबोल्ट ६० मि.मि.को	के.जी.	240	240	240
16.4	नटबोल्ट ८० मि.मि.को	के.जी.	250	250	250
16.5	जे हुक/यू हुक विभिन्न साईजको	के.जी.	155	155	155
16.6	जस्ता पाताको किला	के.जी.	173	173	173
16.7	५० मि.मि.को पेच किला	गोटा	4	4	4
16.8	६० मि.मि.को पेच किला	गोटा	4.5	4.5	4.5
17	बिटुमिन वासर	पेकेट	39	39	39
18	होल्ड फाष्ट	के.जी.	160	160	160
19	कच्चा				
19.1	कच्चा ६ इन्ची	गोटा	55	55	55
19.2	" ४ "	गोटा	30	30	30
19.3	" ३ "	गोटा	24	24	24
20	छेस्कीनी				
20.1	६" स्टील	गोटा	85	85	85
20.2	४" स्टील	गोटा	80	80	80
20.3	६" पितलको	गोटा	270	270	270
20.4	४" "	गोटा	215	215	215
20.5	६" अलम्युनिम	गोटा	107	107	107
20.6	४" "	गोटा	97	97	97
21	डोर लकिङ सेट/अल्ड्राफ (वेलन)				
21.1	१०" स्टील	सेट	228	228	228
21.2	१२" "	सेट	286	286	286
21.3	१०" पितलको	सेट	1184	1184	1184

Handwritten signatures and marks at the bottom of the page.

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
21.4	१२ " पितलको	सेट	1360	1360	1360
21.5	१० " अलम्युनियम	सेट	454	454	454
21.6	१२ " अलम्युनियम	सेट	569	569	569
22	हेण्डील				
22.1	६" स्टील	गोटा	53	53	53
22.2	४" "	गोटा	42	42	42
22.3	६" पितलको	गोटा	267	267	267
22.4	४" "	गोटा	170	170	170
22.5	६" अलम्युनिम	गोटा	64	64	64
22.6	४" "	गोटा	58	58	58
22.7	मोर्टिस ताला ढोकाको साधारण	गोटा	1128	1128	1128
22.8	" " राम्रो पित्तल	गोटा	2354	2354	2354
23	डोर स्पीड (जाली ढोकाको)				
23.1	साधारण	गोटा	371	371	371
23.2	मध्यम	गोटा	1133	1133	1133
23.3	राम्रो	गोटा	2060	2060	2060
24	ग्लास				
24.1	३.५ मिमी.	व.फु.	77	77	77
24.2	४ मिमी.	व.फु.	89	89	89
24.3	४ मिमी. (रंगिन)	व.फु.	97	97	97
24.4	५.० मिमी.	व.फु.	111	111	111
24.5	५.० मिमी. (रंगिन)	व.फु.	133	133	133
25	प्लाइउड				
25.01	३ मिमी. कमर्सियल	व.फु.	36	36	36
25.02	४ मिमी. कमर्सियल	व.फु.	28	28	28
25.03	६ मिमी. कमर्सियल	व.फु.	38	38	38
25.04	८ मिमी. कमर्सियल	व.फु.	58	58	58
25.05	१० मिमी. कमर्सियल	व.फु.	61	61	61
25.06	१२ मिमी. कमर्सियल	व.फु.	85	85	85
25.07	४ मिमी. वाटरप्रूफ	व.फु.	55	55	55
25.08	६ मिमी. वाटरप्रूफ	व.फु.	70	70	70
25.09	८ मिमी. वाटरप्रूफ	व.फु.	66	66	66
25.10	९ मिमी. वाटरप्रूफ	व.फु.	94	94	94
25.11	१२ मिमी. वाटरप्रूफ	व.फु.	115	115	115
25.12	१९ मिमी. कमर्सियल भित्र काठ राखेको	व.फु.	115	115	115
25.13	१९ मिमी. कमर्सियल भित्र काठ नराखेको	व.फु.	126	126	126
25.14	१९ मिमी. वाटरप्रूफ	व.फु.	158	158	158
25.15	टिक प्लाइउड ४ मी.मी. (Natural texture)	व.फु.	65	65	65
25.16	टिक प्लाइउड ४ मी.मी. (Simple texture)	व.फु.	65	65	65
25.17	12mm thick 8'4' Film Coated Ply 30kg/pics	व.फु.	102	102	102

(Handwritten signatures and marks)

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
25.18	18mm thick 8'4" Film Coated Ply 39kg/pics	व.फु.	170	170	170
25.19	32m thick Paandoor Flush Door of Differnet Size	व.फु.	300	300	300
26	लेमिनेटेड पार्टिशन बोर्ड				
26.1	४ मिमी.	व.फु.	22	22	22
26.2	९ मिमी.	व.फु.	75	75	75
26.3	१२ मिमी.	व.फु.	220	220	220
26.4	१८ मिमी.	व.फु.	330	330	330
26.5	२५ मिमी.	व.फु.	475	475	475
27	सनमाईका तथा फरमाईका				
27.1	सनमाईका (४'x८')	व.फु.	17	17	17
27.2	फोरमाईका	व.फु.	75	75	75
28	Gypsum Board				
28.1	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.26mm*0.26mm and 0.26mm thick hanger- Norman Gypsum Board	व.फु.	80	87	87
28.2	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.26mm*0.26mm and 0.26mm thick hanger- USG Knauf Gypsum Board	व.फु.		92	92
28.3	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.30mm*0.30mm and 0.30mm thick hanger-Normal Gypsum Board	व.फु.	90	97	97
28.4	12.5mm thick Gypsum Board False ceiling with GI Channel 0.4mm*0.30mm*0.30mm and 0.30mm thick hanger-USG Knauf Gypsum Board	व.फु.		102	102
28.5	12.5mm thick Gypsum Board False ceiling with GI Channel 0.5mm*0.4mm*0.4mm and 0.4mm thick hanger-Normal Gypsum Board	व.फु.		107	107
28.6	12.5mm thick Gypsum Board False ceiling with GI Channel 0.5mm*0.4mm*0.4mm and 0.4mm thick hanger-USG Knauf Gypsum Board	व.फु.		112	112
28.7	Dry Wall Partition using 12.5mm thick Gypsum board both side on 50mm stud	व.फु.		172	172
28.8	Dry Wall Partition using 12.5mm thick Gypsum board both side on 75mm stud	व.फु.		205	205
29	PVC Panel				
29.1	8mm thick PVC Board for False Ceiling	व.फु.		168	168
29.2	Design	र.फु.		168	168
29.3	PVC Wall Paneling work 6mm	व.फु.		174	174

[Handwritten signatures and marks at the bottom of the page]

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
29.4	Design	र.फु.		174	174
29.5	PVC Fluted Wall Paneling work 10mm	व.फु.		221	221
29.6	Design	र.फु.		221	221
29.7	PVC Louvered Wall Paneling work 23mm	व.फु.		310	310
29.8	Design	र.फु.		310	310
30	Fiber Cement Board				
30.1	6mm thick (6'*4')	व.फु.	36	36	36
30.2	8mm thick (8'*4')	व.फु.	50	50	50
30.3	10mm thick (8'*4')	व.फु.	58	58	58
30.4	12mm thick (8'*4')	व.फु.	66	66	66
30.5	16mm thick (8'*4')	व.फु.	76	76	76
30.6	20mm thick (8'*4')	व.फु.	92	92	92
30.7	Fiber Cement Board Wall Pannel-50mm (70-80 Kg/pc)	व.फु.	135	135	135
30.8	Fiber Cement Board Wall Pannel-75mm (100-110 Kg/pc)	व.फु.	180	180	180
30.9	Cement Board Flse Ceiling- 2'*2' Plain	व.फु.	65	65	65
31	Sandwich EPS Panel				
	Providing and fitting EPS Sandwich panel FR 3 rated Exterior & interior skin of .30 - .40mm PPGI with flame retardant EPS core insulation Base metal 1105mm and effective width 1000mm,length 2m -13m with specified color and thickness all complete.				
	Ivory color/white color flat partition and exterior wall				
31.01	Thickness 50mm	व.फु.	330	330	394
31.02	75mm	व.फु.	377	377	455
31.03	100mm	व.फु.	425	425	511
31.04	125mm	व.फु.	475	475	560
31.05	150mm	व.फु.	523	523	629
32	Blue, Orange and Maroon Roof panel				
32.01	50mm	व.फु.	378	378	456
32.02	75mm	व.फु.	426	426	512
32.03	100mm	व.फु.	515	515	617
32.04	125mm	व.फु.	523	523	627
32.05	150mm	व.फु.	573	573	686
33	Sandwich EPE Panel				
33.01	40mm	व.फु.	257	257	257
33.02	50mm	व.फु.	294	294	294
33.03	60mm	व.फु.	330	330	330
33.04	80mm	व.फु.	388	388	388

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
33.05	100mm	व.फु.	451	451	451
34	Sandwich PUF Panel				
34.01	50mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	280	294	294
34.02	75mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	330	346	346
34.03	100mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	399	418	418
34.04	150mm thick colored PUF (Poly Urethane Foam) 0.5mm sheet bothside- Wall Panel with all accessories	व.फु.	472	495	495
34.05	30mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.	252	264	264
34.06	40mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.	273	286	286
34.07	50mm thick colored PUF (Poly Urethane Foam) 0.5mm outer 0.4mm inner sheet- Roofing Panel with all accessories	व.फु.	294	308	308
34.08	0.4mm thick Ridge Cap	र.फि	198	200	200
34.09	Gutter 0.30mm thick (Size-4")	र.फि	90	90	90
34.1	Gutter 0.35mm thick (Size-4")	र.फि	100	100	100
34.11	Gutter 0.40mm thick (Size-16")	र.फि	110	115	115
34.12	Gutter 0.40mm thick (Size-12")	र.फि		88	88
34.13	Gutter 0.50mm thick (Size-16")	र.फि	130	111	111
34.14	Gutter 0.50mm thick (Size-12")	र.फि		97	97
34.15	Polycarbonate Corrugated sheet 0.8mm thick	व.फु.	125	125	125
34.16	Polycarbonate Corrugated sheet 1.0mm thick	व.फु.	145	145	145
34.17	Polycarbonate Corrugated sheet 1.2mm thick	व.फु.	170	148	148


[Handwritten signatures and marks at the bottom of the page]

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
34.18	Polycarbonate Corrugated sheet 1.5mm thick	व.फु.	200	165	165
34.19	Polycarbonate Corrugated sheet 1.8mm thick	व.फु.	240	240	240
34.2	Polycarbonate Corrugated sheet 2.0mm thick	व.फु.	250	215	215
34.21	Polycarbonate Corrugated sheet 2.5mm thick	व.फु.	305	287	287
34.22	Polycarbonate Corrugated sheet 3mm thick	व.फु.		342	342
34.23	Polycarbonate Plain sheet 1.0mm thick	व.फु.	135	114	114
34.24	Polycarbonate Plain sheet 1.5mm thick	व.फु.	175	175	175
34.25	Polycarbonate Plain sheet 2.0mm thick	व.फु.	240	169	169
34.26	Polycarbonate Plain sheet 2.5mm thick	व.फु.	295	223	223
34.27	Polycarbonate Plain sheet 3mm thick	व.फु.		270	270
34.28	Polycarbonate Plain sheet 4mm thick	व.फु.		316	316
34.29	Polycarbonate Plain sheet 5mm thick	व.फु.		375	375
34.3	Polycarbonate Plain sheet 6mm thick	व.फु.		450	450
34.31	Polycarbonate Plain sheet 7mm thick	व.फु.		540	540
34.32	Polycarbonate Plain sheet 8mm thick	व.फु.		581	581
34.33	Polycarbonate Plain sheet 9mm thick	व.फु.		725	725
34.34	Polycarbonate Plain sheet 10mm thick	व.फु.		767	767
34.35	Polycarbonate Plain sheet 12mm thick	व.फु.		873	873
34.36	Polycarbonate Compact Sheet (Tilara or Eqvt.)-1mm thick	व.फु.		102	102
34.37	Polycarbonate Compact Sheet (Tilara or Eqvt.)-2mm thick	व.फु.		204	204

(Handwritten signatures and marks at the bottom of the page)

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
34.38	Polycarbonate Compact Sheet (Tilara or Eqvt.)-3mm thick	व.फु.		306	306
34.39	Polycarbonate Compact Sheet (Tilara or Eqvt.)-5mm thick	व.फु.		509	509
34.4	Polycarbonate Compact Sheet (Tilara or Eqvt.)-8mm thick	व.फु.		815	815
34.41	Polycarbonate Compact Sheet (Tilara or Eqvt.)-10mm thick	व.फु.		1018	1018
34.42	Polycarbonate Compact Sheet (Tilara or Eqvt.)-12mm thick	व.फु.		1222	1222
34.43	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-4mm thick	व.फु.		68	68
34.44	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-6mm thick	व.फु.		98	98
34.45	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-8mm thick	व.फु.		113	113
34.46	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-10mm thick	व.फु.		128	128
34.47	Polycarbonate Multiwall Sheet (Tilara or Eqvt.)-16mm thick	व.फु.		225	225
35	Supplying and laying of polythene and polypropylene polymer compound for water proof membarane	व.फु.		80	80
36	जस्ता पाता (सिजिआई सीट)				
36.1	0.35 mm (26 guage light)	वण्डल	8446	8446	8446
36.2	0.37 mm (26 guage Medium)	वण्डल	9500	9500	9500
36.3	0.41 mm (26 guage Heavy)	वण्डल	10990	10990	10990
36.4	0.45 mm (24 guage light)	वण्डल	11200	11200	11200
36.5	0.50 mm (24 guage Medium)	वण्डल	11700	11700	11700
36.6	0.52 mm (24 guage Heavy)	वण्डल	13400	13400	13400
37	जि आई प्लेन सीट				
37.1	३x६ फीट २६ गेजको मिडियम	गोटा	740	740	740
37.2	३x६ फीट २४ गेजको मिडियम	गोटा	770	770	770
38	रंगीन जस्ता पाता (सिजिआई सीट)				
38.1	0.35 mm (26 guage light)	वण्डल	11400	11400	11400
38.2	0.37 mm (26 guage Medium)	वण्डल	11800	11800	11800
38.3	0.41 mm (26 guage Heavy)	वण्डल	12900	12900	12900
38.4	0.45 mm (24 guage light)	वण्डल	13400	13400	13400
38.5	0.50 mm (24 guage Medium)	वण्डल	14500	14500	14500
38.6	0.55 mm (24 guage Heavy)	वण्डल	15500	15500	15500
39	रंगीन प्लेन सीट				

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
39.1	३×६ फीट २४ गेजको	गोटा	1180	1180	1180
39.2	३×६ फीट २६ गेजको	गोटा	965	965	965
40	फलामे सामग्री				
40.01	फलामको स्क्वायर पाईप र गोलो पाईप	के.जी.	120	120	125
40.02	विभिन्न साइजको एंगल, चैनल, टी, फ्ल्याट इत्यादि	के.जी.	110	110	110
40.03	कालो पाईपको तयारी टुस	के.जी.	145	145	145
40.04	३×२०मि.मि / ४.५×२०मि.मि तयारी ग्रील	के.जी.	140	140	140
40.05	फलामे गेट (घर कम्पाउण्डको)	के.जी.	150	150	150
40.06	च्यानल गेट (घर कम्पाउण्डको)	के.जी.	140	140	140
40.07	च्यानल एंगल गेट (घर कम्पाउण्डको)	के.जी.	140	140	140
40.08	कोल्यान्सीवल गेट	के.जी.	140	140	140
40.09	Mild Steel Props for Concreting 2" dia 3.5mm wall thickness and 3.5m-4.0m height	गोटा	2000	2000	2000
41	रोलिङ सटर				
41.1	१८ गेजको ब्याकसीट	व.फु.	162	162	162
41.2	२०गेजको ब्याकसीट	व.फु.	158	158	158
42	रबरसिल				
42.1	क्यानल लाईनिङ	मी.	238	238	238
42.2	गेटको लागि	मी.	275	275	275
	पाइप, फिटिङ तथा टंकी (खानेपानी, सिचाई सम्बन्धि)				
43	जि. आई पाईप				
43.01	१/२"Ø को लाइट	र.मी.	176.00	176.00	176.00
43.02	१/२"Ø को मिडियम	र.मी.	207.00	207.00	207.00
43.03	१/२"Ø को हेवी	र.मी.	244.00	244.00	244.00
43.04	३/४"Ø को लाइट	र.मी.	244.00	244.00	244.00
43.05	३/४"Ø को मिडियम	र.मी.	262.00	262.00	262.00
43.06	३/४"Ø को हेवी	र.मी.	311.00	311.00	311.00
43.07	१"Ø को लाइट	र.मी.	335.00	335.00	335.00
43.08	१"Ø को मिडियम	र.मी.	396.00	396.00	396.00
43.09	१"Ø को हेवी	र.मी.	463.00	463.00	463.00
43.10	१ १/४"Ø को लाइट	र.मी.	451.00	451.00	451.00
43.11	१ १/४"Ø को मिडियम	र.मी.	512.00	512.00	512.00
43.12	१ १/४"Ø को हेवी	र.मी.	591.00	591.00	591.00
43.13	१ १/२"Ø को लाइट	र.मी.	530.00	530.00	530.00
43.14	१ १/२"Ø को मिडियम	र.मी.	592.00	592.00	592.00
43.15	१ १/२"Ø को हेवी	र.मी.	683.00	683.00	683.00
43.16	२"Ø को लाइट	र.मी.	671.00	671.00	671.00
43.17	२"Ø को मिडियम	र.मी.	806.00	806.00	806.00
43.18	२"Ø को हेवी	र.मी.	995.00	995.00	995.00
43.19	२ १/२"Ø को लाइट	र.मी.	927.00	927.00	927.00

88. 

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
43.20	2½"Ø को मिडियम	र.मी.	1031.00	1031.00	1031.00
43.21	2½"Ø को हेवी	र.मी.	1244.00	1244.00	1244.00
43.22	3"Ø को लाइट	र.मी.	1085.00	1085.00	1085.00
43.23	3"Ø को मिडियम	र.मी.	1274.00	1274.00	1274.00
43.24	3"Ø को हेवी	र.मी.	1464.00	1464.00	1464.00
43.25	4"Ø को लाइट	र.मी.	1555.00	1555.00	1555.00
43.26	4"Ø को मिडियम	र.मी.	1891.00	1891.00	1891.00
43.27	4"Ø को हेवी	र.मी.	2269.00	2269.00	2269.00
43.28	5"Ø को लाइट	र.मी.	2491.00	2491.00	2491.00
43.29	5"Ø को मिडियम	र.मी.	2632.00	2632.00	2632.00
43.30	5"Ø को हेवी	र.मी.	2965.00	2965.00	2965.00
43.31	6"Ø को लाइट	र.मी.	2957.00	2957.00	2957.00
43.32	6"Ø को मिडियम	र.मी.	3183.00	3183.00	3183.00
43.33	6"Ø को हेवी	र.मी.	3357.00	3357.00	3357.00
43.34	8"Ø को लाइट	र.मी.	4132.00	4132.00	4132.00
43.35	8"Ø को मिडियम	र.मी.	4870.00	4870.00	4870.00
43.36	8"Ø को हेवी	र.मी.	5175.24	5175.24	5175.24
44	एम्. एस्. केसिड पाईप र फिटिंह				
43.37	300 मि मि Ø केसिड पाईप	मी.	13000	13000	13000
44.01	250 मि मि Ø केसिड पाईप	मी.	11000	11000	11000
44.02	150 मि मि Ø केसिड पाईप	मी.	2950	2950	2950
44.03	150 मि मि Ø स्लटेड स्कीन पाइप	मी.	4100	4100	4100
44.04	200 मि मि Ø केसिड पाईप	मी.	6350	6350	6350
44.05	100 मि मि Ø केसिड पाईप	मी.	1900	1900	1900
44.06	125 मि मि Ø केसिड पाईप	मी.	2590	2590	2590
44.07	1200 मि मि Ø स्लटेड स्कीन पाइप	मी.	6000	6000	6000
44.08	150 मि मि Ø स्लटेड स्कीन पाइप	मी.	8500	8500	8500
44.09	200mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	21500	21500	21500
44.10	150mm dia SS304 Stainless Steel continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	17500	17500	17500
44.11	200mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mmx75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	10500	10500	10500

(Handwritten signatures and marks)

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
44.12	150mm dia LCG continuous slotted pipe of thickness 6.3 to 7.0mm or above with slots of size 1.mm x 75mm and percentage of opening ranging from 20-25% throughout having bevelled ends	Rm	8500	8500	8500
44.13	MS Reducer 250/200 mm	गोटा	7500	7500	7500
44.14	MS Reducer 250/150 mm	गोटा	7900	7900	7900
44.15	MS Reducer 200/150 mm	गोटा	6000	6000	6000
44.16	Casing Shoe 5" dia	गोटा	4500	4500	4500
44.17	Casing Shoe 6" dia	गोटा	8000	8000	8000
44.18	Casing Shoe 8" dia	गोटा	15000	15000	15000
44.19	150mm dia. 30°.50m Elbow	गोटा	2625	2625	2625
44.20	150mm dia. Non Return Valve	गोटा	18375	18375	18375
44.21	150mm dia. Flange	गोटा	2100	2100	2100
44.22	150mm dia. 45°.15m Tee	गोटा	3150	3150	3150
44.23	150mm dia. Sluice Valve	गोटा	18375	18375	18375
44.24	150mm dia. 3°.3m Bend	गोटा	2625	2625	2625
44.25	200mm dia. 60°.40m Tee	गोटा	5250	5250	5250
44.26	200mm dia. Flange	गोटा	2625	2625	2625
44.27	250mm dia. Flange	गोटा	3675	3675	3675
44.28	200mm dia. Sluice Valve	गोटा	28875	28875	28875
44.29	200mm dia. 3°.3m Elbow	गोटा	4200	4200	4200
44.30	100mm dia. Non Return Valve (Wt min ^m 10Kg)	गोटा	13125	13125	13125
44.31	100mm dia. 15°.15m Elbow	गोटा	1575	1575	1575
44.32	100mm dia. Sluice Valve	गोटा	13125	13125	13125
44.33	100mm dia. Flange (Wt. min ^m 6 kg)	गोटा	1312	1312	1312
44.34	४" एम्. एस्. पाईप Screen Knock	गोटा	2100	2100	2100
44.35	माछा छेक्ने जाली स्टेनलेस स्टीलको ५ मि.मी. मेश भएको	व.मी.	577	577	577
44.36	माछा छेक्ने जाली मशीनमेड जी.आई. ५ सेमी. मेश भएको	व.मी.	525	525	525
44.37	२०० मि.मि. Alpha Alpha Valve	गोटा	4725	4725	4725
44.38	बटरफ्लाई भल्व ६"	गोटा	7875	7875	7875
44.39	बटरफ्लाई भल्व ४"	गोटा	6825	6825	6825
44.40	आपतकालिन नदी नियन्त्रण कार्यका लागि नाइलन जाली ६x३x०.७५ मि., २०x२० से.मी. ६ मि.मि dia ७.२५ kg	गोटा	2200	2200	2200
44.41	10mm joint filler for canal lining	व.मि.	1200	1200	1200
44.42	Polysulphide joint sealer for cana lining	मि.	800	800	800
44.43	Supplying, fitting, fixing and installation complete work of Steel Gate for HR/CR	के.जी.	300	300	300

(Handwritten signatures and marks)

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
44.44	PVC Water stopper 230mm width 25mm dia center bub	मि.	1100	1100	1100
45.0	यू.पी.भि.सि. फिटिंग				
45.01	Tee ND 16*16*16 cm (4 Kg/sq.cm)	गोटा	1200	1200	1200
45.02	Tee ND 20*20*20 cm (4 Kg/sq.cm)	गोटा	2250	2250	2250
45.03	Bend ND 200 mm (4 Kg/sq.cm)	गोटा	1750	1750	1750
45.04	Bend ND 160 mm (4 Kg/sq.cm)	गोटा	710	710	710
45.05	Reducer ND 200 mm (4 Kg/sq.cm)	गोटा	1250	1250	1250
45.06	Coupler ND 160 mm (4 Kg/sq.cm)	गोटा	650	650	650
45.07	Coupler ND 200 mm (4 Kg/sq.cm)	गोटा	850	850	850
45.08	End Cap ND 200 mm (4 Kg/sq.cm)	गोटा	1000	1000	1000
45.09	End Cap ND 160 mm (4 Kg/sq.cm)	गोटा	800	800	800
45.10	PVC Coupler Flange 6" dia	गोटा	2500	2500	2500
45.11	Solvent Cement	लि.	550	550	550
45.12	४"Ø सक्सन पाइप	र.मी.	710	710	710
45.13	४"Ø सर्भिस पाइप	के.जी.	275	275	275
45.14	४"Ø भल्व वेण्ड	सेट	2500	2500	2500
46.0	कस टी				
46.10	1½"Ø मिडियम जि.आई. ६ मुखे	गोटा	3335	3335	3335
46.20	1½"Ø " ४ मुखे	गोटा	1935	1935	1935
47.0	जि.आई. सकेट				
47.01	½"Ø को मिडियम	गोटा	43	43	43
47.02	¾"Ø को मिडियम	गोटा	66	66	66
47.03	१"Ø को मिडियम	गोटा	86	86	86
47.04	१¼"Ø को मिडियम	गोटा	140	140	140
47.05	१½"Ø को मिडियम	गोटा	190	190	190
47.06	२"Ø को मिडियम	गोटा	280	280	280
47.07	2½"Ø को मिडियम	गोटा	470	470	470
47.08	३"Ø को मिडियम	गोटा	630	630	630
47.09	४"Ø को मिडियम	गोटा	1000	1000	1000
48.0	जि.आई युनियन				
48.01	½"Ø को मिडियम	गोटा	130	130	130
48.02	¾"Ø को मिडियम	गोटा	185	185	185
48.03	१"Ø को मिडियम	गोटा	245	245	245
48.04	१¼"Ø को मिडियम	गोटा	370	370	370
48.05	१½"Ø को मिडियम	गोटा	475	475	475
48.06	२"Ø को मिडियम	गोटा	675	675	675
48.07	2½"Ø को मिडियम	गोटा	790	790	790
48.08	३"Ø को मिडियम	गोटा	1780	1780	1780
48.09	४"Ø को मिडियम	गोटा	2430	2430	2430
49	जि.आई. निप्पल				

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
49.01	1/2"Ø को मिडियम ६"	गोटा	85	85	85
49.02	3/4"Ø को मिडियम ६"	गोटा	115	115	115
49.03	1"Ø को मिडियम ६"	गोटा	150	150	150
49.04	1 1/4"Ø को मिडियम ६"	गोटा	210	210	210
49.05	1 1/2"Ø को मिडियम ६"	गोटा	260	260	260
49.06	2"Ø को मिडियम ६"	गोटा	369	369	369
49.07	2 1/2"Ø को मिडियम ६"	गोटा	650	650	650
49.08	3"Ø को मिडियम ६"	गोटा	975	975	975
49.09	4"Ø को मिडियम ६"	गोटा	1150	1150	1150
49.10	GI nipple 3"long	गोटा	90	90	90
49.11	15 mm Ø Medium	गोटा	125	125	125
49.12	20 mm Ø Medium	गोटा	169	169	169
49.13	25 mm Ø Medium	गोटा	225	225	225
49.14	32 mm Ø Medium	गोटा	281	281	281
49.15	40 mm Ø Medium	गोटा	393	393	393
49.16	50 mm Ø Medium	गोटा	568	568	568
49.17	65 mm Ø Medium	गोटा	852	852	852
49.18	80 mm Ø Medium	गोटा	1005	1005	1005
50	जि.आई. टी				
50.01	1/2"Ø को मिडियम	गोटा	74	74	74
50.02	3/4"Ø को मिडियम	गोटा	120	120	120
50.03	1"Ø को मिडियम	गोटा	160	160	160
50.04	1 1/4"Ø को मिडियम	गोटा	263	263	263
50.05	1 1/2"Ø को मिडियम	गोटा	316	316	316
50.06	2"Ø को मिडियम	गोटा	495	495	495
50.07	2 1/2"Ø को मिडियम	गोटा	1048	1048	1048
50.08	3"Ø को मिडियम	गोटा	1595	1595	1595
50.09	4"Ø को मिडियम	गोटा	2855	2855	2855
51.00	GI unequal Tee				
51.01	20x20x15 mm Ø	गोटा	160	160	160
51.02	25x25x15 mm Ø	गोटा	217	217	217
51.03	32x32x15 mm Ø	गोटा	316	316	316
51.04	40x40x15 mm Ø	गोटा	418	418	418
51.05	50x50x15 mm Ø	गोटा	662	662	662
51.06	65x65x15 mm Ø	गोटा	1242	1242	1242
51.07	80x80x15 mm Ø	गोटा	1782	1782	1782
51.08	100x100x15 mm Ø	गोटा	2906	2906	2906
51.09	50x50*25 mm Ø	गोटा	662	662	662
51.10	50x50*32 mm Ø	गोटा	662	662	662
51.11	50*50*40mm Ø	गोटा	662	662	662

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
51.12	65x65x25mm Φ	गोटा	1242	1242	1242
51.13	65*65*32mm Φ	गोटा	1242	1242	1242
51.14	65*65*40mm Φ	गोटा	1242	1242	1242
51.15	65*65*50mm Φ	गोटा	1242	1242	1242
51.16	80x80x25 mm Φ	गोटा	1782	1782	1782
51.17	80x80x32 mm Φ	गोटा	1782	1782	1782
51.18	80x80x40 mm Φ	गोटा	1782	1782	1782
51.19	80x80x50 mm Φ	गोटा	1782	1782	1782
51.20	80x80x65mm Φ	गोटा	1782	1782	1782
51.21	100*100x25 mm Φ	गोटा	2906	2906	2906
51.22	100*100*32mm Φ	गोटा	2906	2906	2906
51.23	100*100*40 mm Φ	गोटा	2906	2906	2906
51.24	100*100*50 mm Φ	गोटा	2906	2906	2906
51.25	100*100*65 mm Φ	गोटा	2906	2906	2906
51.26	100*100*80 mm Φ	गोटा	2906	2906	2906
52	ग्लोब भल्भ				
52.01	1/2" Φ को मिडियम	गोटा	780	780	780
52.02	3/4" Φ को मिडियम	गोटा	1324	1324	1324
52.03	1" Φ को मिडियम	गोटा	1880	1880	1880
52.04	1 1/4" Φ को मिडियम	गोटा	3660	3660	3660
52.05	1 1/2" Φ को मिडियम	गोटा	4650	4650	4650
52.06	2" Φ को मिडियम	गोटा	6175	6175	6175
52.07	2 1/2" Φ को मिडियम	गोटा	14945	14945	14945
52.08	3" Φ को मिडियम	गोटा	21365	21365	21365
52.09	4" Φ को मिडियम	गोटा	36407	36407	36407
53	गेट भल्भ (ब्रास)				
53.01	1/2" Φ को मिडियम	गोटा	844	844	844
53.02	3/4" Φ को मिडियम	गोटा	1175	1175	1175
53.03	1" Φ को मिडियम	गोटा	1760	1760	1760
53.04	1 1/4" Φ को मिडियम	गोटा	2690	2690	2690
53.05	1 1/2" Φ को मिडियम	गोटा	3660	3660	3660
53.06	2" Φ को मिडियम	गोटा	5540	5540	5540
53.07	2 1/2" Φ को मिडियम	गोटा	11652	11652	11652
53.08	3" Φ को मिडियम	गोटा	16205	16205	16205
53.09	4" Φ को मिडियम	गोटा	31177	31177	31177
54	एयर भल्भ				
54.01	1/2" Φ को मिडियम	गोटा	4680	4680	4680
54.02	3/4" Φ को मिडियम	गोटा	4860	4860	4860
54.03	1" Φ को मिडियम	गोटा	7096	7096	7096
55	जि.आई. रिड्यूसर				

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
55.01	1/2 X 3/4" को	गोटा	73	73	73
55.02	3/4 X 1" को	गोटा	95	95	95
55.03	1 X 1 1/4" को	गोटा	147	147	147
55.04	1 1/4 X 1 1/2" को	गोटा	180	180	180
55.05	1 1/2 X 2" को	गोटा	315	315	315
55.06	2 X 2 1/2" को	गोटा	422	422	422
55.07	2 1/2 X 3" को	गोटा	790	790	790
55.08	3 X 4" को	गोटा	1100	1100	1100
56	जि.आई. एल्बो				
56.01	1/2" Ø को मिडियम	गोटा	48	48	48
56.02	3/4" Ø को मिडियम	गोटा	74	74	74
56.03	1" Ø को मिडियम	गोटा	118	118	118
56.04	1 1/4" Ø को मिडियम	गोटा	180	180	180
56.05	1 1/2" Ø को मिडियम	गोटा	255	255	255
56.06	2" Ø को मिडियम	गोटा	388	388	388
56.07	2 1/2" Ø को मिडियम	गोटा	900	900	900
56.08	3" Ø को मिडियम	गोटा	1100	1100	1100
56.09	4" Ø को मिडियम	गोटा	2200	2200	2200
57	जि.आई. इन्डक्याप				
57.01	1/2" को मिडियम	गोटा	48	48	48
57.02	3/4" को मिडियम	गोटा	75	75	75
57.03	1" को मिडियम	गोटा	95	95	95
57.04	1 1/4" को मिडियम	गोटा	185	185	185
57.05	1 1/2" को मिडियम	गोटा	202	202	202
57.06	2" को मिडियम	गोटा	260	260	260
57.07	2 1/2" को मिडियम	गोटा	555	555	555
58	फलामे मेनहोल कवर				
58.01	६० से.मी. व्यासको (खानेपानीको लागि)	गोटा	2450	2450	2450
58.02	९० से.मी. व्यासको (खानेपानीको लागि)	गोटा	2950	2950	2950
58.03	CI Manhole Cover 400mmx400mm Square shape 14 Kg weight	गोटा	3000	3000	3000
58.04	CI Manhole Cover 600mmx600mm Square shape 22 Kg weight	गोटा	5500	5500	5500
58.05	CI Manhole Cover Round 450mm 49 Kg weight	गोटा	10000	10000	10000
58.06	CI Manhole Cover Round 500mm 50 Kg weight	गोटा	10500	10500	10500
58.07	CI Manhole Cover Round 600mm 90 Kg weight	गोटा	19000	19000	19000
58.08	CI Manhole Cover Round 750mm 115 Kg weight	गोटा	23000	23000	23000
59	दुटी				

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
59.01	पित्तलको हेभी	गोटा	700	700	700
59.02	पित्तलको लाईट	गोटा	490	490	490
59.03	प्लास्टिकको	गोटा	160	160	160
60	पोलिथिनको पानी टंकी	लिटर	13	13	13
61	स्टिलको पानी टंकी	लिटर	23	23	23
62	हेण्डपम्प गाड्ने कार्य				
62.01	६० फीटसम्म गहिरो	फिट	4326	4326	4326
62.02	६० फीटभन्दा बढी गहिरो	फिट	66	66	66
63	हेण्डपम्प				
63.01	४ नं. को लाइट	गोटा	1802	1802	1802
63.02	४ नं. को हेभी	गोटा	2523	2523	2523
63.03	६ नं. को हेभी	गोटा	3296	3296	3296
63.04	६ नं. को लाईट	गोटा	3605	3605	3605
64	फ्लोट भल्भ				
64.01	1/2" Ø को	गोटा	2868	2868	2868
64.02	3/4" Ø को	गोटा	3326	3326	3326
64.03	1" Ø को	गोटा	4362	4362	4362
64.04	1 1/4" Ø को	गोटा	9270	9270	9270
64.05	1 1/2" Ø को	गोटा	12710	12710	12710
64.06	Brass 15 mm Φ Gun Metal Ferrule	गोटा	1083	1083	1083
64.07	Brass Bib Cok Heavy 15 mm Φ(400 gm)	गोटा	750	750	750
64.08	15 mm Φ Water Meter Rotory Piston type	गोटा	2500	2500	2500
64.09	Brass 15 mm Φ regulator With Key	गोटा	1410	1410	1410
65	जि.आई/एच.डि.पि फ्लेन्ज सेट				
65.01	1/2" Ø को	गोटा	509	509	509
65.02	3/4" Ø को	गोटा	566	566	566
65.03	1" Ø को	गोटा	736	736	736
65.04	1 1/4" Ø को	गोटा	906	906	906
65.05	1 1/2" Ø को	गोटा	1189	1189	1189
65.06	2" Ø को	गोटा	1545	1545	1545
65.07	2 1/2" Ø को	गोटा	1905	1905	1905
65.08	3" Ø को	गोटा	2317	2317	2317
65.09	4" Ø को	गोटा	2832	2832	2832
65.10	100/125 mm Φ	गोटा	3350	3350	3350
65.11	125/140mm Φ	गोटा	4000	4000	4000
65.12	150/160 mm Φ	गोटा	4500	4500	4500
65.13	150/180 mm Φ	गोटा	4750	4750	4750
65.14	150/200 mm Φ	गोटा	5000	5000	5000
65.15	200/225 mm Φ	गोटा	6000	6000	6000
65.16	225/250 mm Φ	गोटा	6500	6500	6500

[Handwritten signatures and marks at the bottom of the page]

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
65.17	250/280 mm Φ	गोटा	8000	8000	8000
66.00	HDP/HDP (MS)flange set With Adepter Nut Bolt And Gasket				
66.01	63mm Φ	गोटा	2250	2250	2250
66.02	75mm Φ	गोटा	2750	2750	2750
66.03	90 mm Φ	गोटा	3250	3250	3250
66.04	110 mm Φ	गोटा	3350	3350	3350
66.05	125 mm Φ	गोटा	4000	4000	4000
66.06	140mm Φ	गोटा	4500	4500	4500
66.07	160 mm	गोटा	4750	4750	4750
66.08	180 mm Φ	गोटा	5000	5000	5000
66.09	200 mm Φ	गोटा	6000	6000	6000
66.10	225 mm Φ	गोटा	6500	6500	6500
66.11	250 mm Φ		8000	8000	8000
67.00	GI /GI flange set				
67.01	50mm Φ	गोटा	1300	1300	1300
67.02	65mm Φ	गोटा	1500	1500	1500
67.03	80 mm Φ	गोटा	1800	1800	1800
67.04	100 mm Φ	गोटा	2200	2200	2200
67.05	125mm Φ	गोटा	2600	2600	2600
67.06	150 mm Φ	गोटा	3000	3000	3000
67.07	200 mm Φ	गोटा	5000	5000	5000
67.08	250mm Φ	गोटा	6000	6000	6000
68	ब्रास युनियन				
68.01	1/2" Ø को	गोटा	190	190	190
68.02	3/4" Ø को	गोटा	390	390	390
68.03	1" Ø को	गोटा	475	475	475
68.04	1 1/4" Ø को	गोटा	675	675	675
68.05	1 1/2" Ø को	गोटा	980	980	980
68.06	2" Ø को	गोटा	1615	1615	1615
68.07	2 1/2" Ø को	गोटा	5139	5139	5139
68.08	3" Ø को	गोटा	7696	7696	7696
68.09	4" Ø को	गोटा	11731	11731	11731
68.10	5" Ø को	गोटा	16428	16428	16428
68.11	एच.डी.पि.ई. पाईप NS	के.जी.	300	290	290
69	DI Pipe Double Flange Pipe k 9 Series				
69.01	80 mm dia	Mrt	4000	4000	4000
69.02	100mm dia	Mrt	5000	5000	5000
69.03	125mm dia	Mrt	6100	6100	6100
69.04	150 mm dia	Mrt	7000	7000	7000
69.05	200mm dia	Mrt	9000	9000	9000

(Handwritten signatures and marks)

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
69.06	250mm dia	Mrt	13000	13000	13000
69.07	300mm dia	Mrt	17500	17500	17500
70.00	DI Pipe Spigot Pipe C-40				
70.01	80 mm dia	Mrt	2450	2450	2450
70.02	100mm dia	Mrt	2750	2750	2750
70.03	125mm dia	Mrt	3750	3750	3750
70.04	150 mm dia	Mrt	5500	5500	5500
70.05	200mm dia	Mrt	7000	7000	7000
70.06	250mm dia	Mrt	9000	9000	9000
70.07	300mm dia	Mrt	11500	11500	11500
71.00	CI Sluice valve				
71.10	65 mm Dia	No	11500	11500	11500
71.11	80 mm Dia	No	13500	13500	13500
71.12	100mm Dia	No	17500	17500	17500
71.13	125mm Dia	No	21500	21500	21500
71.14	150mm Dia	No	27500	27500	27500
71.15	200mm Dia	No	37500	37500	37500
71.16	250mm Dia	No	57600	57600	57600
71.17	300mm Dia	No	89500	89500	89500
72.00	DI Sluice valve				
72.01	65 mm Dia	No	17500	17500	17500
72.02	80 mm Dia	No	25500	25500	25500
72.03	100mm Dia	No	35000	35000	35000
72.04	125mm Dia	No	45000	45000	45000
72.05	150mm Dia	No	52500	52500	52500
72.06	200mm Dia	No	70000	70000	70000
72.07	250mm Dia	No	105000	105000	105000
72.08	300mm Dia	No	151000	151000	151000
73.00	DI Duck foot bend Double Flange				
73.01	100mm Dia	No	7500	7500	7500
73.02	125mm Dia	No	12500	12500	12500
73.03	150mm Dia	No	15500	15500	15500
73.04	200mm Dia	No	21000	21000	21000
73.05	250mm Dia	No	35500	35500	35500
73.06	300mm Dia	No	45000	45000	45000
74.00	DI Double Flange bend 90°				
74.01	80mm Dia	No	5000	5000	5000
74.02	100mm Dia	No	6000	6000	6000
74.03	125mm Dia	No	7000	7000	7000
74.04	150mm Dia	No	9000	9000	9000

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
74.05	200mm Dia	No	15000	15000	15000
74.06	250mm Dia	No	21000	21000	21000
74.07	300mm Dia	No	27500	27500	27500
74.08	DI Reducer	No			
74.09	300mm *250 mm	No	25500	25500	25500
74.10	250mm *200mm	No	20000	20000	20000
74.11	200mm *150 mm	No	15000	15000	15000
74.12	150mm *125mm	No	14500	14500	14500
74.13	150mm *100mm	No	14000	14000	14000
75.00	C.I None return Valve				
75.010	80mm Dia	No	13500	13500	13500
75.020	100mm Dia	No	17500	17500	17500
75.030	125mm Dia	No	21500	21500	21500
75.040	150mm Dia	No	25500	25500	25500
75.050	200mm Dia	No	35500	35500	35500
75.060	250mm Dia	No	45500	45500	45500
75.070	300mm Dia	No	59000	59000	59000
76.00	Cast Steel None return Valve				
76.010	80mm Dia	No	65500	65500	65500
76.020	100mm Dia	No	75500	75500	75500
76.030	125mm Dia	No	81500	81500	81500
76.040	150mm Dia	No	89500	89500	89500
77.00	DI All Flange Tee				
77.10	80mm Dia	No	7500	7500	7500
77.11	100mm Dia	No	12500	12500	12500
77.12	125mm Dia	No	15500	15500	15500
77.13	150mm Dia	No	17500	17500	17500
77.14	200mm Dia	No	32500	32500	32500
77.15	250mm Dia	No	41500	41500	41500
77.16	300mm Dia	No	59500	59500	59500
78.00	CI Mechanical Coupling				
78.01	150 mm dia	No	11500	11500	11500
78.02	200 mm dia	No	17500	17500	17500
78.03	250 mm dia	No	27500	27500	27500
78.04	300 mm dia	No	41500	41500	41500
79.00	CI Bell Mouth one side flange				
79.01	150 mm dia	No	10500	10500	10500
79.02	200 mm dia	No	15500	15500	15500
79.03	250 mm dia	No	21500	21500	21500
79.04	300 mm dia	No	30000	30000	30000

(Handwritten signatures and marks)

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
80.00	Quick Repair Joint for HDPE Pipe				
80.01	90 mm dia	No	7000	7000	7000
80.02	110mm dia	No	8000	8000	8000
80.03	125mm dia	No	10000	10000	10000
80.04	140 mm dia	No	12000	12000	12000
80.05	160mm dia	No	14000	14000	14000
80.06	180mm dia	No	17500	17500	17500
80.07	200mm dia	No	20000	20000	20000
80.08	250mm Dia	No	23000	23000	23000
80.09	Flow meter Water Meter				
80.10	80mm Dia	No	55000	55000	55000
80.11	100mm Dia	No	65000	65000	65000
80.12	125mm Dia	No	75000	75000	75000
80.13	150mm Dia	No	85000	85000	85000
80.14	200mm Dia	No	105000	105000	105000
80.15	250mm Dia	No	135000	135000	135000
80.16	300mm Dia	No	175000	175000	175000
81.00	DI unequal Tee With flange				
81.01	125x125x100 mm Φ	No	17500	17500	17500
81.02	125x125x80 mm Φ	No	17500	17500	17500
81.03	150x150x125 mm Φ	No	21500	21500	21500
81.04	150x150x100 mm Φ	No	22500	22500	22500
81.05	150x150x80mm Φ	No	23500	23500	23500
81.06	200x200x150 mm Φ	No	37500	37500	37500
81.07	200x200x125 mm Φ	No	40000	40000	40000
81.08	200x200x100 mm Φ	No	42500	42500	42500
81.09	250x250x200 mm Φ	No	57500	57500	57500
81.10	250x250x150mm Φ	No	60000	60000	60000
81.11	250x250x125 mm Φ	No	65000	65000	65000
81.12	250x250x100 mm Φ	No	70000	70000	70000
81.13	Rubber Gasket	Kg	350	350	350
81.14	Nut Bolt (Different size)	Kg	250	250	250
81.15	MS Saddle Clamps Different Size with nut bolt all complete	No	4500	4500	4500
82.00	HDPE Saddle Clamp				
82.01	160*160*15 Dia (HDPE*HDPE)	No	1250	1250	1250
82.02	140*140*15 Dia (HDPE*HDPE)	No	1100	1100	1100
82.03	125*125*15 Dia (HDPE*HDPE)	No	1000	1000	1000
82.04	110*110*15 Dia (HDPE*HDPE)	No	650	650	650
82.05	90*90*15 Dia (HDPE*HDPE)	No	650	650	650
82.06	75*75*15 Dia (HDPE*HDPE)	No	450	450	450

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
82.07	63*63*15 Dia (HDPE*HDPE)	No	450	450	450
82.08	50*50*15 Dia (HDPE*HDPE)	No	350	350	350
82.09	40*40*15 Dia (HDPE*HDPE)	No	350	350	350
82.10	32*32*15 Dia (HDPE*HDPE)	No	250	250	250
83.00	MS Flange Cutting, Welding, Grading, Installation				
83.01	80mm Dia	No	750	750	750
83.02	100mm Dia	No	1000	1000	1000
83.03	125mm Dia	No	1350	1350	1350
83.04	150mm Dia	No	1550	1550	1550
83.05	200mm Dia	No	2250	2250	2250
83.06	250mm Dia	No	3000	3000	3000
83.07	300mm Dia	No	5000	5000	5000
83.08	250 mm dia Top surface plate	No	35000	35000	35000
83.09	pressure gage	No	5500	5500	5500
83.10	Chain Puli 3 ton	No	45000	45000	45000
83.11	4" Pipe Clamp	No	6500	6500	6500
83.12	Wire Rope for Pump Lowering	Mrt	5500	5500	5500
83.13	Distribution board	Set	75000	75000	75000
83.14	OHT Lighting Arrestor	Set	25000	25000	25000
83.15	OHT Water level indicator	Set	65000	65000	65000
	औजार/उपकरण (खानेपानी तथा अन्य कार्य सम्बन्धि)				
81	गल (सव्वल)	गोटा	1133	1189	1189
82	फरुवा	गोटा	324	340	340
83	दाते, नग्रे	गोटा	587	616	616
84	धुमस ५ केजी	गोटा	1030	1080	1080
85	हजारी	गोटा	854	895	895
86	वासको टोकरी	गोटा	185	194	194
87	हसिया				
87.1	क) सानो	गोटा	267	280	280
87.2	ख) ठुलो	गोटा	865	900	900
88	ठुलो क्रोवाल	गोटा	5253	5515	5515
89	हतौडा	के.जी.	236	245	245
90	हावा भर्ने पम्प (खुट्टाले)	गोटा	1081	1135	1135
91	हावा भर्ने पम्प (हातले)	गोटा	324	340	340
92	बन्चरो	गोटा	1854	1945	1945
93	सेफ्टी भेट पहिलो रंगको (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	566	590	590
94	हेल्मेट (सडक मर्मत सम्भार कर्ताको लागि)	गोटा	453	475	475
95	मार्स्क	गोटा	59	60	60
96	गम बट	गोटा	824	865	865

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
97	कपडाको जुता	गोटा	721	757	757
98	रेनकोट	गोटा	2575	2700	2700
99	कडा पन्जा	गोटा	309	324	324
100	सन ग्लास	गोटा	618	645	645
101	पाँच ली. को प्लाष्टिक जेरीकेन	गोटा	123	129	129
102	बेल्ट्या	गोटा	669	700	700
103	गैटी	गोटा	721	575	575
104	कोदालो/फाउडो	गोटा	618	645	645
105	रोड डिभाइडरका लागि प्रयोग हुने सिन्थेटिक सेफ्टी कोन	गोटा	618	645	645
106	फोर्कड हेरो	गोटा	257	265	265
107	क्लील बेरो				
107.1	क) हलुका	गोटा	7725	7725	7725
107.2	ख) हेभी	गोटा	9785	9785	9785
108	छिनो १X६ इन्चको	गोटा	309	309	309
109	छिनो १X१२ इन्चको	गोटा	412	412	412
110	घन ५ किलोको	गोटा	999	999	999
111	घन १० किलोको	गोटा	1648	1648	1648
112	हिटिड प्लेट १०० मि.मि.को	गोटा	721	721	721
113	हिटिड प्लेट १५० मि.मि.को	गोटा	1442	1442	1442
114	टेफ्लोन कभर	मी.	2399	2399	2399
115	थेर्मोकोम चक	गोटा	540	540	540
116	ब्लो टर्च	गोटा	594	594	594
117	बर्नर	गोटा	1081	1081	1081
118	पाईप रेन्च १४ इन्ची	गोटा	690	690	690
119	पाईप रेन्च १८ इन्ची	गोटा	849	849	849
120	पाईप रेन्च २४ इन्ची	गोटा	1545	1545	1545
121	पाईप चेन रेन्च ४८ इन्ची	इन्ची	102	102	102
122	हेक्सा फेम	गोटा	135	135	135
123	हेक्सा ब्लेड	गोटा	21	21	21
124	एडजस्टेबल रेन्च	गोटा	648	648	648
125	फलामे तसला	गोटा	216	216	216
126	कर्नी	गोटा	128	128	128
127	रेती	गोटा	381	381	381
128	वायर ब्रश	गोटा	77	77	77
129	डाई सेट १/२" देखि १" साधारण	गोटा	2575	2575	2575
130	डाई सेट १/२" देखि १" Richard or Equivalent	गोटा	3836	3836	3836
131	डाई सेट १.२५" देखि २" साधारण	गोटा	4326	4326	4326
132	डाई सेट १.२५" देखि २" Richard or Equivalent	गोटा	8153	8153	8153

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
133	डाई सेट टीथ 1/2" देखि १" साधारण Richard or Equivalent	गोटा	2601	2601	2601
134	डाई सेट टीथ १.२५" देखि २" Richard or Equivalent	गोटा	3582	3582	3582
135	डाई टीथ आयल भाँडो समेत	लीटर	540	540	540
136	टेबुल भाईस, २"	गोटा	2266	2266	2266
137	टेबुल भाईस, ३"	गोटा	2758	2758	2758
138	मेजरिड टेप ५ मिटर	गोटा	216	216	216
139	मेजरिड टेप ३० मिटर	गोटा	772	772	772
140	काठे हाते आरी / करौति	गोटा	515	515	515
141	टुल बक्स १४x ८x १२ इन्च साइजको	गोटा	2575	2575	2575
	सेनेटरी (सरसफाई) तर्फ				
142	युरिनल सेट				
142.01	१०.५"x१४.५"x१२.५" को (राम्रो)	गोटा	1732	1732	1732
142.02	" " (साधारण)	गोटा	1155	1155	1155
142.03	६x८x३० से.मि. लेडिज युरिनल (राम्रो)	सेट	2205	2205	2205
142.04	" " (साधारण)	सेट	1260	1260	1260
143	सिपी बेण्ड सहितको सावर	गोटा	1443	1443	1443
144	तौलिया रड				
144.01	१८"x०.५" (राम्रो)	गोटा	1102	1102	1102
144.02	१८"x०.५" (साधारण)	गोटा	656	656	656
145	सी.पी. सोप डिस	गोटा	551	551	551
146	१२"x१८" को बाथरुम ऐना	गोटा	1102	1102	1102
147	वास वेसिन सेट				
147.01	२०"x१६" को (राम्रो)	सेट	2625	2625	2625
147.02	१६"x२२" को वास वेसिन सेट (राम्रो)	सेट	3675	3675	3675
148	लो लेमल सिस्टर्न				
148.01	(राम्रो) सेरामिक	सेट	6825	6825	6825
148.02	लो लेमल सिस्टर्न (प्लास्टिक)	सेट	2310	2310	2310
149	एच.डी.पी. कोअल २"Ø को	सेट	68	68	68
150	ट्याइलेट सिट (वाटर क्लोसेट)				
150.01	१८" भारती पायदान सहित (ISI)	सेट	2600	2600	2600
150.02	१८" भारती लोकल पायदान सहित	सेट	1500	1500	1500
150.03	उडिसा हिन्दुस्तान टाइप प्यान २१" (ISI)	सेट	2415	2415	2415
150.04	उडिसा हिन्दुस्तान टाइप प्यान २१" (local)	सेट	1215	1215	1215
150.05	कमोड पि वा एस ट्याप (ISI)	सेट	3600	3600	3600
150.06	कमोड पि वा एस ट्याप (local)	सेट	1850	1850	1850
150.07	इकोस्यान प्यान सेट	सेट	1900	1900	1900
150.08	White glazed porcelain clay EWC Constellation commode with 'P' & 's' trap and seat cover set.	सेट	19000	19000	19000

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
150.09	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	21000	21000	21000
150.10	White glazed porcelain clay One Piece commode with 'P' & 'S' trap and slow falling seat cover complete set.	सेट	30000	30000	30000
151	१ 1/4" सि.पि.पाईप कपलि समेत	गोटा	971	971	971
152	१ 1/4" सि.पि.पाईप पि.वा एस दयाप	गोटा	1155	1155	1155
153	1/2" फेन्सी पिल्ट कक	गोटा	1050	1050	1050
154	1/2" ३० " पाईप कनेक्टर	गोटा	231	231	231
155	सिङ्ग				
155.01	१८ X २२ X ८ इन्ची स्टील	गोटा	3234	3234	3234
155.02	१८ X ३८ X ८ इन्ची स्टील	गोटा	4620	4620	4620
155.03	१८ X २२ X ८ सि, फलामे	गोटा	2310	2310	2310
156	1 1/2" वासर कपलिङ्ग	गोटा	551	551	551
157	1 1/2" पितलको बिब कक	गोटा	350	350	350
158	1/2" सि.पि बिब कक	गोटा	1000	1000	1000
159	1/2" सि.पि स्टप कक	गोटा	950	950	950
160	1/2" कनेक्टर स्टप कक	गोटा	750	750	750
161	PVC Pipe and Fittings				
161.01	110 mm dia 4kg/cm2 (6m long)	पीस	3080	3000	3000
161.02	110 mm dia 4kg/cm2 (3m long)	पीस		1500	1500
161.03	75 mm dia 4kg/cm2 (6m long)	पीस	1550	1584	1584
161.04	75 mm dia 4kg/cm2 (3m long)	पीस		792	792
161.05	50 mm dia 6kg/cm2 (3m long)	पीस		500	500
161.06	50mm Bend 87.5*	पीस		78	78
161.07	75mm Bend 87.5*	पीस		212	212
161.08	110mm Bend 87.5*	पीस		384	384
161.09	50mm Bend 45*	पीस		73	73
161.10	75mm Bend 45*	पीस		180	180
161.11	110mm Bend 45*	पीस		331	331
161.12	50mm Coupler	पीस		78	78
161.13	75mm Coupler	पीस		174	174
161.14	110mm Coupler	पीस		292	292
161.15	४" ० को सकेट	पीस	320	320	320
161.16	४" ० को हर्न वेण्ड	पीस	780	780	780
161.17	४" ० को वेण्ड	पीस	430	430	430
161.18	४" ० को टी	पीस	590	590	590
161.19	३" ० को सकेट	पीस	210	210	210
161.20	३" ० को वेण्ड	पीस	330	330	330
161.21	३" ० को टी	पीस	380	380	380
162	एच.डी.पि.इ. फिटिङ्ग				

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
162.01	४"० को सकेट	पीस	210	210	210
162.02	४"० को हर्न वेण्ड	पीस	420	420	420
162.03	४"० को वेण्ड	पीस	367	367	367
	रंगरोगनका सामग्री				
163	खाक्सी	गोटा	27	27	27
164	गुद	के.जी.	230	230	230
165	सरेस	के.जी.	219	219	219
166	आक्यालिक डिस्टेम्पर	के.जी.	207	207	207
167	वासेवल डिस्टेम्पर	के.जी.	275	275	208
168	सिमेण्ट प्राइमर Interior	लिटर	390	390	192
169	सिमेण्ट प्राइमर Exterior	लिटर			278
169	तयारी इनामेल पेन्ट	लिटर	700	700	695
170	Synthetic Enamel Paint	लिटर			524
170	प्राइमर (काठ) सेतो	लिटर	430	430	395
171	प्राइमर (काठ) पिंक	लिटर			358
172	प्राइमर (फलाम)	लिटर	380	380	342
173	प्लाष्टिक इमोलान पेन्ट (एक्स्टेरियर) राम्रो	लिटर	1050	1050	1050
174	प्लाष्टिक इमोलान पेन्ट (एक्स्टेरियर) मध्यम	लिटर	850	850	850
175	प्लाष्टिक इमोलान पेन्ट (इन्टरियर) राम्रो	लिटर	1097	1097	983
176	प्लाष्टिक इमोलान पेन्ट (इन्टरियर) मध्यम	लिटर	850	850	583
177	तयारी अलुमिनम पेन्ट	लिटर	658	658	625
178	वार्निश क्लियर	लिटर	415	415	415
179	अलकत्रा पेन्ट (Black Japan)	लिटर	330	330	330
180	तारपिन तेल	लिटर	200	200	200
181	चुना	के.जी.	24	24	24
182	गेरु रंग	के.जी.	59	59	59
183	लिन्सीड आयल	लिटर	220	220	220
184	चप्रा	के.जी.	760	760	760
185	स्प्रीट	लिटर	175	175	175
186	स्नोसेम (सिमेन्ट पेन्ट)	के.जी.	83	83	83
187	वेदर कोट पेन्ट (राम्रो) NS/IS	लिटर	1260	1260	1260
188	वेदर कोट पेन्ट (हल्का) NS/IS	लिटर	892	892	892
189	वाटर प्रुफिग कम्पाउण्ड (जापनिज)	के.जी.	344	344	344
190	Wall Putty- Inner	के.जी.	40	40	42
191	Wall Putty- Water Proof (Outer)	के.जी.	65	65	68
192	Plaster of paris (POP)	के.जी.	25	25	26
	कंक्रीट प्रोडक्ट्स				
193	ह्युम पाईप (ढुवानी बाहेक)				
193.01	३०० Ø को एनपी-३ को (२.५मीटर)	गोटा	10920	10920	10920
193.02	४५० Ø को एनपी-३ को (२.५मीटर)	गोटा	13680	13680	13680

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
193.03	४५० छ को एनपी-३ को कोलार	गोटा	1367	1367	1367
193.04	६०० छ को एनपी-३ को (२.५मीटर)	गोटा	18660	18660	18660
193.05	६०० छ को एनपी-३ को कोलार	गोटा	1860	1860	1860
193.06	९०० छ को एनपी-३ को (२.५मीटर)	गोटा	30640	30640	30640
193.07	९०० छ को एनपी-३ को कोलार	गोटा	3064	3064	3064
193.08	१२०० छ को एनपी-३ को (२.५मीटर)	गोटा	42310	42310	42310
193.09	१२०० छ को एनपी-३ को कोलार	गोटा	4230	4230	4230
193.10	१०० छ को एनपी-२ को (२.५मीटर)	गोटा	2330	2330	2330
193.11	१०० छ को एनपी-२ को कोलार	गोटा	233	233	233
193.12	१५० छ को एनपी-२ को (२.५मीटर)	गोटा	2620	2620	2620
193.13	१५० छ को एनपी-२ को कोलार	गोटा	260	260	260
193.14	२०० छ को एनपी-२ को (२.५मीटर)	गोटा	3500	3500	3500
193.15	२०० छ को एनपी-२ को कोलार	गोटा	350	350	350
193.16	२२५ छ को एनपी-२ को (२.५मीटर)	गोटा	4200	4200	4200
193.17	२२५ छ को एनपी-२ को कोलार	गोटा	420	420	420
193.18	२५० छ को एनपी-२ को (२.५मीटर)	गोटा	4680	4680	4680
193.19	२५० छ को एनपी-२ को कोलार	गोटा	465	465	465
193.20	३०० छ को एनपी-२ को (२.५मीटर)	गोटा	6583	6583	6583
193.21	३०० छ को एनपी-२ को कोलार	गोटा	660	660	660
193.22	३५० छ को एनपी-२ को (२.५मीटर)	गोटा	6776	6776	6776
193.23	३५० छ को एनपी-२ को कोलार	गोटा	675	675	675
193.24	३७५ छ को एनपी-२ को (२.५मीटर)	गोटा	6880	6880	6880
193.25	३७५ छ को एनपी-२ को कोलार	गोटा	685	685	685
193.26	४०० छ को एनपी-२ को (२.५मीटर)	गोटा	7000	7000	7000
193.27	४०० छ को एनपी-२ को कोलार	गोटा	700	700	700
193.28	४५० छ को एनपी-२ को (२.५मीटर)	गोटा	8600	8600	8600
193.29	४५० छ को एनपी-२ को कोलार	गोटा	860	860	860
193.30	५०० छ को एनपी-२ को (२.५मीटर)	गोटा	9830	9830	9830
193.31	५०० छ को एनपी-२ को कोलार	गोटा	980	980	980
193.32	६०० छ को एनपी-२ को (२.५मीटर)	गोटा	12000	12000	12000
193.33	६०० छ को एनपी-२ को कोलार	गोटा	1200	1200	1200
193.34	७०० छ को एनपी-२ को (२.५मीटर)	गोटा	13000	13000	13000
193.35	७०० छ को एनपी-२ को कोलार	गोटा	1300	1300	1300
193.36	७५० छ को एनपी-२ को (२.५मीटर)	गोटा	14000	14000	14000
193.37	७५० छ को एनपी-२ को कोलार	गोटा	1400	1400	1400
193.38	८०० छ को एनपी-२ को (२.५मीटर)	गोटा	16300	16300	16300
193.39	८०० छ को एनपी-२ को कोलार	गोटा	1630	1630	1630
193.40	९०० छ को एनपी-२ को (२.५मीटर)	गोटा	17670	17670	17670
193.41	९०० छ को एनपी-२ को कोलार	गोटा	1760	1760	1760
193.42	१००० छ को एनपी-२ को (२.५मीटर)	गोटा	22140	22140	22140

(Handwritten signatures and marks)

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
193.43	१००० Ø को एनपी-२ को कोलार	गोटा	2210	2210	2210
193.44	१२०० Ø को एनपी-२ को (२.५मीटर)	गोटा	29230	29230	29230
193.45	१२०० Ø को एनपी-२ को कोलार	गोटा	2920	2920	2920
193.46	१५०० Ø को एनपी-२ को (२.५मीटर)	गोटा	39740	39740	39740
193.47	१५०० Ø को एनपी-२ को कोलार	गोटा	3975	3975	3975
193.48	50 mm thick Cement Concrete Block - Interlocking	व.फि.	90	90	90
193.49	50 mm thick Cement Concrete Block (color)-Interlocking	व.फि.	95	95	95
193.50	60 mm thick Cement Concrete Block - Interlocking	व.फि.	105	105	105
193.51	60 mm thick Cement Concrete Block (color)-Interlocking	व.फि.	110	110	110
193.52	AAC Block(600x200x100mm)	गोटा	179.35	188	188
193.53	AAC Block(600x200x150mm)	गोटा	269.04	282	282
193.54	AAC Block(600x200x200mm)	गोटा	358.65	376	376
193.55	Aerolite AAC Block (Size 600x200x100mm)	गोटा	156	156	156
193.56	Aerolite AAC Block (Size 600x200x150mm)	गोटा	234	234	234
193.57	Aerolite AAC Block (Size 600x200x200mm)	गोटा	312	312	312
194	Interlock Paver, Kerb Stone, Concrete Tile				
194.01	I Shaped Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 200*140*50 (NS Standard)	गोटा			26
194.02	I Shaped Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 200*140*50 (NS Standard)	गोटा			30
194.03	I Shaped Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 200*140*50 (NS Standard)	गोटा			33
194.04	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा			30
194.05	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा			34
194.06	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	गोटा			38
194.07	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	गोटा			22

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
194.08	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	गोटा			25
194.09	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*100*60 (NS Standard)	गोटा			28
194.10	Unipaver Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80 (NS Standard)	गोटा			33
194.11	Unipaver Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80 (NS Standard)	गोटा			37
194.12	Unipaver Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 225*112.5*80 (NS Standard)	गोटा			40
194.13	Half-Battered Kerbstone Grey Color with compressive strength M20 or above. Dimension: 250*200*380(L*B*H) (NS Standard)	गोटा			235
194.14	Bullnose Kerbstone Grey Color with compressive strength M20 or above. Dimension: 250*200*380(L*B*H) (NS Standard)	गोटा			235
194.15	Striped Tactile Paver Yellow color (5 Stripes) with compressive strength M20. Dimension: 400*400*50mm(L*B*H)	गोटा			250
194.16	Button Tactile Paver Yellow color (36 Buttons) with compressive strength M20. Dimension: 400*400*50mm(L*B*H)	गोटा			250
194.17	Hollow Block Grey Color with compressive strength M20 or above. Size:400*200*200mm	गोटा			125
194.18	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	66	68	69
194.19	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	71	73	74
194.20	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	गोटा	76	78	79

(Handwritten signatures and marks)






क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
194.21	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	76	77	77
194.22	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	83	84	85
194.23	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	गोटा	85	88	90
194.24	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	गोटा	88	90	94
194.25	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	गोटा	96	98	102
194.26	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100*100 (NS Standard)	गोटा	100	102	105
194.27	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	25	26	27
194.28	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	26	27	29
194.29	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	22	23	24
194.30	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	गोटा	23	24	26
194.31	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 200*173*60 (NS Standard)	गोटा	69	71	72

[Handwritten signatures and marks]

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
194.32	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा	76	78	80
194.33	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	गोटा	79	81	83
194.34	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	69	72	72
194.35	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	84	88	88
194.36	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	गोटा	90	94	94
194.37	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	84	86	86
194.38	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	99	101	101
194.39	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	गोटा	105	108	108
194.40	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	सेट	670	700	737
194.41	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension: 400*400*40mm proper interlock Grooves & pigment colour,water absorption <6%.	गोटा	235	240	240
194.42	Matrix Slab / Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा	265	270	270
194.43	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40mm	गोटा	285	300	300
194.44	I-Shape Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Size 200*140*50mm (NS STANDARD)	गोटा			26

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
194.45	I-Shape Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Size 200*140*50mm (NS STANDARD)	गोटा			30
194.46	I-Shape Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Size 200*140*50mm (NS STANDARD)	गोटा			33
194.47	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Size 226*200*60mm (NS STANDARD)	गोटा			30
194.48	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Size 226*200*60mm (NS STANDARD)	गोटा			34
194.49	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Size 226*200*60mm (NS STANDARD)	गोटा			38
194.50	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Size 200*100*60mm (NS STANDARD)	गोटा			22
194.51	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Size 200*100*60mm (NS STANDARD)	गोटा			25
194.52	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Size 200*100*60mm (NS STANDARD)	गोटा			28
194.53	Unipaver Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Size 225*112.5*80mm (NS STANDARD)	गोटा			33
194.54	Unipaver Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Size 225*112.5*80mm (NS STANDARD)	गोटा			37
194.55	Unipaver Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Size 225*112.5*80mm (NS STANDARD)	गोटा			40
194.56	Half-battered Kerbstone Grey Color with compressive strength M20 or above. Size 250*200*380 (L*B*H), (NS STANDARD)	गोटा			235
194.57	Bullnose Kerbstone Grey Color with compressive strength M20 or above. Size 250*200*380 (L*B*H), (NS STANDARD)	गोटा			235

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
194.58	Striped Tactile Paver Yellow Color (5 stripes) with compressive strength M20. Size 400*400*50mm (L*B*H)	गोटा			250
194.59	Button Tactile Paver Yellow Color (36 buttons) with compressive strength M20. Size 400*400*50mm (L*B*H)	गोटा			250
194.60	Hollow Block Grey Color with compressive strength M10 or above. Size 400*200*200mm	गोटा			125
194.61	Cobble Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	गोटा			26
194.62	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	गोटा			29
194.63	Cobble Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	गोटा			32
194.64	Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	गोटा			93
194.65	Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	गोटा			107
194.66	Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 60mm, Dimension:200*200*80 (NS Standard)	गोटा			117
194.67	Interlock With Cobble Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	गोटा			111
194.68	Interlock With Cobble Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	गोटा			123
194.69	Interlock With Cobble Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	गोटा			133
194.70	Grass Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:400x600x100mm (NS Standard)	गोटा			641

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
194.71	Permeable Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	गोटा			84
194.72	Permeable Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	गोटा			100
194.73	Permeable Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	गोटा			113
194.74	Permeable Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	गोटा			102
194.75	Permeable Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	गोटा			121
194.76	Permeable Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	गोटा			136
194.77	Permeable Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	गोटा			140
194.78	Permeable Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	गोटा			165
194.79	Permeable Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	गोटा			185
194.80	Porus Permeable Matrix Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40	गोटा			334
194.81	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40	गोटा			401
194.82	Porus Permeable Matrix Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:400*400*60	गोटा			418
194.83	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:400*400*60	गोटा			523
195	सडक सम्बन्धि Pre-stressing Accessories				

(Handwritten signatures and marks are present below the table)

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
195.01	Supply Installation and prestressing of Ht Strands 12.7 mm- 7 ply as per drawing and specification (DP Wires)	के.जी.	172	172	172
195.02	19JK13, Anchor set 1-Tube unit, 1 Bearing plate, 19 live wedge	सेट	72000	72000	72000
195.03	Supply , Profiling of Corrugated HDPE Sheathings Pipe ID=85mm	मि.	380	380	380
195.04	Strip Seal Expansion Joints	मि.	16000	16000	16000
195.05	Slab Seal Expansion Joints	मि.	28000	28000	28000
195.06	Pot bearings for 40 mtr span 2 girder bridge (347 tons capacity)	सेट	150000	150000	150000
195.07	Pot bearings for 35 mtr span 2 girder bridge (296 tons capacity)	सेट	130000	130000	130000
195.08	Pot bearings for 30 mtr span 2 girder bridge (246 tons capacity)	सेट	115000	115000	115000
195.09	Neoprene bearings for 25 mtr span bridge (2 girder)	गोटा	40000	40000	40000
195.10	Neoprene bearings for 20 mtr span bridge (2 girder)	गोटा	30000	30000	30000
195.11	Neoprene bearings for 15 mtr span bridge (2 girder)	गोटा	28000	28000	28000
195.12	Drainage spout 100mm dia GI Pipe	गोटा	4000	4000	4000
196	HDPE DOUBLE WALLED Corrugated Pipes-SN8 (Non Pressure) 6m in length				
196.01	ID=100mm	मि.	500	550	556
196.02	ID=150mm	मि.	1066	1173	1112
196.03	ID=200mm	मि.	1625	1788	1668
196.04	ID=250mm	मि.	2100	2310	2113
196.05	ID=300mm	मि.	3450	3795	3515
196.06	ID=400mm	मि.	4400	4840	4527
196.07	ID=500mm	मि.	5450	5995	5406
196.08	ID=600mm	मि.	9320	10250	9310
196.09	ID=800mm	मि.	13810	15200	14985
196.10	ID=1000mm	मि.	19500	21450	22572
197	कंक्रीट बिद्युत पोल (ढुवानी बाहेक)				
197.01	८ मिटर लामो	गोटा	6300	6300	6300
197.02	९ मिटर लामो	गोटा	7238	7238	7238
197.03	१० मिटर लामो	गोटा	13648	13648	13648
197.04	११ मिटर लामो	गोटा	15713	15713	15713
198	स्टील ट्युबलर पोल (ढुवानी बाहेक)				
198.01	८ मिटर लामो (१२० के.जी.)	गोटा	11891	11891	11891
198.02	९ मिटर लामो (१४७ के.जी.)	गोटा	16855	16855	16855
198.03	११ मिटर लामो (१७५ के.जी.)	गोटा	20680	20680	20680
199	एस सी एस आर कण्डक्टर				

[Handwritten signatures and marks at the bottom of the page]

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
199.01	ACSR Dog Conductor	कि.मी.	AS PER NEA Rate		
199.02	ACSR Rabbit Conductor	कि.मी.	AS PER NEA Rate		
199.03	ACSR Weasel Conductor	कि.मी.	AS PER NEA Rate		
200	Insulator				
200.01	11 kV Pin Insulator with Spindle	सेट	950	950	950
200.02	11 kV Disc Insulator with tension Clamp	सेट	1800	1800	1800
200.03	D-Iron with Sackle	सेट	250	250	250
201	साधारण कंक्रीट पोल (तार बार र यस्तै कामका लागि)				
201.01	६ फिट लामो ३X४ इन्चीको	गोटा	630	630	630
201.02	७ फिट लामो ३X४ इन्चीको	गोटा	861	861	861
201.03	६ फिट लामो ४X४ इन्चीको	गोटा	850	850	850
201.04	७ फिट लामो ४X४ इन्चीको	गोटा	997	997	997
201.05	८ फिट लामो ४X४ इन्चीको	गोटा	1312	1312	1312
201.06	१.५ मि. लामो ६X६ इन्चीको	गोटा	2310	2310	2310
201.07	१ मि. लामो ६X६ इन्चीको	गोटा	1575	1575	1575
202	कंक्रीट रिड (३' व्यास, १' उचाइ र २" मोटो)	गोटा	829	829	829
203	कंक्रीट रिड कवर (३' व्यास र २" मोटाइ)	गोटा	829	829	829
204	कंक्रीट आर.सी.सी. रेलिड पोष्ट १ फुट	गोटा	78	78	78
205	कंक्रीट आर.सी.सी. रेलिड पोष्ट २ फुट	गोटा	115	115	115
206	कंक्रीट आर.सी.सी. रेलिड पोष्ट ३ फुट	गोटा	157	157	157
	मेशीनरी				
207	पम्पसेट तथा र्यामर				
207.01	1/2 हर्ष पावरको चार्जिनिज	गोटा	4520	4520	4520
207.02	1 " " "	गोटा	8000	8000	8000
207.03	2 " " "	गोटा	19300	19300	19300
207.04	3 " " "	गोटा	32290	32290	32290
207.05	1/2 हर्ष पावरको भारती (ISI)	गोटा	9685	9685	9685
207.06	1 " " " (ISI)	गोटा	17220	17220	17220
207.07	2 " " " (ISI)	गोटा	26900	26900	26900
207.08	3 " " " (ISI)	गोटा	43000	43000	43000
208	इन्डियन सबमरसिबल पम्प (स्टेन्डर्ड कम्पनि)				
208.01	२ हर्ष पावर	गोटा	51345	51345	51345
208.02	३ हर्ष पावर	गोटा	62760	62760	62760
208.03	५ हर्ष पावर	गोटा	70745	70745	70745
208.04	७.५ हर्ष पावर	गोटा	131224	131224	131224
208.05	१० हर्ष पावर	गोटा	182574	182574	182574
208.06	१२.५ हर्ष पावर	गोटा	215000	215000	215000
208.07	१५ हर्ष पावर	गोटा	221000	221000	221000

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
208.08	१७ हर्प पावरको	गोटा	237000	237000	237000
208.09	20 Hp Submersible Pump Sets	गोटा	264000	264000	264000
208.10	25 Hp Submersible Pump Sets	गोटा	297500	297500	297500
208.11	30 Hp Submersible Pump Sets	गोटा	356000	356000	356000
208.12	35 Hp Submersible Pump Sets	गोटा	425000	425000	425000
209	डिजेल पम्पसेट				
209.01	५ हर्प पावरको (ISI)	गोटा	54000	54000	54000
209.02	८ हर्प पावरको (ISI)	गोटा	86000	86000	86000
210	वाटर मीटर	गोटा	1785	1785	1785
	वायरिङ तथा वायरिङका सामान				
211	स्तरीय सामान र पि.भि.सी. पाइप प्रयोग गरी सर्फेसवायरिङ गर्ने काम रायो मेटल बक्स, स्वीच, सिलिङ, रोज आदि वायरिङ सामान समेत प्रयोग गरी वायरिङ को काम				
211.01	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	1008	1008	1008
211.02	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	1432	1432	1432
211.03	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	1149	1149	1149
212	स्तरीय सामान र पि.भि.सी. पाइप प्रयोग गरी कन्सीलड वायरिङ गर्ने काम । (स्वीच, स्वीच बोर्ड, सिलिङ रोज, बक्स आदि आवश्यक सम्पूर्ण सामान समेत)				
212.01	क. ३/२२ को तार एन.एस. प्राप्त (कपर वायर) लाइट प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	1185	1185	1185
212.02	ख. ३/२२, ७/२२ को एन.एस. प्राप्त तार (कपरवायर) तार प्रयोग गरि १५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	1279	1279	1279
212.03	ग. ३/२०, १/१८ को एन.एस. प्राप्त तार (कपरवायर) लगाई ५ एम्पियर पावर प्वाइन्ट वायरिङ गर्ने काम ।	प्वाइन्ट	988	988	988
213	पंखा				
	सिलिङ, पंखा उषा,ओरिएन्ट,कम्पटन ग्रिभ्स वा सो सरह				
213.01	३६ इन्च	गोटा	3200	3200	3200
213.02	४२ इन्च	गोटा	3400	3400	3400
213.03	४८ इन्च	गोटा	3600	3600	3600
213.04	ISI वा NS गुणस्तरको एग्जैस्ट फेन १२ इन्च	गोटा	3600	3600	3600
213.05	चाईनिज स्टेण्ड फेन	गोटा	3400	3400	3400
213.06	इण्डियन स्टेण्ड फेन	गोटा	3950	3950	3950
213.07	स्टेण्ड पंखा (भारतीय स्पेशल)	गोटा	4725	4725	4725
213.08	बाल फेन चाईनिज	गोटा	3100	3100	3100

Handwritten signatures and marks at the bottom of the page.

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
214	डोम लाइट				
214.01	८ इन्च	गोटा	519	519	519
214.02	६ इन्च	गोटा	404	404	404
215	3W Round/square recess conceal	गोटा	325	325	325
216	6W Round/square recess conceal	गोटा	450	450	450
217	12W Round/square recess conceal	गोटा	950	950	950
218	वेदरपुफ लाइट	गोटा	210	210	210
219	मेन स्वीच				
219.01	६० एम्पियर	गोटा	4935	4935	4935
219.02	३० "	गोटा	1963	1963	1963
219.03	१५ "	गोटा	1470	1470	1470
220	१० एस.डब्लु.जि.प्लाष्टिक कोटेड कपर वायर अर्थिङको लागि	मीटर	138	138	138
221	सर्भिस तार	मीटर	26	26	26
222	मिटर बक्स				
222.01	प्लाष्टिक	गोटा	210	210	210
222.02	काठको	गोटा	315	315	315
223	काठको लिस्टी				
223.01	१/२" को	र.मी.	26	26	26
223.02	३/४" को	र.मी.	33	33	33
223.03	१" को	र.मी.	36	36	36
224	एम सि वि				
224.01	६ एम्पियर एस.पी.	गोटा	267	267	267
224.02	१५ एम्पियर एस.पी.	गोटा	393	393	393
224.03	१५ एम्पियर डी.पी.	गोटा	693	693	693
224.04	३० एम्पियर एस.पी.	गोटा	462	462	462
224.05	३० एम्पियर डी.पी.	गोटा	1260	1260	1260
225	Solar system with 20 watt solar panel, one 23 Ah battery and 3 nos of 4 watt LED bulbs	सेट	10500	10500	10500
	अन्य सामानहरु				
226	खर १५से मी व्यासको मुठा	मुठा	44	44	44
227	नरियलको डोरी	के.जी.	136	136	136
228	लाइन स्टिड्	र.मी.	8	8	8
229	जिओ-व्याग(१.०५मि. x ०.७ मि., ३५० ग्राम)	गोटा	383	383	383
230	नाइलन क्रेट ४.५ केजी (३X१.०५X१.०५) मि.	गोटा	2205	2205	2205
231	चटाई ३X६ फिटको	गोटा	144	144	144
232	भुसा	के.जी.	4	4	4
233	गोवर	के.जी.	5	5	5
234	खाली बोरा				
234.01	सिमेन्टको खाली बोरा (पुरानो)	गोटा	12	12	12

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
234.02	सिमेन्टको खाली बोरा (नयाँ)	गोटा	24	24	24
234.03	जूटको खाली बोरा	गोटा	110	110	110
235	हेशन जूट	व.मी.	210	210	210
236	नाइलन डोरी	के.जी.	232	232	232
237	मोविल (लुब्रिकेन्ट)	लीटर	682	682	682
238	गियर आयल	लीटर	682	682	682
239	ग्रिज	के.जी.	682	682	682
240	माछाका भुरा				
240.01	माछा सानो फिगर साइज	गोटा	0.52	1.5	1.5
240.02	माछा एडभान्स साइज	गोटा	1.41	3	3
241	हुटो	के.जी.	20	20	20
242	पिना	के.जी.	21	21	21
243	दाउरा	के.जी.	16	16	16
244	चिरपट	के.जी.	16	16	16
245	फलामे वाल्टी	गोटा	537	537	537
246	वांसको डोको	गोटा	231	231	231
247	पोलिथिन शीट ५०० गेज	के.जी.	220	220	220
248	टारफेल्ड शीट १x२० मिमी.	के.जी.	141	141	141
249	कंक्रीट एडमिक्चर (सेफक्रीट, सेफवर्न, सेफमाइट आदि)	लीटर	315	315	315
250	सिलिका एडमिक्चर	के.जी.	367	367	367
251	स्टोभ	गोटा	1050	1050	1050
	बायोइन्जिनियरिङ्का सामान तथा पशुचौपाया सम्बन्धि				
252	बिरुवाहरु				
252.01	अम्लिसो	गाना	5.51	6	7
252.02	सुपर नेपियर	सेट	3.3	5	6
252.03	स्मार्ट नेपियर	सेट		10	11
252.04	रेड नेपियर	सेट		15	16
252.03	कास	स्लिप	1.1	1.1	1.1
253	वास बिरुवा विउवाट उत्पादन				
253.01	१ वर्षे बिरुवा	गोटा	55.12	55.12	55.12
253.02	२ वर्षे बिरुवा	गोटा	82.68	82.68	82.68
253.03	३ वर्षे बिरुवा	गोटा	165.37	165.37	165.37
254	वास राईजोम	राईजोम	496.12	496.12	496.12
255	वास बिरुवा कटिड.				
255.01	१ वर्षे बिरुवा	गोटा	275.62	275.62	275.62
255.02	२ वर्षे बिरुवा	गोटा	330.75	330.75	330.75
255.03	३ वर्षे बिरुवा	गोटा	385.87	385.87	385.87
255.04	निगालो	गोटा	16.53	16.53	16.53

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
255.05	डालेघास	गोटा	17.64	20	20
256	हिउँदे तथा बर्षे घाँसको विउ				
256.01	जै	कि. ग्रा.	88.20	100.00	105.00
256.02	बर्षिम	कि. ग्रा.	330.75	350.00	367.00
256.03	भेच	कि. ग्रा.	132.30	135.00	141.00
256.04	टियोसेन्टी	कि. ग्रा.	110.25	125.00	131.00
256.05	बाजरा	कि. ग्रा.	104.73	110.00	115.00
256.06	सुडान	कि. ग्रा.	110.25	115.00	120.00
257	बहुवर्षे तथा डालेघाँसको विरुवा				
257.01	नेपियर CO4 जरासहित	स्लीप	3.3	3.3	3.3
257.02	नेपियर CO4	स्लीप	2.2	3	3
257.03	नेपियर (अन्य) जरासहित	स्लीप	2.2	3	3
257.04	मुलाटो, पास्पलम, सेटेरिया, वदामे	गोटा	2.2	2.2	2.2
257.05	डाले घाँसको बेनी (बडहर)	गोटा	17.64	20	21
257.06	डाले घाँसको बेनी (अन्य जात)	गोटा	16.53	17	18
258	प्रजननकालागि पालिने बोका बाखा				
258.01	बाखा (खरि)	के.जी.	385	650	700
258.02	बाखा (५०% बोयर क्रस)	के.जी.			1000
258.03	बोका (खरि, जमुना पारी, बारवेरी)	के.जी.	551	850	850
258.04	बोका (५०% बोयर क्रस)	के.जी.		1000	1100
258.05	बोका बोयर जातको	के.जी.	882	1200	1250
259	उन्नत जातको बंगुरको पाठापाठी				
259.01	पाठी (न्यूनतम ४५ दिन)	गोटा	5512	6000	6000
259.02	पाठा (न्यूनतम ४५ दिन)	गोटा	6063	6300	6200
259.03	बंगुरको वीर (९० दिन)	गोटा	7717	8000	8000
259.04	पाठी (न्यूनतम ६० दिन)	गोटा		7000	7000
259.05	पाठा (न्यूनतम ६० दिन)	गोटा		7200	7200
259.06	बंगुर पोथि (उन्नत)	के.जी.			440
259.07	वीर (उन्नत)	के.जी.			550
259.08	बंगुर खसि	के.जी.			440
260	प्रजननकालागि पालिने भैसी, गाई, रागो, साँढे, कुखुरा				
260.01	प्रजनन योग्य रागो मुरा जातको	गोटा	110250	115000	125000
260.02	प्रजनन योग्य साँढे होलिष्टिन जातको	गोटा	110250	115000	125000
260.03	प्रजनन योग्य साँढे जर्सी जातको	गोटा	88200	92000	95000
260.04	प्रजननयोग्य स्थानीय भैसी	गोटा		85000	90000
260.05	प्रजननयोग्य मुरा भैसी	गोटा		120000	130000
260.06	प्रजननयोग्य स्थानीय गाई	गोटा		35000	30000

(Handwritten signatures and marks at the bottom of the page)

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
260.07	स्थानीय कुखुरा भाले	कि.ग्रा.		800	800
260.08	स्थानीय कुखुरा पोथी	कि.ग्रा.		600	600
261	Steel Door and Window				
261.01	900*2100 Steel Door set with frame 50 T Thickness	सेट	21630	21630	21630
261.02	1000*2100 Steel Door set with frame 50 T Thickness	सेट	22660	22660	22660
261.03	900*2100 ABS Door set with frame 50 T Thickness	सेट	18540	18540	18540
261.04	900*2100 Panel Door set with frame 50 T Thickness	सेट	14420	14420	14420
261.05	115mm Window set with frame 50 T Thickness	सेट	900	900	900
262	Flush Door				
262.01	Glossy	व.फु.	275	275	275
262.02	Maat	व.फु.	260	260	260
263	Non Asbestos Sheet				
263.01	1050mm overall width,6mm thickness-Normal	र.मी.	575	575	575
263.02	1050mm overall width,6mm thickness-Coloured	र.मी.	675	675	675
263.03	Supplying and erection if different mm thick cement base prefabricated everest solid wall panel (RAPION) non abestso incliding 1.1mm thick GI channel (50*25*20)mm with necessary accessories and fittings charge in partition wall all complet.				
	75mm thick	व.फु.	315	315	315
	50mm thick	व.फु.	250	250	250
262	Interior and Finishing Materials				
A	Roofing Material				
1.00	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm	4000	4000	4000
2.00	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	Sqm	3000	3000	3000
3.00	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm	1400	1400	1400

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
4.00	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	Sqm	1300	1300	1300
B	Flooring Material				
1.00	Stone Plastic Composit Flooring (SPC) of 4 mm thick with base material and skirting	Sqm	2700	2700	2700
C	Material for Wall				
	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	Sqm	15300	15300	15300
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	Pcs	2800	2800	2800
	150X300 Tile	Pcs	3500	3500	3500
	300X300 Tile	Pcs	4000	4000	4000
D	Ceiling Work				
1.00	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum), wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sqm	25000	25000	25000
E	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sqm	45000	45000	45000

[Handwritten signatures and marks are present below the table, including a large signature on the right and several smaller ones on the left.]

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
F	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sqm	100000	100000	100000
263	Concrete Admixture, Water Proofing Systsem Integral				
263.01	Protective, Decorative carbonating coating- Fosroc Nitogurd	Kg	1300	1300	1300
263.02	Protective polyerethane sealer Fosroc Promeseal	Ltr	800	800	800
263.03	High Performance water repellant Paint	Ltr	1100	1100	1100
263.04	Concrete curing aid- Fosroc Concure WB	Kg	450	450	450
263.05	Integral waterproofing additive for concrete and plaster- Fosroc Conplast WL Extra	Kg	320	320	320
264.00	PVC -O pipe				
264.10	Class 500 PVC -O pipe -PN 12.5				
	90mm	र.मि	730	730	583
	110mm	र.मि	1150	1150	865
	125mm	र.मि	1450	1450	1250
	140mm	र.मि	1750	1750	1662
	160mm	र.मि	2200	2200	2090
	180mm	र.मि			2707
	200mm	र.मि	3500	3500	3325
	225mm	र.मि	4400	4400	4180
	250mm	र.मि	5200	5200	4940
	280mm	र.मि			6650
	315mm	र.मि	8500	8500	8075
	355mm	र.मि	10800	10800	10260
	400mm	र.मि	14000	14000	13089
	450mm	र.मि	19000	19000	19000
	500mm	र.मि	22700	22700	22700
	630mm	र.मि	36000	36000	36000
	800mm	र.मि	58000	58000	58000
	1000mm	र.मि	110000	110000	110000
	1200mm	र.मि	150000	150000	150000
264.20	Class 500 PVC -O pipe -PN 16				
	90mm	र.मि	854	854	738

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	110mm	र.मि	1260	1260	1197
	125mm	र.मि	1550	1550	1472
	140mm	र.मि	1950	1950	1852
	160mm	र.मि	2600	2600	2470
	180mm	र.मि			2850
	200mm	र.मि	4000	4000	3800
	225mm	र.मि	4950	4950	4805
	250mm	र.मि	6300	6300	5985*
	280mm	र.मि			7500
	315mm	र.मि	9600	9600	8800
	355mm	र.मि	12700	12700	12065
	400mm	र.मि	16000	16000	13089
	450mm	र.मि	22500	22500	20131
	500mm	र.मि	27500	27500	24591
	630mm	र.मि	46500	46500	38412
	800mm	र.मि	75000	75000	59382
	1000mm	र.मि	120000	120000	96000
	1200mm	र.मि	175000	175000	140000
264.30	Class 500 PVC -O pipe -PN 25				
	90mm	र.मि	1700	1700	1700
	110mm	र.मि	2500	2500	2500
	125mm	र.मि	2700	2700	2700
	140mm	र.मि	3100	3100	3100
	160mm	र.मि	3800	3800	3800
	200mm	र.मि	5500	5500	5389
	225mm	र.मि	6700	6700	6566
	250mm	र.मि	8500	8500	7688
	315mm	र.मि	13000	13000	10895
	355mm	र.मि	16000	16000	14040
	400mm	र.मि	20500	20500	19420
	450mm	र.मि	30000	30000	25705
	500mm	र.मि	38000	38000	31255
	630mm	र.मि	57000	57000	48179
265.00	PVC -O pipe Fittings				
265.10	ELBOW 11.25 degree(PN-16)				
	110mm	गोटा	7376	7376	5141
	125mm	गोटा			8816
	140mm	गोटा			9299
	160mm	गोटा	16022	16022	10568
	200mm	गोटा	29429	29429	16365

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	225mm	गोटा			23584
	250mm	गोटा	44811	44811	25053
	315mm	गोटा	85895	85895	50416
	400mm	गोटा	160333	160333	84200
265.20	ELBOW 22.5 degree(PN-16)				
	110mm	गोटा	7671	7671	5734
	125mm	गोटा			8604
	140mm	गोटा			9076
	160mm	गोटा	16913	16913	10089
	200mm	गोटा	30606	30606	16365
	225mm	गोटा			23548
	250mm	गोटा	46604	46604	25053
	315mm	गोटा	89331	89331	50416
	400mm	गोटा	166746	166746	84200
265.30	ELBOW 45 degree(PN-16)				
	110mm	गोटा	8485	8485	6286
	125mm	गोटा			9426
	140mm	गोटा			11597
	160mm	गोटा	18570	18570	12894
	200mm	गोटा	33658	33658	17997
	225mm	गोटा			28804
	250mm	गोटा	55204	55204	30641
	315mm	गोटा	97950	97950	55282
	400mm	गोटा	189744	189744	95816
265.40	ELBOW 90 degree(PN-16)				
	110mm	गोटा	12050	12050	7227
	125mm	गोटा			10842
	140mm	गोटा			13222
	160mm	गोटा	24143	24143	14700
	200mm	गोटा	43417	43417	23213
	225mm	गोटा			37734
	250mm	गोटा	72318	72318	40142
	315mm	गोटा	112640	112640	71142
	400mm	गोटा	225797	225797	114021
265.50	Coupler (PN -16)				
	110mm	गोटा	7359	7359	5171
	125mm	गोटा			7758
	140mm	गोटा			8017
	160mm	गोटा	13123	13123	8913
	200mm	गोटा	18968	18968	12891

Handwritten signatures and marks at the bottom of the page.

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	225mm	गोटा			20408
	250mm	गोटा	35502	35502	21711
	315mm	गोटा	67296	67296	39787
	400mm	गोटा	149158	149158	68127
265.60	Sliding Coupler (PN -16)				
	110mm	गोटा			5171
	125mm	गोटा			7758
	140mm	गोटा			8017
	160mm	गोटा			8913
	200mm	गोटा			12891
	225mm	गोटा			20408
	250mm	गोटा			21711
	315mm	गोटा			39787
	400mm	गोटा			68127
265.70	Reducing Coupler (PN -16)				
	110 to 90	गोटा			5499
	125 to 110	गोटा			8251
	140 to 110	गोटा			9126
	160 to 110	गोटा			9197
	160 to 140	गोटा			9590
	200 to 160	गोटा			13958
	225 to 160	गोटा			20329
	225 to 200	गोटा			22000
	250 to 200	गोटा			20211
	315 to 250	गोटा			35625
	400 to 315	गोटा			61941
266.00	SURFACE DRAIN SLOTTED UNIT WITH DWC PIPE				
266.10	Corffit Stormline Surface Drain (6inch height, 2.25 inch top width) Aluminium slot riser consisting Two parallel plates seperated by spacers with Galvanized Steel grate, flange at bottom mounted longitudinally using rivets with SN8 DWC Pipes (NS 595-2079).				
	6 inch Riser, 2.25 inch width -100mm DWC	मिटर			5256
	6 inch Riser, 2.25 inch width -150mm DWC	मिटर			5812
	6 inch Riser, 2.25 inch width -200mm DWC	मिटर			6368
	6 inch Riser, 2.25 inch width -250mm DWC	मिटर			6813
	6 inch Riser, 2.25 inch width -300mm DWC	मिटर			8215
	6 inch Riser, 2.25 inch width -400mm DWC	मिटर			9227
	6 inch Riser, 2.25 inch width -500mm DWC	मिटर			10106

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	6 inch Riser, 2.25 inch width -600mm DWC	मिटर			14010
	6 inch Riser, 2.25 inch width -800mm DWC	मिटर			19685
	6 inch Riser, 2.25 inch width -1000mm DWC	मिटर			27272
266.20	Corffit Stormline Surface Drain (6inch height, 2.25 inch top width) Aluminium slot riser consisting Two parallel plates seperated by spacers with Open Top, flange at bottom mounted longitudinally using rivets with SN8 DWC Pipes (NS 595-2079).				
	6 inch Riser, 2.25 inch width -100mm DWC	मिटर			5206
	6 inch Riser, 2.25 inch width -150mm DWC	मिटर			5762
	6 inch Riser, 2.25 inch width -200mm DWC	मिटर			6318
	6 inch Riser, 2.25 inch width -250mm DWC	मिटर			6763
	6 inch Riser, 2.25 inch width -300mm DWC	मिटर			8165
	6 inch Riser, 2.25 inch width -400mm DWC	मिटर			9177
	6 inch Riser, 2.25 inch width -500mm DWC	मिटर			10056
	6 inch Riser, 2.25 inch width -600mm DWC	मिटर			13960
	6 inch Riser, 2.25 inch width -800mm DWC	मिटर			19635
	6 inch Riser, 2.25 inch width -1000mm DWC	मिटर			27222
266.30	Corffit Stormline Surface Drain (2.5 inch height, 2.25 inch top width) Aluminium slot riser consisting Two parallel plates seperated by spacers with Galvanized Steel grate, flange at bottom mounted longitudinally using rivets with SN8 DWC Pipes (NS 595-2079).				
	2.5 inch Riser, 2.25 inch width -100mm DWC	मिटर			4205
	2.5 inch Riser, 2.25 inch width -150mm DWC	मिटर			4650
	2.5 inch Riser, 2.25 inch width -200mm DWC	मिटर			5094
	2.5 inch Riser, 2.25 inch width -250mm DWC	मिटर			5450
	2.5 inch Riser, 2.25 inch width -300mm DWC	मिटर			6572
	2.5 inch Riser, 2.25 inch width -400mm DWC	मिटर			7382
	2.5 inch Riser, 2.25 inch width -500mm DWC	मिटर			8085
	2.5 inch Riser, 2.25 inch width -600mm DWC	मिटर			11208
	2.5 inch Riser, 2.25 inch width -800mm DWC	मिटर			15748
	2.5 inch Riser, 2.25 inch width -1000mm DWC	मिटर			21818
266.40	Corffit Stormline XL Surface Drain (2.5 inch height, 5 inch top width) Aluminium slot riser consisting Two parallel plates seperated by spacers with Ductile Iron Grate, flange at bottom mounted longitudinally using rivets with SN8 DWC Pipes (NS 595-2079).				
	6 inch Riser, 2.25 inch width -100mm DWC	मिटर			10512

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	6 inch Riser, 2.25 inch width -150mm DWC	मिटर			11624
	6 inch Riser, 2.25 inch width -200mm DWC	मिटर			12736
	6 inch Riser, 2.25 inch width -250mm DWC	मिटर			13626
	6 inch Riser, 2.25 inch width -300mm DWC	मिटर			16430
	6 inch Riser, 2.25 inch width -400mm DWC	मिटर			18454
	6 inch Riser, 2.25 inch width -500mm DWC	मिटर			20212
	6 inch Riser, 2.25 inch width -600mm DWC	मिटर			28020
	6 inch Riser, 2.25 inch width -800mm DWC	मिटर			39370
	6 inch Riser, 2.25 inch width -1000mm DWC	मिटर			54544
267.00	Plastic Prefab Manholes प्लास्टिक मगल				
267.10	CORRFIT LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 1.5 mtr	गोटा			89120
	Height 2 mtr	गोटा			98480
	Height 2.5 mtr	गोटा			107840
	Height 3 mtr	गोटा			117200
	Height 3.5 mtr	गोटा			126560
	Height 4 mtr	गोटा			135920
	Height 4.5 mtr	गोटा			145280
	Height 5 mtr	गोटा			154640
	Height 5.5 mtr	गोटा			164000
	Height 6 mtr	गोटा			173360
	Height 6.5 mtr	गोटा			182720
267.20	CORRFIT LLDPE PLASTIC MANHOLE (DN 800MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap				
	Height 1.5 mtr	गोटा			68800
	Height 2 mtr	गोटा			75200
	Height 2.5 mtr	गोटा			81600
	Height 3 mtr	गोटा			88000
	Height 3.5 mtr	गोटा			94400
	Height 4 mtr	गोटा			100800
	Height 4.5 mtr	गोटा			107200
	Height 5 mtr	गोटा			113600
	Height 5.5 mtr	गोटा			120000
	Height 6 mtr	गोटा			126400
	Height 6.5 mtr	गोटा			132800

[Handwritten signatures and marks at the bottom of the page]

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
267.30	CORRFIT LLDPE PLASTIC MANHOLE (DN 600MM SERIES) Includes Shaft, Inos Gasket & End Cap				
	Height 1 mtr	गोटा			29600
	Height 1.5 mtr	गोटा			34000
	Height 2 mtr	गोटा			38400
	Height 2.5 mtr	गोटा			42800
	Height 3 mtr	गोटा			47200
	Height 3.5 mtr	गोटा			51600
	Height 4 mtr	गोटा			56000
	Height 4.5 mtr	गोटा			60400
	Height 5 mtr	गोटा			64800
	Height 5.5 mtr	गोटा			69200
	Height 6 mtr	गोटा			73600
267.40	CORRFIT LLDPE PLASTIC MANHOLE (DN 500MM SERIES) Includes Shaft, Inos Gasket & End Cap				
	Height 1 mtr	गोटा			23200
	Height 1.5 mtr	गोटा			26000
	Height 2 mtr	गोटा			28800
	Height 2.5 mtr	गोटा			31600
	Height 3 mtr	गोटा			34400
	Height 3.5 mtr	गोटा			37200
	Height 4 mtr	गोटा			40000
	Height 4.5 mtr	गोटा			42800
	Height 5 mtr	गोटा			45600
	Height 5.5 mtr	गोटा			48400
	Height 6 mtr	गोटा			51200
267.50	CORRFIT LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket with 180 degree base of 300mm Trunk Line				
	Height 1.5 mtr	गोटा			141920
	Height 2 mtr	गोटा			151280
	Height 2.5 mtr	गोटा			160640
	Height 3 mtr	गोटा			170000
	Height 3.5 mtr	गोटा			179360
	Height 4 mtr	गोटा			188720
	Height 4.5 mtr	गोटा			198080
	Height 5 mtr	गोटा			207440
	Height 5.5 mtr	गोटा			216800
	Height 6 mtr	गोटा			226160

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	Height 6.5 mtr	गोटा			235520
267.60	CORRFIT LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket with 180 degree base of 400mm Trunk Line				
	Height 1.5 mtr	गोटा			146720
	Height 2 mtr	गोटा			156080
	Height 2.5 mtr	गोटा			165440
	Height 3 mtr	गोटा			174800
	Height 3.5 mtr	गोटा			184160
	Height 4 mtr	गोटा			193520
	Height 4.5 mtr	गोटा			202880
	Height 5 mtr	गोटा			212240
	Height 5.5 mtr	गोटा			221600
	Height 6 mtr	गोटा			230960
	Height 6.5 mtr	गोटा			240320
267.70	CORRFIT LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket with 180 degree base of 500mm Trunk Line				
	Height 1.5 mtr	गोटा			151520
	Height 2 mtr	गोटा			160880
	Height 2.5 mtr	गोटा			170240
	Height 3 mtr	गोटा			179600
	Height 3.5 mtr	गोटा			188960
	Height 4 mtr	गोटा			198320
	Height 4.5 mtr	गोटा			207680
	Height 5 mtr	गोटा			217040
	Height 5.5 mtr	गोटा			226400
	Height 6 mtr	गोटा			235760
	Height 6.5 mtr	गोटा			245120
267.80	CORRFIT LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket with 180 degree base of 600mm Trunk Line				
	Height 1.5 mtr	गोटा			156320
	Height 2 mtr	गोटा			165680
	Height 2.5 mtr	गोटा			175040
	Height 3 mtr	गोटा			184400
	Height 3.5 mtr	गोटा			193760
	Height 4 mtr	गोटा			203120
	Height 4.5 mtr	गोटा			212480
	Height 5 mtr	गोटा			221840

Handwritten signatures and marks at the bottom of the page.

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	Height 5.5 mtr	गोटा			231200
	Height 6 mtr	गोटा			240560
	Height 6.5 mtr	गोटा			249920
267.90	ELASTOMETRIC EPDM RING (TO JOIN DWC PIPE TO DWC PIPE) USED FOR CONNECTIONS IN MANHOLE AND TRUNK LINE				
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*110MM	गोटा			5000
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*150MM	गोटा			6162
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*200MM	गोटा			7469
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*250MM	गोटा			10756
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*300MM	गोटा			12464
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*400MM	गोटा			23528
	ELASTOMETRIC RING (TO JOIN PIPE) 1000MM*500MM	गोटा			28383
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*110MM	गोटा			3735
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*150MM	गोटा			5228
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*200MM	गोटा			8474
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*250MM	गोटा			11254
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*300MM	गोटा			11693
	ELASTOMETRIC RING (TO JOIN PIPE) 800MM*400MM	गोटा			25278
	ELASTOMETRIC RING (TO JOIN PIPE) 600MM*110MM	गोटा			4668
	ELASTOMETRIC RING (TO JOIN PIPE) 600MM*150MM	गोटा			5460
	ELASTOMETRIC RING (TO JOIN PIPE) 600MM*200MM	गोटा			6629
	ELASTOMETRIC RING (TO JOIN PIPE) 600MM*250MM	गोटा			11934
	ELASTOMETRIC RING (TO JOIN PIPE) 600MM*300MM	गोटा			13725
	ELASTOMETRIC RING (TO JOIN PIPE) 500MM*110MM	गोटा			3735
	ELASTOMETRIC RING (TO JOIN PIPE) 500MM*150MM	गोटा			5172
	ELASTOMETRIC RING (TO JOIN PIPE) 500MM*200MM	गोटा			6666

Handwritten signatures and marks at the bottom of the page.

क्र.सं.	विवरण	एकाई	आ. व. ८०/८१ को दररेट	आ. व. ८१/८२ को दररेट	आ. व. ०८२-८३ को दररेट
	ELASTOMETRIC RING (TO JOIN PIPE) 500MM*250MM	गोटा			12203
	ELASTOMETRIC RING (TO JOIN PIPE) 500MM*300MM	गोटा			14192
	ELASTOMETRIC RING (TO JOIN PIPE) 400MM*110MM	गोटा			3361
	ELASTOMETRIC RING (TO JOIN PIPE) 400MM*150MM	गोटा			4482
	ELASTOMETRIC RING (TO JOIN PIPE) 400MM*200MM	गोटा			7413
	ELASTOMETRIC RING (TO JOIN PIPE) 300MM*110MM	गोटा			2988
	ELASTOMETRIC RING (TO JOIN PIPE) 300MM*150MM	गोटा			4468
	ELASTOMETRIC RING (TO JOIN PIPE) 300MM*200MM	गोटा			7413
268.00	वाल पेपर				150
268.01	Supplying and Fitting of 3D Wallpaper	व.फु.			150
268.02	Supplying and Fitting of Customized Wall Mural	व.फु.			135
268.03	Supplying and Fitting of Wall Foam	सेट			2500
268.04	Supplying and Fitting of Customized Canvas	व.फु.			150
268.05	Supplying and Fitting of Artificial Grass	प्याकेट			400
268.06	Wallpaper Powder Glue	व.फु.			50
268.07	Kitchen Stickers				
269.00	3D-Semi Flexible Galvanised Steel Mat				5005
269.10	3D-Semi Flexible Galvanised Steel Mat, panel Size 80X115x3000 Approx wt 3kg/m2	Sqm			25580
269.20	Binding loops stainless steel, approx wt 6kg/bundle	Bundle			265
270	20*20mm Mesh Size 16 gauge Welded square Wire Mesh	के.जी.	265	265	145
271	Wall Painting Works (Cultural, Heritage, Tourism Poster and Other Poster)	व.फु.			80
272	भित्ति लेखन गर्ने कार्य	Bag			1150
273	Instant road repair premix (pot holes)				

माथि उल्लेखित आईटम हरू भन्दा थप आईटमहरु आवश्यक परेमा बजार बाट तिनवटा दररेट माग गरी सो मध्यबाट न्यूनतम दररेट लाई आधारमानी कायम गर्न सकिने छ ।

(Handwritten signatures and marks)

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
1.00	100 Series - 2 Panel Sliding Window	100 Series	Sqm	8000	8000
	Natural Anodised/ Black - White Powder Coated Profiles	Frame - 101.3 x 44 x 1.3			
		101.3 x 41.5 x 1.3			
	Aluminium Windows Including, Auto Lock, Center Lock, Roller, Brush, S.S. Mosquito Net 304 grade, Knobs, Gaskets & Necessary Hardware etc	101.3 x 44.6 x 1.3			
	(5mm clear/ Colour Glass)	Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			
2.00	WINDOWS - 2 Pannel Sliding, with Fix Ventilation	100 Series	Sqm	8050	8050
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 101.3 x 44 x 1.3			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.3			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.3			
		Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			
3.00	WINDOWS - 2 Pannel Sliding, with Sliding Ventilation	100 Series	Sqm	8715	8715
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 101.3 x 44 x 1.3			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.3			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.3			
		Palla - 50 x 28 x 1.0			
		64 x 31.3 x 1.0			
4.00	WINDOWS - 2 Pannel Sliding,	100 Series	Sqm	8231.4	8231.4
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5			
	(5mm clear/ Colour Glass)	101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			
5.00	WINDOWS - 2 Pannel Sliding, with Sliding Ventilation	100 Series	Sqm	8918	8918
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame - 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	101.3 x 41.5 x 1.5			
		101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			

क्र. सं.	विवरण	सेक्सन/साईज	एकई	आ. व. ०८१/८२ को दररेट	आ. व. ०८२/८३ को दररेट
6.00	WINDOWS – 3 Pannel Sliding with FIX Ventilation	100 Series	Sqm	10168	10168
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 101.3 x 44 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	101.3 x 41.5 x 1.5			
		101.3 x 44.6 x 1.5			
		Palla - 50 x 28 x 1.2			
		64 x 31.3 x 1.2			
		76.2 x 28 x 1.2			
7.00	WINDOWS – 2 Pannel Sliding,	90 Series	Sqm	7263	7263
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	87 x 56 x 1.2			
		90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
8.00	WINDOWS – 2 Pannel Sliding, with Sliding Ventilation	90 Series	Sqm	7700	7700
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	87 x 56 x 1.2			
		90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
9.00	WINDOWS – 2 Pannel Sliding,	90 Series	Sqm	7700	7700
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles				
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	Frame – 87 x 40 x 1.5			
		87 x 56 x 1.5			
		90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
10.00	WINDOWS – 2 Pannel Sliding, with Sliding Ventilation	90 Series	Sqm	10222	10222
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc (5mm clear/ Colour Glass)	87 x 56 x 1.5			
		90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
		62 x 31 x 1.2			

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. व. ०८१/८२ को दररेट	आ. व. ०८२/८३ को दररेट
11.00	WINDOWS – 3 Pannel Sliding,	90 Series	Sqm	8688.70	8688.70
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.2			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.2			
	(5mm clear/ Colour Glass)	90 x 43 x 1.2			
		Palla - 50 x 27 x 1.0			
		60 x 27 x 1.0			
		62 x 31 x 1.0			
12.00	WINDOWS – 3 Pannel Sliding,	90 Series	Sqm	9200	9200
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame – 87 x 40 x 1.5			
	Aluminium Windows Including, Auto Lock, Roller, Brush, S.S. Mosquito Net, Knobs, Gaskets & Necessary Hardware etc	87 x 56 x 1.5			
	(5mm clear/ Colour Glass)	90 x 43 x 1.5			
		Palla - 50 x 27 x 1.2			
		60 x 27 x 1.2			
		62 x 31 x 1.2			
13.00	DOORS – Hinge Fabrication	100 Series	Sqm	8339	8339
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.0			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 48 x 45 x 1.0			
14.00	DOORS – Hinge Fabrication	100 Series	Sqm	9684	9684
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.3			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 48 x 45 x 1.0			
15.00	DOORS – Hinge Fabrication	100 Series	Sqm	11298	11298
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Door Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.5			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 83 x 44 x 1.2			
		48 x 45 x 1.0			






Handwritten signature and date: 25/08/2083

क्र. सं.	विवरण	सेक्सन/साइज	एकई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
16.00	DOORS – Floor Fabrication	100 Series	Sqm	12374	12374
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.				
	Aluminium Doors Including, Door Closer, American Handle, Stopper, Aldrop, Lock, Rubber, Brush, Gaskets & Necessary Hardware etc	Frame – 101 x 45 x 1.3			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	Palla - 83 x 44 x 1.2			
	FLOOR SPRING – openable with both side	48 x 45 x 1.0			
17.00	DOORS – SLIDING Fabrication	100 Series	Sqm	11298	11298
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles.	Frame – 101 x 45 x 1.2			
	Aluminium Doors Including, Lock, Rubber, Brush, Sliding Bearings, Gaskets & Necessary Hardware etc	Palla - 64 x 28 x 1.2			
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)	50 x 28 x 1.2			
18.00	VENTILATION – Fixed Fabrication/LOUVER		Sqm	6550	6550
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame -101*45*1.2			
	with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber				
19.00	VENTILATION – Fixed Fabrication/LOUVER		Sqm	5918	5918
	Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame -63.3*37*1.0			
	with Fixed 5mm glass and all other necessary Hardware gaskets, brush and rubber				
20.00	Partation – Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame -101*45*1.2	Sqm	6994	6994
	Aluminium with necessary hardware				
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
21.00	Partation – Fabrication, Supplying & Fixing in Natural Anodised/ Black Anodised/ White Powder Coated Profiles	Frame -63.3*37*1.0	Sqm	5918	5918
	Aluminium with necessary hardware				
	(5mm Al. Composite / 5mm Clear Glass / 8mm Nepal Board)				
22.00	Fabrication of Steel Railing with 4 row of steel pipe (running Ft) ROUND S S PIPES	2"/1"/1"/1" with support 1.5" steel pipe	r.ft	1080	950
23.00	Fabrication of Steel with 3 row of Steel Pipe (running Ft) ROUND S S PIPES	2"/1"/1" with support 1.5" steel pipe	r.ft	900	750
24.00	Fabrication of Steel Railing with 2 row of steel pipe (running Ft)) ROUND S S PIPES	2"/1"/ with support 1.5" steel pipe	r.ft	735	550
25.00	Fabrication of Steel with single row of Steel Pipe (running Ft) ROUND S S PIPES	1.5" with support 1.5" steel pipe	Sq.ft	577	577
26.00	Fabrication of Steel Gate , Steel Furniture like Bench, Arching Table, Modular Rack and all kinds		Kg	493	493
27.00	Powder Coated MS Door/Window/Ventilation of Frame size 100mm*50mm with 1.6mm thick moulded iron sheet including holdfast, Hinge		Sq.ft	290	290

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
28.00	Powder Coated iron Window/Ventilation glazed shutter of Frame size 70mm*25mm with 1.0mm thick moulded iron sheet including 4mm glass and accessories and fittings all complete		Sq.ft	650	650
29.00	Powder Coated iron Window/Ventilation mesh shutter of Frame size 38mm*20mm including 4 accessories and fittings all complete		Sq.ft	490	490
30.00	STRUCTURAL GLAZING - Glass Fabrication Natural Anodised/ Black Anodised/ White Powder Coated Aluminium Profiles Structure fabrication or Pannel designing with Colour /Clear 5mm glass with all other accessory hardware and gaskets.	Frame - 101 x 45 x 2.0	Sq.ft		775
31.00	STRUCTURAL GLAZING - Glass Fabrication Natural Anodised/ Black Anodised/ White Powder Coated Aluminium Profiles Structure fabrication or Pannel designing with Colour /Clear 5mm glass with all other accessory hardware and gaskets.	Frame - 60 x 75 x 1.5	Sq.ft		625
32.00	ACP GLAZING - Wall Fabricate With Aluminium Composite Pannel Structure fabrication or Pannel designing with Colour Aluminium Composite Panel Having the thickness of Aluminium coil is not less then 0.15mm with polarised coolur with warranty Time	ACP - 3 MM	Sq.ft		450
33.00	Glass Casement Door / Window Fabrication and Installation with Glass Door with all necessary Fitting Item as Door Lock, Hinge, Handle Gaskets, Silicon and other	10mm Toughnrd Glass	Sq.ft		750
34.00	Glass Partation - Wall / Room/ Partation Fabrication and Installation with Glass with all necessary Fitting Item as Connector, Knobs, Handle Gaskets, Silicon and other	10mm Toughnrd Glass	Sq.ft		710
35.00	Roofing For Skylight Fabrication and Installation with Polycarbonatd Glass with all necessary Fitting Item as Connector, Knobs, Handle Gaskets, Silicon and other	10mm Polycarbonate Fiber	Sq.ft		1100
36.00	Roofing For parking / Garden Etc Fabrication and Installation with FRP - FiberGlass Reinforced Plastic Sheet with all necessary Fitting Item as Connector, Knobs, Handle Gaskets, Silicon and other	1.5mm FRP Sheet	Sq.ft		275
37.00	Glass Railig / Staircase Fabrication with Toughned Glass Staicase railing or Lobby Railing with 10mm Glass with Suitable necessary Hardware like S S Bluster/Pipes/ ets	Grade - 304 (1.5mm/16 Guage) 10mm Toughned Glass	Sq.ft		875
UPVC Profile for Door/Window					
2 / 3 Panel Sliding Window with Net					
38.00	Profile - White or Blue White Manufacture By Registered Nepali Company	Win Frame 112 x 52 x 2.0 Shutter Frame 66 x 42 x 2.0 Shutter NET 66 x 42 x 2.0	Sqm		10222
	Fabrication of UPVC Sliding Window of Defined Section Size With Double Roller, Window Sliding Lock, S. S Screw, Weather Strips, Gaskets, S.S 304 Grade Diamond Net with all Necessary Fitting Item Reinforcement and Tracking Channel				
	(5mm clear/ Colour Glass)				
	2 Panel Sliding Window with Net				

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
39.00	Profile - White or Blue White Manufacture By Registered Nepali Company	Win Frame 88 x 52 x 2.0	Sqm		8070
		Shutter Frame 58 x 42 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Double Roller, Window Sliding Lock, S. S Screw, Weather Strips, Gaskets, S.S Mosquito Net 304 grade with all Necessary Fitting Item Reinforcement and Tracking Channel	Shutter NET 52 x 19 x 1.7			
	(5mm clear/ Colour Glass)				
2 Panel Sliding Window without Net					
40.00	Profile - White or Blue White Manufacture By Registered Nepali Company	Win Frame 60 x 62 x 2.0	Sqm		6456
		Shutter Frame 58 x 42 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Double Roller, Window Sliding Lock, S. S Screw, Weather Strips, Gaskets, S.S Mosquito Net 304 grade with all Necessary Fitting Item Reinforcement and Tracking Channel				
	(5mm clear/ Colour Glass)				
2 Panel Sliding Window with Net					
41.00	Profile - White or Blue White Manufacture By Registered Nepali Company	Win Frame 80 x 50 x 2.0	Sqm		6725
		Shutter Frame 55 x 37 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Double Roller, Window Sliding Lock, S. S Screw, Weather Strips, Gaskets, S.S Mosquito Net 304 grade with all Necessary Fitting Item Reinforcement and Tracking Channel	Shutter NET 52 x 19 x 1.7			
	(5mm clear/ Colour Glass)				
Sliding DOORS					
42.00	Profile - White or Blue White Manufacture By Registered Nepali Company	Win Frame 60 x 62 x 2.0	Sqm		8070
		Shutter Frame 92 x 42 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Double Roller, Door Sliding Lock, S. S Screw, Weather Strips, Gaskets, with all Necessary Fitting Item Reinforcement and Tracking Channel				
	(5mm clear/ Colour Glass/15mm UPVC Panel Board)				
Casement DOORS					
43.00	Profile - White or Blue White Manufacture By Registered Nepali Company	Win Frame 60 x 58 x 2.0	Sqm		8339
		Shutter Frame 104 x 60 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Casement Hings, Door Mortice Lock, S. S Screw, Weather Strips, Gaskets, with all Necessary Fitting Item Reinforcement and Tracking Channel	Shutter F Middle 72 x 46 x 2.0			
	(5mm clear/ Colour Glass/15mm UPVC Panel Board)				

क्र. सं.	विवरण	सेक्सन/साईज	एकाई	आ. ब. ०८१/८२ को दररेट	आ. ब. ०८२/८३ को दररेट
44.00	Casement DOORS/ Windows				
	Profile - White or Blue White Manufacture By Registerd Nepali Company	Win Frame 60 x 58 x 2.0			
		Shutter Frame 76 x 60 x 2.0			
	Fabrication of UPVC Sliding Window of Defined Section Size With Casement Hings, Door Mortice Lock, Casement Window Lock, T-Lock, S. S Screw, Weather Strips, Gaskets, with all Necessary Fitting Item Reinforcement and Tracking Channel	Shutter F Middle 72 x 60 x 2.0	Sqm		8070
	(5mm clear/ Colour Glass/15mm UPVC Panel Board				
45.00	Fixed Partation / fixed wall Partation				
	Profile - White or Blue White Manufacture By Registerd Nepali Company	Side Frame 60 x 58 x 2.0			
		Middle Frame 72 x 46 x 2.0			
	Fabrication of UPVC profile for the Room or Wall Partaion using with Appropriate Profile , S. S Screw, Weather Strips, Gaskets, with all Necessary Fitting Item Reinforcement and Tracking Channel		Sqm		6456
	(5mm Glass/ 4mm Aluminium Composite Panel/12 Laminated Board/ 15mm UPVC Panel Board)				


कृषि कार्यका लागि ०.५५ मि.मि. जी.आई.पाताको मेटल बिन (तयारी भकारी) को क्षमता, नाप, तौल, मूल्य बिबरण

सेट	मेटल बिनको क्षमता (के.जी.)	मेटल बिनको तौल (के.जी.)	मेटल बिनको तयारी भित्रि व्यास (से.मि.)	मेटल बिनको तयारी भित्रि उचाई (से.मि.)	एकाई	आ.व. ८०/८१ को दररेट	आ.व. ८१/८२ को दररेट	आ.व. ८२/८३ को दररेट
ए.	२६२	१४.०	६१	१२१.०	गोटा	३०१७	३०१७	३०१७
ए.	२४५	१३.३	५९	१२१.०	"	२९२०	२९२०	२९२०
ए.	२२८	१२.५	५७	१२१.०	"	२८००	२८००	२८००
ए.	२१३	११.८	५५	१२१.०	"	२७२३	२७२३	२७२३
ए.	१९८	११.०	५३	१२१.०	"	२६२१	२६२१	२६२१
जम्मा	११४६	६२.५						
बि.	१९६	११.०	६१	९०.५	"	२२००	२२००	२२००
बि.	१८४	१०.५	५९	९०.५	"	२१४०	२१४०	२१४०
बि.	१७०	१०.०	५७	९०.५	"	२०५४	२०५४	२०५४
बि.	१६०	९.५	५५	९०.५	"	१९८९	१९८९	१९८९
बि.	१४८	९.०	५३	९०.५	"	१९१४	१९१४	१९१४
जम्मा	८५८	५०.०						
सी.	१४८	९.०	५३	९०.५	"	१९९३	१९९३	१९९३
सी.	१३६	८.५	५१	९०.५	"	१९२८	१९२८	१९२८
सी.	१२४	८.०	४९	९०.५	"	१८००	१८००	१८००
सी.	११२	७.५	४७	९०.५	"	१७००	१७००	१७००
सी.	७५	६.०	३८	९०.५	"	१४१२	१४१२	१४१२
जम्मा	५९५	३९.०						

[Handwritten signatures and notes in Nepali script]

आ.ब. ०८२/०८३ को घर भाडा प्रति वर्ग फिट एरिया प्रति महिना

क्षेत्र	घरको किसिम				कैफियत
	A	B	C	D	
क	29.57	28.47	27.12	24.63	
ख	24.65	23.45	22.39	21.36	
ग	22.39	21.36	20.17	18.96	
घ	20.17	18.95	17.91	16.54	

पार्किङ क्षेत्रको प्रति वर्ग फिट एरिया प्रति महिना रु १२

क्षेत्रको विवरण

क	जिल्ला वन कार्यालयदेखि धनगढी ट्राफिक कार्यालयसम्म
ख	भन्सारदेखी चौराहा चटकपुर, बैयाबेहडी, उत्तरवेहाडी, हसनपुर, बोराडाडी, जिल्ला वन कार्यालयदेखी क्याम्पस रोड, लक्ष्मिनारायण मन्दिर रोड, नेपाल राष्ट्र बैंक रोड, अदालत रोड त्रिवेणी चोक अत्तरिया बरिपरी क्षेत्र
ग	सन्तोषी टोल, विद्याल नगर तारानगर पुरानो भन्सार रोड धनगढी न.पा. का अन्य क्षेत्रहरू, टिकापुर र लम्की बजार
घ	माथि उल्लेखित बाहेकका क्षेत्रहरू

घरको किसिमको विवरण

A	Frame structure building with cement sand mortar
B	Load bearing wall building with cement sand mortar
C	Load bearing wall building with mud mortar
D	Load bearing building with mud mortar and tile/C.G.I. sheet roofing

गाडी भाडा ईन्धन बाहेक प्रति दिन रु	4000	without AC
	5000	with AC

१४.१० विभिन्न साईजका मेशीन मेड गेवियन जालीहरूको आ.ब. २०८२/८३ को जिल्ला दररेट

Machine Made and mechanically selvedged Double twist hexagonal mesh product

Specification			
Mesh Type		10x12	
Wire mesh Dia		3.00 mm	
Selvedge wire dia		3.90 mm	
Lacing Wire Dia		2.40 mm	
Type of Coating		Heavy Zinc Coating	
S.N.	Size /With Diapharm	unit	Price(NRS)
1	1.5x1x0.5/0	Nos	1682
2	2x1x0.5/1	Nos	2288
3	3x1x0.5/2	Nos	3265
4	4x1x0.5/3	Nos	4122
5	1.5x1x1/0	Nos	2444
6	2x1x1/1	Nos	3249
7	3x1x1/2	Nos	4610
8	4x1x1/3	Nos	5937
9	3x1.5x0.5/2	Nos	4797
10	4x1.5x0.5/3	Nos	6071
11	5x1.5x0.5/4	Nos	7527
12	6x1.5x0.5/5	Nos	9000
13	3x1.5x1/2	Nos	6754
14	4x1.5x1/3	Nos	8514
15	5x1.5x1/4	Nos	10526
16	6x1.5x1/5	Nos	12520
17	3x2x0.5/2	Nos	6017
18	4x2x0.5/3	Nos	7670
19	5x2x0.5/4	Nos	9520
20	6x2x0.5/5	Nos	11370
21	3x2x1/2	Nos	8352
22	4x2x1/3	Nos	10509
15	5x2x1/4	Nos	12987
16	6x2x1/5	Nos	15448
17	Wire mesh Netting	SQM	306

[Handwritten signatures and stamps]

धनगढी उपमहानगरपालिका नगर कार्यपालिकाको कार्यालय धनगढी कैलाली
विरुवाहरुको जिल्ला दररेट रु.

क्र.सं	विरुवाको प्रजाती	एकाई	आ.व.०८१-८२ को दररेट	आ.व.०८२- ८३ को दररेट	कैफियत
१	अमला	गोटा	१६	१८	
२	बाँस कलमी २ वर्षे	गोटा	५१२	५५०	
३	श्रीखण्ड १ फिट माथी २ वर्षे	गोटा	२८७	३२५	
४	रक्तचन्द्र १८ ईन्च २ वर्षे	गोटा	२८७	३२५	
५	रुद्राक्ष २ फिट माथी २ वर्षे	गोटा	५६३	५७५	
६	अगर उड	गोटा	२५६	३००	
७	गुर्जो	गोटा	८२	८५	
८	अम्रपाली २ वर्षे विरुवा	गोटा	१३३	१३३	
९	आँप निलम बहुवर्षिय	गोटा	१३३	१३३	
१०	आँप मलिका बहुवर्षिय	गोटा	१३३	१३३	
११	आँप अन्य जात	गोटा	१०२	१०२	
१२	लिची सबैजात	गोटा	१०७	१०७	
१३	कागती सबैजात	गोटा	६२	६२	
१४	सुन्तला सबैजात	गोटा	६२	६२	
१५	भेटिभर स्लिप	गोटा	१०	१०	
१६	विजयसाल	गोटा	७५	१००	
१७	बेत बाँस	गोटा	३५	५०	
१८	सतिसाल	गोटा	७५	८०	
१९	टिमु	गोटा	८५	९५	
२०	केरा टिस्यू कल्चर विरुवा	गोटा	४५	४५	
२१	बोधिचित्त	गोटा		५००	
२२	सडक किनारामा रोपिने विरुवाहरु (गोल्डमोहर, ज्याकाराण्डा, समि, पारिजात, राजवृक्ष, कपुर आदि) ३ फिट	गोटा		३५०	

(Handwritten signatures and marks)

विर्वाहरुको जिल्ला दररेट रु.

क्र.सं	विर्वाको प्रजाती	एकाई	आ.व.०८१-८२ को दररेट	आ.व.०८२- ८३ को दररेट	कैफियत
२३	सडक किनारामा रोपिने विर्वाहरु (गोल्डमोहर, ज्याकाराण्डा, समि, पारिजात, राजवृक्ष, कपुर आदि) ३ फिट देखि ५ फिट सम्म	गोटा		४५०	
२४	सडक किनारामा रोपिने विर्वाहरु (गोल्डमोहर, ज्याकाराण्डा, समि, पारिजात, राजवृक्ष, कपुर आदि) ५ फिट माथि	गोटा		५५०	
२५	कपुर ३ फिट माथि		३०७	३०७	

घनगढी उपमहानगरपालिका नगर कार्यपालिकाको कार्यालय घनगढी कैलाली
विपद् सामग्रीहरुको नगर दररेट आ.व. ०८२/०८३

क्र.सं.	विपद् सामग्रीको नाम	स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफियत
क.	हावाहुरी तथा बाढी पहिरो बाट हुने विपद् मा प्रयोग हुने				
१	Safety helmet	हेल्मेट Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	धान	३५०	
२	Gaiti with wood handle	गैती Medium size	धान	५५०	
३	Belcha with handle	साबेल Medium size (Metal handle)	धान	४५०	
४	Axe with wooden handle	बन्चरो Axe size 16*10 cm - (+3kg)	धान	५५०	
५	Two Hand Saw	आरा Size : Big (5 Feet)	धान	१०००	
६	Sabbal	गल Size : Big	धान	१३५०	
७	Agricultural spade with handle	फरुवा Regular size (metal handle)	धान	५००	
८	Hammer with handle (Ghan)	घन 5 kg	धान	१५००	
९	Aasi	आसी Size : Big	धान	१५००	
१०	Hand wood cutter machine Chain Saw	काठ काटने मेसिन Engine capacity not less than 50cc Minimum cutting diameter not less than 20"	धान	१५०००	
११	Hand wood cutter machine Petrol Saw	काठ काटने मेसिन 2 stroke engine, 1 cylinder Minimum cutting diameter: 20-inch (45cm)	धान	२५०००	
१२	bold cutter	आइरन रड कटर Medium Size	धान	२५००	
१३	Knee Pad	घुडामा लगाउने	धान	२५०	
१४	Head search light with battery	हेड लाईट Halogen 55 W ABS LED Search Lights	धान	७५०	
१५	Power torch light	पावर टर्च लाईट Lighting Type : LED , Battery : Lead Acid , Capacity : not less than 1500mah	धान	१५००	
१६	Come along machine	Capacity: not less than 4 ton	धान	६०००	
१७	Hydralic Jack	Capacity: 20 ton	धान	४०००	
१८	plastic rope	नाईलन डोरी 10-20mm diameter , More than 100 metre	धान	२५००	
१९	Anti Dust Glass	UV protection, Liquid splash protection	धान	५००	
२०	Scene Tape (Barricade Tape)	100 meter Roll	धान	१०००	
२१	Mega Phone	मेगाफोन Material: Fiber, Power Output : Not less than 10W, Max, Voice Range : Not less than 400m , Power Source: Chargable & battery use also Weight : not less than 1.5kg Usage : Public Meetings, Gathering , Tourist Palce Announcing	धान	४५००	
२२	Crow bar	क्रो बार Overall length - Not less than 450 mm DIA -not less than 16 mm (18**5/8") Ideal for removing nails & demolition work Forged with high carbon steel Good for pulling nails & lifting	धान	१०००	
२३	Back board (Stretcher) Spinal board	Two handles at tapered end to allow more stable transport. Strong, light weight, one-piece HDPE construction is impervious to all bodily fluids, easy to decontaminate, and provide 100% X-ray translucency. Instahold Buoyant Backboard Stretcher / Spine Board	धान	४५००	

विपद् सामग्रीहरूको नगर दररेट आ.व. ०८२/०८३

क्र.सं.	विपद् सामग्रीको नाम	स्पेसिफिकेसन	एकाई	प्रति एकाई दर रु.	कैफियत
२४	Electric Cord	100 meter	यान	४०००	
२५	Tools box with tools		यान	३०००	
ख	दुर्घटना विपद् मा प्रयोग हुने (Rappelling & climbing equipment)				
१	Sit Harness Belt	सिट हर्नेस बेल्ट Fully adjustable waist and legs Wrap around or step in fitting Well- established , easy interlocking buckling system Laminated, high quality , sandwiched closed cell foam padding High quality polyester webbing , with hidden locking stitch 2 fixed Gear Loops - 2 Removable Gear loops 1 front aluminium D & 1 front double thickness 18mm belay loop 30kn 1 back & 2 side webbing eyes conforming to EN 358 Standard Waist Size : 74cm to 115 cm Standard leg /thigh Size : 44cm to 85 cm Rated for: not less than 100kg Weight for standard Harness : not less than 1 kg	यान	४०००	
२	Chest harness	चेस्ट हर्नेस Fully adjustable with comfort padded waist belt thigh strap and shoulder Strap 44 mm polyester webbing with min. breaking strength 25 kn Automatic stitching pattern with strength Metal type chest strap with easy handling Adjustable dorsal high strength forged D-ring , Min Breaking Strength 25 kn Two lateral D- rings for work positioning, one sternal D- ring for fall arrest & one ventral D- ring for rescue Finished Webbing rmds with web holder Suitable for fall arrest, work positioning, descent & ascent & rescue service Special design & high resistant polyethylene back plate for holding D- ring even after the fall	यान	१५००	
३	Static Rope	100 metre Roll , 12mm	यान	१२०००	
४	Dynamic Rope	डाइनामिक रोप Diameter: Not less than 8 mm Length : Not less than 50 ft/roll Made up of with nylon material, enduring durability and longevity Light weight and portable , easy to carry Great for survival , rescue camping	यान	१५०००	
५	Wire rope pulley	घिर्नी Capacity: not less than 0.5 ton	यान	२०००	
६	Safety helmet for Rappelling & climbing	हेल्मेट Materials: PVC , size : Not less than 15" , shape : Round , Weight : Approx 250 gram	यान	८००	
७	Carabiner	क्यारिबिना Made up of alloy Steel, Head treated, Min. Breaking Load: not less than 4500 lbs/ 23kn, Net weight : not less than 100gm	यान	१२००	

विपद् सामग्रीहरूको नगर दररेट आ.व. ०८२/०८३

क्र.सं.	विपद् सामग्रीको नाम		स्पेसिफिकेशन	एकाई	प्रति एकाई दर रु.	कैफियत
८	Figure 8 Carabiner		30 k.n	धान	२०००	
९	Jumar for clambing		9 cm wide & 19 cm long weight - more than 200 gram	धान	२५००	
१०	Gri - Gri		More than 8 mm	धान	२५००	
११	Prusik		GM CLIMBING 18" / 24" 8mm Pre-Sewn Prusik Cord	धान	५००	
१२	Tin box	टिन बक्स	6*4*4 feet (22 Gauze)	धान	१२०००	
१३	First Aid box	फर्स्ट एड बक्स	Triangular Bandage-15 Pc, Roller bandage-3inch-15pc/4inch-15pc, Sterilized Gauzepad-15 Pc, Foresape-3pc, Scissor medium-3pc, Huppin-medium size-3set, Savlon-100ml-3pc, soap-dettol-150-3pc, mask-3box, gloves-medium-3 box,towel cotton-small-3pc, handiplast-1 box, oientment tube-100gm- 3 tube, adhesive tape-4 inch-3pc, Crepe bandage-4inch- 15 Pc, Spiral pad-3pc, ballpen-3pc, thermometer digital (microlab)-3 pc, ORS solution- 30 pc, Hand sanitizer-100 ml 3 pc, Bag-1pc)	धान	३०००	
ग	बाढी तथा दुवानबाट हुने विपद् मा प्रयोग हुने					
१	Life Jacket	लाईफ ज्याकेट		धान	३०००	
२	Throw bag		The 3/8" polypropylene rope is yellow for high visibility, The rope has a 1,900 pound tensile strength and it floats for good visibility on the water.	धान	१५००	
३	Life bouy rescue tube	लाईफ ब्वाय रेस्क्यु ट्युब	Size : 29*29*4	धान	३०००	
४	Bora	कट्टा	30 kg	धान	२५	
५	Gum boot for water		Size : Medium & Big	धान	१०००	
६	Rain Coat		Size : Medium & Big	धान	२५००	
७	Water Glasses		Liquid splash protection	धान	१००	
८	Safety helmet for water rescue	हेल्मेट	Materials: PVC, size : Not less than 15" , shape : Round , Weight : Approx 250 gram	धान	८५०	
९	Water Rescue shoes			धान	१०००	
१०	Tripal		18*24 ft.	धान	१७००	
घ	आगलागीबाट हुने विपद् मा प्रयोग हुने					
१	Fire extinguisher	अग्नी सामक	Type ABC Powder , more than 5 kg cylender	धान	४५००	
२	Fire fighter shoot	फायर फाईटर सुट	Jacket , Paint & Helmet	धान	७०००	
३	Stell Bucket	फलामे बाल्टी	More than 8 liter	धान	७००	
४	Fire Safley Gloves		Silica Fabric, Heat Resistant Gloves, Fire Proof	धान	८००	
५	Aluminium ladder	आलुमिनियम ल्याडर	Not less than 12 ft.	धान	१५०००	

धनगढी उपमहानगरपालिका

नगर कार्यपालिकाको कार्यालय

२०८२/०८३ का लागि विद्युतीय सामग्रीको दररेट

सि.नं	विद्युतीय सामग्रीको विवरण	एकाई	आ.व. २०८२/०८३
A	Modular Switch, Sockets		
1	Modular Plate		
	1 Modular Plate	सेट	148
	2 Modular Plate	सेट	148
	3 Modular Plate	सेट	192
	4 Modular Plate	सेट	221
	6 Modular Plate	सेट	301
	8 Modular Plate	सेट	354
	12 Modular Plate	सेट	482
	16 Modular Plate	सेट	562
	18 Modular Plate	सेट	593
2	Switches (Modular)		
	10 A 1 Way Switch	सेट	130
	10 A 2 Way Switch	सेट	239
	16 A 1 Way Switch with indicator	सेट	283
	16 A 1 Way Switch	सेट	252
	20 A DP Switch with indicator	सेट	546
	32 A DP Switch with indicator	सेट	655
	10 A Bell Switch	सेट	252
	25A Motor stator	सेट	1162
	Step Type Fan Regulator	सेट	638
3	Sockets		
	6A 2 Pin Sockets	सेट	212
	13 A Universal sockets	सेट	279
	6/16A 3 Pin sockets	सेट	429
	6/16A 5 Pin sockets	सेट	429
	RJ 11 Sockets	सेट	282
	RJ 45 Sockets	सेट	819
4	Flush Mounting Metal Box for Modular type		
	1 Module metal Box	सेट	54
	2 Module metal Box	सेट	54
	3 Module metal Box	सेट	58
	4 Module metal Box	सेट	71
	5 Module metal Box	सेट	139
	6 Module metal Box	सेट	142
	8 Module Box metal Box (4+4)	सेट	188
	8 Module metal Box (horizontal)	सेट	189
	12 Module metal Box	सेट	241
5	Metal Junction Box		
	4"x4"	सेट	104
	4"x6"	सेट	156

सि.नं	विद्युतीय सामग्रीको विवरण	एकाई	आ.व. २०८२।०८३
	6"x8"	सेट	247
	8"x10"	सेट	364
	8"x12"	सेट	364
6	PVC Junction Box		
	4"x4"	सेट	35
	4"x6"	सेट	32
	6"x8"	सेट	48
	8"x10"	सेट	69
	8"x12"	सेट	134
	PVC Junction Box Cover	सेट	150
7	PVC Box for MCB		
	1 Pole PVC Box GPS	सेट	84
	2 Pole PVC Box GPS	सेट	84
	3 and 4 Pole PVC Box GPS	सेट	135
B	LT-Panels		
1	(General & Mid segment)		
	Distribution Board(DB) - Factory fabricated and factory assembled, sheet steel clad powder coated, wall/recess mounting dust and vermin proof made of 16 SWG sheet steel provided with hinged gasketed door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnection and neutral bar assembly, earthing terminal busbar etc.		
	4 way SPN DB Double cover	सेट	1130
	6 way SPN DB Double cover	सेट	1185
	8 way SPN DB Double cover	सेट	1479
	12 way SPN DB Double cover	सेट	1753
	16 way SPN DB Double cover	सेट	1874
	4 way TPN DB Double cover	सेट	2786
	6 way TPN DB Double cover	सेट	3131
	8 way TPN DB Double cover Vertical	सेट	6057
	12 way TPN DB Double cover Vertical	सेट	8070
2	Standard Segment		
	Distribution Box - Factory fabricated and factory assembled, sheet steel clad powder coated, wall/recss mounting dust and vermin proof made of 16 SWG sheet steel provided with hinged gasketed door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnection and neutral bar assembly, earthing terminal busbar etc.		
	4 way SPN DB Box (Double door)	सेट	3135
	8 way SPN DB Box (Double door)	सेट	3870
	12 way SPN DB Box (Double door)	सेट	4652

सि.नं	विद्युतीय सामाग्रीको विवरण	एकाई	आ.व. २०८२।०८३
	16 way SPN DB Box (Double door)	सेट	5902
	18 way SPN DB Box (Double door)	सेट	6036
	20 way SPN DB Box (Double door)	सेट	7322
	4 Way SPN DB Box (Single Door)	सेट	2356
	8 Way SPN DB Box (Single Door)	सेट	2874
	12 Way SPN DB Box (Single Door)	सेट	3398
	16 Way SPN DB Box (Single Door)	सेट	4150
	4 way TPN DB Box Double door	सेट	7660
	6 way TPN DB Box Double door	सेट	9539
	8 way TPN DB Box Double door	सेट	11392
	12 way TPN DB Box Double door	सेट	17062
	16 way TPN DB Box Double door	सेट	21152
	20 way TPN DB Box Double door	सेट	29612
C	Manual Changeover Switch		
	63 Amp. FP	गोटा	12135
	80 Amp. FP	गोटा	13426
	100 Amp. FP	गोटा	19020
	125 Amp. FP	गोटा	20053
	160 Amp. FP	गोटा	26336
	200 Amp. FP	गोटा	27196
	250 Amp. FP	गोटा	28918
	315 Amp. FP	गोटा	36578
D	MCB (Miniature Circuit Breaker), ISO/IS/NS Certified		
	6 A-32 A SP MCB 10kA, C-Curve	गोटा	215
	40 A SP MCB 10kA, C-Curve	गोटा	782
	6 A-32 A DP MCB 10kA, C-Curve	गोटा	1065
	40 A DP MCB 10kA, C-Curve	गोटा	1671
	63 A DP MCB 10kA, C-Curve	गोटा	1880
	6 A-32 A TP MCB 10kA, C-Curve	गोटा	1744
	40 A TP MCB 10kA, C-Curve	गोटा	2550
	63 A TP MCB 10kA, C-Curve	गोटा	2705
	10 A -32 A FP MCB 10kA, C-Curve	गोटा	2235
	40 A FP MCB 10kA, C-Curve	गोटा	3269
	63 A FP MCB 10kA, C-Curve	गोटा	3342
E	MCCB (Moulded Case Circuit Breaker) ISO/IS/NS Certified		
	16 A, TP MCCB, 16/25 Ka	गोटा	9936
	20A-63 A, TP MCCB, 16/25 Ka	गोटा	10153
	80 A, TP MCCB, 16/25 Ka	गोटा	10648
	100 A, TP MCCB, 16/25 Ka	गोटा	10648
	125 A, TP MCCB, 16/25 Ka	गोटा	14454
	160 A, TP MCCB, 16/25 Ka	गोटा	22220
	200 A, TP MCCB, 25 Ka	गोटा	30250
	250 A, TP MCCB, 25 Ka	गोटा	32318

सि.नं	विद्युतीय सामग्रीको विवरण	एकाई	आ.व. २०८१/०८३
	16 A-100A, TP MCCB, 36 Ka	गोटा	12592
	125 A, TP MCCB, 36 Ka	गोटा	19981
	160 A, TP MCCB, 36 Ka	गोटा	26559
	200 A, TP MCCB, 36 Ka	गोटा	31581
	250 A, TP MCCB, 36 Ka	गोटा	35541
	320 A, TP MCCB, 36 Ka	गोटा	41222
	400 A, TP MCCB, 36 Ka	गोटा	41258
	500 A, TP-MCCB, 36 Ka	गोटा	47641
	630 A, TP MCCB, 36 Ka	गोटा	54010
	800 A, TP MCCB, 36 Ka	गोटा	79653
	16 A, FP MCCB, 16/25 Ka	गोटा	13812
	20 A- 40A, FP MCCB, 16/25 Ka	गोटा	14195
	50A, FP MCCB, 16/25 Ka	गोटा	16978
	80 A, FP MCCB, 16/25 Ka	गोटा	16978
	100 A, FP MCCB, 16/25 Ka	गोटा	17308
	125 A, FP MCCB, 16/25 Ka	गोटा	21472
	160 A, FP MCCB, 16/25 Ka	गोटा	27555
	200 A, FP MCCB, 25 Ka	गोटा	38445
	250 A, FP MCCB, 25 Ka	गोटा	40529
	16 A-100 A, FP MCCB, 36 Ka	गोटा	15712
	125 A, FP MCCB, 36 Ka	गोटा	24810
	160 A, FP MCCB, 36 Ka	गोटा	31548
	200 A, FP MCCB, 36 Ka	गोटा	38852
	250 A, FP MCCB, 36 Ka	गोटा	43417
	320 A, FP MCCB, 36 Ka	गोटा	51480
	400 A, FP MCCB, 36 Ka	गोटा	52332
	500 A, FP MCCB, 36 Ka	गोटा	64916
	630 A, FP MCCB, 36 Ka	गोटा	71940
	800 A, FP MCCB, 36 Ka	गोटा	89616
F	RCCB (Residual Current Circuit Breaker) ISO/IS/NS Certified		
	25 A 30mA 2 Pole RCCB	गोटा	3704
	25A 100mA 2 Pole RCCB	गोटा	3493
	25A 300mA 2 Pole RCCB	गोटा	3493
	40A 30mA 2 Pole RCCB	गोटा	3704
	40A 100mA 2 Pole RCCB	गोटा	3493
	40A 300mA 2 Pole RCCB	गोटा	3493
	63A 30mA 2 Pole RCCB	गोटा	3704
	63A 100mA 2 Pole RCCB	गोटा	3493
	63A 300mA 2 Pole RCCB	गोटा	3493
	25A 30mA Four Pole RCCB	गोटा	4339
	25A 100mA Four Pole RCCB	गोटा	4182
	25A 300mA Four Pole RCCB	गोटा	4182
	40A 30mA Four Pole RCCB	गोटा	4339
	40A 100mA Four Pole RCCB	गोटा	4182
	40A 300mA Four Pole RCCB	गोटा	4182
	63A 30mA Four Pole RCCB	गोटा	4339

सि.नं	विद्युतीय सामाग्रीको विवरण	एकाई	आ.व. २०८२/०८३
	63A 100mA Four Pole RCCB	गोटा	4182
	63A 300mA Four Pole RCCB	गोटा	4182
G	Cable Shoes /Lug		
	Lug Size : 16mm	गोटा	66
	Lug Size : 25mm	गोटा	86
	Lug Size : 35mm	गोटा	66
	Lug Size : 50mm	गोटा	78
	Lug Size : 70mm	गोटा	96
	Lug Size : 95mm	गोटा	149
	Lug Size : 150mm	गोटा	224
	Lug Size : 195mm	गोटा	318
	Lug Size : 250mm	गोटा	506
H	Wire, Cable and Accessories		
1	FRLS PVC Insulated Wire (1100 V Conductor of Multi Strand Anneled Plain Copper and FRLSH PVC Insulated Single core wire)		
	Size 1 C x 0.75 sq.mm	र.मि.	25
	Size 1 C x 1 sq.mm	र.मि.	33
	Size 1 C x 1.5 sq.mm	र.मि.	49
	Size 1 C x 2.5 sq.mm	र.मि.	79
	Size 1 C x 4 sq.mm	र.मि.	116
	Size 1 C x 6 sq.mm	र.मि.	175
2	Multistrand Flexible Wire for house wiring (90 meter per coil) NS Marked Eqv.		
	0.75 sq.mm PVC insulated Copper wire	क्वायल	1075
	1.5 sq.mm PVC insulated Copper wire	क्वायल	1721
	2.5 sq.mm PVC insulated Copper wire	क्वायल	2528
	4 sq.mm PVC insulated Copper wire	क्वायल	4088
	6 sq.mm PVC insulated Copper wire	क्वायल	6455
	10 sq.mm PVC insulated Copper wire	क्वायल	10758
3	Concentric Cable NS marked Eqv.		
	6 mm concentric cable	र.मि	27
	10 mm concentric cable	र.मि	40
	16 mm concentric cable	र.मि	69
4	ABC Cable, NS Certified		
	4 core 25 sq.mm ABC Cable	र.मि	161
	4 core 50 sq.mm ABC Cable	र.मि	269
	4 core 95 sq.mm ABC Cable	र.मि	527
5	Copper Conductor, Armoured Power Cable (XLPE and PVC insulation) IS/NS marked or equivalent.		
	2 core 10 sq.mm	र.मि	413
	2 core 16 sq.mm	र.मि	574
	2 core 25 sq.mm	र.मि	852
	2 core 35 sq.mm	र.मि	1141

सि.नं	विद्युतीय सामाग्रीको विवरण	एकाई	आ.व. २०८२।०८३
	2 core 50 sq.mm	र.मि	1534
	2 core 70 sq.mm	र.मि	2163
	2 core 95 sq.mm	र.मि	2956
	2 core 120 sq.mm	र.मि	3733
	2 core 150 sq.mm	र.मि	4613
	3.5 core 25 sq.mm	र.मि	1484
	3.5 core 35 sq.mm	र.मि	1934
	3.5 core 50 sq.mm	र.मि	2667
	3.5 core 70 sq.mm	र.मि	3761
	3.5 core 95 sq.mm	र.मि	5145
	3.5 core 120 sq.mm	र.मि	6629
	3.5 core 150 sq.mm	र.मि	7933
	4 core 10 sq.mm	र.मि	728
	4 core 16 sq.mm	र.मि	1054
	4 core 25 sq.mm	र.मि	1627
	4 core 35 sq.mm	र.मि	2212
	4 core 50 sq.mm	र.मि	3002
	4 core 70 sq.mm	र.मि	4247
	4 core 95 sq.mm	र.मि	5830
	4 core 120 sq.mm	र.मि	7388
	4 core 150 sq.mm	र.मि	9119
6	Copper Conductor, Unarmoured Power Cable (XLPE and PVC insulation) IS/NS marked or equivalent.		
	2 core 10 sq.mm	र.मि	367
	2 core 16 sq.mm	र.मि	515
	2 core 25 sq.mm	र.मि	797
	2 core 35 sq.mm	र.मि	1082
	2 core 50 sq.mm	र.मि	1475
	2 core 70 sq.mm	र.मि	2095
	2 core 95 sq.mm	र.मि	2878
	2 core 120 sq.mm	र.मि	3646
	2 core 150 sq.mm	र.मि	4513
	3.5 core 25 sq.mm	र.मि	1447
	3.5 core 35 sq.mm	र.मि	1884
	3.5 core 50 sq.mm	र.मि	2615
	3.5 core 70 sq.mm	र.मि	3708
	3.5 core 95 sq.mm	र.मि	5096
	3.5 core 120 sq.mm	र.मि	6592
	3.5 core 150 sq.mm	र.मि	7884
	4 core 10 sq.mm	र.मि	679
	4 core 16 sq.mm	र.मि	1017
	4 core 25 sq.mm	र.मि	1589
	4 core 35 sq.mm	र.मि	2172
	4 core 50 sq.mm	र.मि	2962
	4 core 70 sq.mm	र.मि	4219
	4 core 95 sq.mm	र.मि	5808

सि.नं	विद्युतीय सामग्रीको विवरण	एकाई	आ.व. २०८२/०८३
	4 core 120 sq.mm	र.मि	7378
	4 core 150 sq.mm	र.मि	9128
7	Aluminum Conductor, Armoured Power Cable (XLPE and PVC insulation) IS/NS marked or equivalent.		
	2 core 10 sq.mm	र.मि	160
	2 core 16 sq.mm	र.मि	181
	2 core 25 sq.mm	र.मि	220
	2 core 35 sq.mm	र.मि	248
	2 core 50 sq.mm	र.मि	305
	2 core 70 sq.mm	र.मि	397
	2 core 95 sq.mm	र.मि	493
	2 core 120 sq.mm	र.मि	592
	2 core 150 sq.mm	र.मि	723
	3.5 core 25 sq.mm	र.मि	330
	3.5 core 35 sq.mm	र.मि	387
	3.5 core 50 sq.mm	र.मि	496
	3.5 core 70 sq.mm	र.मि	656
	3.5 core 95 sq.mm	र.मि	829
	3.5 core 120 sq.mm	र.मि	1031
	3.5 core 150 sq.mm	र.मि	1215
	4 core 10 sq.mm	र.मि	206
	4 core 16 sq.mm	र.मि	260
	4 core 25 sq.mm	र.मि	355
	4 core 35 sq.mm	र.मि	415
	4 core 50 sq.mm	र.मि	546
	4 core 70 sq.mm	र.मि	708
	4 core 95 sq.mm	र.मि	889
	4 core 120 sq.mm	र.मि	1105
	4 core 150 sq.mm	र.मि	1346
8	Aluminum Conductor, Unarmoured Power Cable (XLPE and PVC insulation) IS/NS marked or equivalent.		
	2 core 10 sq.mm	र.मि	104
	2 core 16 sq.mm	र.मि	139
	2 core 25 sq.mm	र.मि	156
	2 core 35 sq.mm	र.मि	185
	2 core 50 sq.mm	र.मि	238
	2 core 70 sq.mm	र.मि	316
	2 core 95 sq.mm	र.मि	400
	2 core 120 sq.mm	र.मि	493
	2 core 150 sq.mm	र.मि	613
	3.5 core 25 sq.mm	र.मि	273
	3.5 core 35 sq.mm	र.मि	330
	3.5 core 50 sq.mm	र.मि	436

सि.नं	विधुतीय सामाग्रीको विवरण	एकाई	आ.व. २०८२।०८३
	3.5 core 70 sq.mm	र.मि	596
	3.5 core 95 sq.mm	र.मि	772
	3.5 core 120 sq.mm	र.मि	988
	3.5 core 150 sq.mm	र.मि	1158
	4 core 10 sq.mm	र.मि	160
	4 core 16 sq.mm	र.मि	216
	4 core 25 sq.mm	र.मि	302
	4 core 35 sq.mm	र.मि	372
	4 core 50 sq.mm	र.मि	504
	4 core 70 sq.mm	र.मि	666
	4 core 95 sq.mm	र.मि	864
	4 core 120 sq.mm	र.मि	1095
	4 core 150 sq.mm	र.मि	1356
I	PVC Listy Double Lock, NS Certified		
	15*10 mm PVC Listy	गोटा	32
	20*12 mm PVC Listy	गोटा	48
	25*15 mm PVC Listy	गोटा	69
	40*25 mm PVC Listy	गोटा	134
	50*25 mm PVC Listy	गोटा	150
J	Accessories		
	1/2"- 2" size Saddle	गोटा	8
	Grips (Denmark)	गोटा	6
	Steel screw	गोटा	2
	PVC Electrical wire insulation Tape	गोटा	'15
K	Luminaries and Fixtures		
1	LED Bulb (ISO Certified)		
	5 watt LED Bulb with E27/B22 Base, Colour 5000k-6000k	गोटा	139
	7-9 watt LED Bulb with E27/B22 Base, Colour 5000k-6000k	गोटा	183
	15 watt LED Bulb with E27/B22 Base, Colour 5000k-6000k	गोटा	342
	20-23 watt High Power LED with E27/B22 Base, Colour 5000k-6000k	गोटा	522
	30 watt High Power LED with E27/B22 Base, Colour 5000k-6000k	गोटा	783
2	Street Light (Standard Segment)		

सि.नं	विद्युतीय सामाग्रीको विवरण	एकाई	आ.व. २०८२।०८३
	Street Light with voltage range: 110V-270V, Housing Aliminum Die-cast with good heat sink fins, shape rectangular, LED Cheap: SMD (LM 5050), Drive Non-Dimmable, P.F>=0.9. IP:66, SPD :6KV inbuilt and 10kv external, Colour temprature: 5000k-6000k, CRI>=70 ,Sensor: 10A inbuilt, Burning hour>=50000 hours, Luminous efficiency>=130 lm/watt, Beam angle >=120 degree, IS/ISO Certified having manufacture's warranted from Authorized dealer for warrenty minimum 2 years.		
	40-60 watt street light	सेट	2680
	70-90 watt street light	सेट	4768
	100-120 watt street light	सेट	4992
3	Dimable Street Light with voltage range: 110V-270V, Housing Aliminum Die-cast with good heat sink fins, shape rectangular, LED Cheap: SMD (LM 5050), Drive: Three stage Dimmable, P.F>=0.9. IP:66, SPD :6KV inbuilt and 10kv external, Colour temprature: 5000k-6000k, CRI>=70 ,Sensor: 10A inbuilt, Burning hour>=50000 hours, Luminous efficiency>=130 lm/watt, Beam angle >=120 degree, IS/ISO Certified having manufacture's warranted from Authorized dealer for warrenty minimum 2 years.		
	40-50 watt street light	सेट	4328
	70-90 watt street light	सेट	5088
	100-120 watt street light	सेट	6240
4	Flood Light (Standard Segment)		
	Flood Light with voltage range: 110V-270V, Housing Aliminum Die-cast with good heat sink fins, shape : squar/rectangle, LED Cheap: SMD (LM 5050), Drive Non-Dimmable, P.F>=0.9. IP:66, SPD :6KV inbuilt and 10kv external , Colour temprature: 5000k-6000k, CRI>=70, Burning hour>=50000 hours, Luminous efficiency>=120 lm/watt, Beam angle >=120 degree, IS/ISO Certified having manufacture's warranted from Authorized dealer for warrenty minimum 2 years.		
	30-50 watt flood light	सेट	3392
	100 watt flood light	सेट	

सि.नं	विद्युतीय सामग्रीको विवरण	एकाई	आ.व. २०८२।०८३
	120 watt flood light	सेट	7968
	150 watt flood light	सेट	8892
	180-200 watt flood light	सेट	11760
	250-300 watt flood light	सेट	14400
	400 watt flood light	सेट	17600
5	Strip Light /Rope Light		
	8mm width IP66/67, having colour R/B/W/G, colour temprature natural white 4500k with colour rendering CRI-80, No harmful UV/IR radiation.	र.मि	480
	IP66 (waterproof) Driver for rope light	गोटा	675
L	Air Conditioning System		
	Single Split wall mounted/ ceilling casset type air conditioner (heat pump) with complete silence, powerful operation, intelligent control, filter cleaning indicator, PMV Control and power saving features included, wireless remote controller, Installation between indoor to outdoor unit with all required materials like copper tube, insulation tube, electrical wiring should also be included with in the cost.		
1	Wall Mounted Inverter type Split Units with Wireless remote Controller.		
	0.75 Ton	गोटा	81000
	1.0 Ton	गोटा	71000
	1.5 Ton	गोटा	87200
	2.0 Ton	गोटा	106194
2	Ceilling Cassette Inverter type Split Units with Wireless remote Controller.		
	1.0 Ton	गोटा	118800
	1.5 Ton	गोटा	145800
	2.0 Ton	गोटा	162000
	3.0 Ton	गोटा	261950
	4.0 Ton	गोटा	265500
M	Miscellaneous Items		
	Pure sine wave inverter 850 VA/12V	गोटा	16995
	Pure sine wave inverter 1000 VA/12V	गोटा	23587
	Pure sine wave inverter 1400 VA	गोटा	25029
N	Poles		
	Steel tubler pole 11 m long (folding/nonfolding) with nut,bolt and washer	गोटा	20419
	Steel tubler pole 10 m long (folding/nonfolding) with nut,bolt and washer	गोटा	18978
	Steel tubler pole 9 m long (folding/nonfolding) with nut,bolt and washer	गोटा	16936

[Handwritten signature]

सि.नं	विद्युतीय सामाग्रीको विवरण	एकाई	आ.व. २०८२।०८३
	Steel tubler pole 8 m long (folding/nonfolding) with nut,bolt and washer	गोटा	12131
	MS Pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3m	गोटा	17922
	MS Pole 7 m high with rustproof enamel paint dimension 4" for buttom 4 m 3" for top 3m	गोटा	19776
	MS Pole 8 m high with rustproof enamel paint dimension 4" for buttom 5 m 3" for top 3m	गोटा	22042
	MS Pole 9 m high with rustproof enamel paint dimension 4" for buttom 6 m 3" for top 3m	गोटा	22351
	7 m Hot deep Galvanized pole with diameter of pole section 4" for buttom 4.5 m and 3" for top 2.5 m	गोटा	22042
	8 m Hot deep Galvanized pole with diameter of pole section 5" for buttom 4.5 m and 4" for middle 1.75 m and 3" for top 1.75 m	गोटा	25441
	9 m Hot deep Galvanized pole with diameter of pole section 5" for buttom 5 m and 4" for middle 2 m and 3" for top 2 m	गोटा	27707
	10 m Hot deep Galvanized pole with diameter of pole section 5" for buttom 5.2 m and 4" for middle 2.4 m and 3" for top 2.4 m	गोटा	29973
O Exhaust Fan			
	6" Ventilation Exhaust fan	गोटा	2000
	8" Ventilation Exhaust fan	गोटा	2090
	10" Ventilation Exhaust fan	गोटा	2475
	4" Moduler Ventilation Exhaust	गोटा	2200
	6" Moduler Ventilation Exhaust	गोटा	2475
	9" Open Metal Exhaust	गोटा	2975
	12" Open Metal Exhaust	गोटा	3475

माथि उल्लेखित आईटम हरु भन्दा थप आईटमहरु आवश्यक परेमा बजार बाट तिनवटा दररेट माग गरी सो मध्यबाट

न्यूनतम दररेट लाई आधारमानी कायम गर्न सकिने छ ।

[Handwritten signatures and initials]